BIJOAK

The BIOCHEMICAL JOURNAL

AUTHOR AND KEYWORD INDEXES FOR VOLUMES 273–280 (1991)

The Biochemical Society, London © 1992

The BIOCHEMICAL JOURNAL

AUTHOR AND

KEYWORD INDEXES

FOR VOLUMES

273–280 (1991)

The Biochemical Society, London © 1992

Available from

Portland Press Ltd, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the abovementioned address.

Compiled and composed by Chemical Abstracts Service, Columbus, OH, U.S.A.

Printed in Great Britain by the University Press, Cambridge

Author Index

VOLUMES 273–280 (1991)

Abelenda, M. See Barja de Quiroga, G.

Abell, C. See Bugg, T. D. H.; Lander, M.

Aboagye-Kwarteng, T.
——; Ole-Moiyoi, O. K.; Lonsdale-Eccles, J. D.
Phosphorylation differences among proteins of bloodstream developmental stages of Trypanosoma brucei brucei. 275: 7

Abrahamson, M. See Buttle, D. J.
——; Mason, R. W.; Hansson, H.; Buttle, D. J.; Grubb, A.; Ohlsson, K.
Human cystatin C. Role of the N-terminal segment in the inhibition of human cysteine proteinases and in its inactivation by leukocyte elastase. 273: 621

Adachi, T.
——; Ohta, H.; Hirano, K.; Hayashi, K.; Marklund, S. L.
Nonenzymic glycation of human extracellular superoxide dismutase. 279: 263

Adam, M. See Jamin, M.
——; Damblon, C.; Jamin, M.; Zorzi, W.; Dusart, V.; Galleni, M.; El Kharroubi, A.; Piras, G.; Spratt, B. G.
Acyltransferase activities of the high-molecular-mass essential penicillin-binding proteins. 279: 601

Adams, H. P. H. M. See Schielen, W. J. G.

Adams, R. L. P. See Yesufu, H. M. I.

Adang, A. E. P.
——; Moree, W. J.; Brussee, J.; Mulder, G. J.; Van der Gen, A.
Inhibition of glutathione S-transferase 3-3 by glutathione derivatives that bind covalently to the active site. 278: 63

Adany, R.
——; Iozzo, R. V.
Hypomethylation of the decorin proteoglycan gene in human colon cancer. 276: 301

Adelman, J. P. See Kavanaugh, M. P.

Adelson, J. R. See Monaco, M. E.

Ades, I. Z. See Ryan, G.

Adolf, G. R.
——; Kalsner, I.; Ahorn, H.; Maurer-Fogy, I.; Cantell, K.
Natural human interferon-α2 is O-glycosylated. 276: 511

Aelmans, P. H. See Dekker, J.

Agell, N.
——; Ryan, C.; Schlesinger, M. J.
Partial purification and substrate specificity of a ubiquitin hydrolase from Saccharomyces cerevisiae. 273: 615

Agius, L. See Emmison, N.
——; Peak, M.; Al-Habori, M.
What determines the increase in liver cell volume in the fasted-to-fed transition: glycogen or insulin? 276: 843

Aguirre, A. See Bobek, L. A.

Ahmad, H. See Medh, R. D.; Sharma, R.

Ahmed, A. See Low, S. Y.

Ahmed, S.
——; Kozma, R.; Lee, J.; Monfries, C.; Harden, N.; Lim, L.
The cysteine-rich domain of human proteins, neuronal chimaerin, protein kinase C and diacylglycerol kinase binds zinc. Evidence for the involvement of a zinc-dependent structure in phorbol ester binding. 280: 233

Ahorn, H. See Adolf, G. R.

Aikawa, M. See Hsiao, L. L.

Ailenberg, M.
——; Stetler-Stevenson, W. G.; Fritz, I. B.
Secretion of latent type IV procollagenase and active type IV collagenase by testicular cells in culture. 279: 75

Aisaka, K.
——; Igarashi, A.; Yamaguchi, K.; Uwajima, T.
Purification, crystallization and characterization of N-acetylneuraminate lyase from Escherichia coli. 276: 541

Aitken, A. See Martin, J.

Akamatsu, N. See Oda-Tamai, S.

Akerley, B. See Pollack, S.

Akerman, K. E. O. See Porn, M. I.

Akhtar, M. See Wright, J. N.

Akino, T. See Kuroki, Y.

Akkerman, J. W. N. See Van Willigen, G.

Alberghina, L. See Brambilla, R.

Albericio, F. See Royo, T.

Al Daher, S.
——; De Gasperi, R.; Daniel, P.; Hall, N.; Warren, C. D.; Winchester, B.
The substrate-specificity of human lysosomal α-D-mannosidase in relation to genetic α-mannosidosis. 277: 743

Alefounder, P. R. See Bugg, T. D. H.; Lander, M.

Alexander, R. W. See Lassegue, B.

Al-Habori, M. See Agius, L.

Alhonen, L. See Halmekyto, M.; Hyttinen, J. M.

Allan, E. H. See Schneider, H. G.

Allen, C. M. See Henry, A.

Al-Massad, F. K. See Kadir, F. H. A.

Almond, M. K.
——; Smith, A.; Cohen, R. D.; Iles, R. A.; Flynn, G.
Substrate and pH effects on glutamine synthesis in rat liver. Consequences for acid-base regulation. 278: 709

Almonor, G. O. See Ashby, B.

Alonso, J. M.
——; Santa-Cecilia, A.; Calvo, P.
Glucosidase II from rat liver microsomes. Kinetic model for binding and hydrolysis. 278: 721

Alonso, M. T.
——; Alvarez, J.; Montero, M.; Sanchez, A.; Garcia-Sancho, J.
Agonist-induced calcium influx into human platelets is secondary to the emptying of intracellular calcium stores. 280: 783

Alonso de la Torre, S. R.
——; Serrano, M. A.; Alvarado, F.; Medina, J. M.
Carrier-mediated L-lactate transport in brush-border membrane vesicles from rat placenta during late gestation. 278: 535

Al-Seeni, M. See Salter, A. M.

Alting, A. C. See Exterkate, F. A.

Alvarado, F. See Alonso de la Torre, S. R.

Alvarez, J. See Alonso, M. T.; Montero, M.
——; Montero, M.; Garcia-Sancho, J.
Cytochrome P-450 may link intracellular calcium stores with plasma membrane calcium influx. 274: 193

Alvarez, J. F.
——; Sanchez-Arias, J. A.; Guadano, A.; Estevez, F.; Varela, I.; Feliu, J. E.; Mato, J. M.
Transport in isolated rat hepatocytes of the phosphooligosaccharide that mimics insulin action. Effects of adrenalectomy and glucocorticoid treatment. 274: 369

Alvarez, M. V. See Calvete, J. J.

Alvarez-Ossorio, M. C. See Muriana, F. J. G.

Ambler, R. P.
——; Coulson, A. F. W.; Frere, J. M.; Ghuysen, J. M.; Joris, B.; Forsman, M.; Levesque, R. C.; Tiraby, G.; Waley, S. G.
A standard numbering scheme for the Class A β-lactamases. 276: 269
——; Daniel, M.
Rattlesnake cytochrome c. A reappraisal of the reported amino acid sequence. 274: 825
——; Kamen, M. D.; Bartsch, R. G.; Meyer, T. E.
Amino acid sequences of Euglena viridis ferredoxin and cytochromes c. 276: 47

Ambrosio, S. See Ventura, F.

Ames, B. N. See Frei, B.

Amicosante, G. See Franceschini, N.

Ammann, M. See Mach, L.

Anagli, J.
——; Hagmann, J.; Shaw, E.
Investigation of the role of calpain as a stimulus-response mediator in human platelets using new synthetic inhibitors. 274: 497

Anand-Srivastava, M. B.
——; Gutkowska, J.; Cantin, M.
The presence of atrial natriuretic factor receptors of ANF-R2 subtype in rat platelets. Coupling to adenylate cyclase/cyclic AMP signal-transduction system. 278: 211

Ancelin, M. L.
——; Parant, M.; Thuet, M. J.; Philippot, J. R.; Vial, H. J.
Increased permeability to choline in simian erythrocytes after Plasmodium knowlesi infection. 273: 701

Anderson, D. See Howl, J.

Anderson, N. G.
——; Li, P.; Marsden, L. A.; Williams, N.; Roberts, T. M.; Sturgill, T. W.
Raf-1 is a potential substrate for mitogen-activated protein kinase in vivo. 277: 573

Anderson, R. J.
——; Breckon, R.; Colston, D.
Regulation by forskolin of cyclic AMP phosphodiesterase and protein kinase C activity in LLC-PK$_1$ cells. 279: 23

Anderson, W. B. See Kiss, Z.

Andersons, D.
——; Engstroem, A.; Josephson, S.; Hansson, L.; Steiner, H.
Biologically active and amidated cecropin produced in a baculovirus expression system from a fusion construct containing the antibody-binding part of protein A. 280: 219

Anderton, B. H. See Brion, J. P.; Hanger, D. P.

Andreasen, P. H. See Hansen, H. O.
Angal, S. See Koklitis, P. A.
Anonick, P. K.
——; Gonias, S. L.
Soluble fibrin preparations inhibit the reaction of plasmin with α_2–ma⊃ croglobulin. Comparison with α_2–⊃ antiplasmin and leupeptin. 275: 53
Anthony, C. See Chan, H. T. C.
Aoki, N. See Hirokawa, K.
Aono, R.
Envelope alteration of Escherichia coli HB101 carrying pEAP31 caused by Kil peptide and its involvement in the extracellular release of peri⊃ plasmic penicillinase from an alkali⊃ philic Bacillus. 275: 545
Appelhans, H. See Schmalzing, G.
Apps, D. K. See Tugal, H. B.
Aragon, C. See Gomeza, J.
Araki, Y.
——; Ikebe, M.
Activation of smooth muscle myosin light chain kinase activity by a monoclonal antibody which recog⊃ nizes the calmodulin–binding re⊃ gion. 275: 679
Aran, J. M. See Franco, R.
Arcella, A. See Sanchez, M.
Arche, R. See Martin, J.
Archipoff, G.
——; Beretz, A.; Freyssinet, J. M.; Klein–Soyer, C.; Brisson, C.; Caze⊃ nave, J. P.
Heterogeneous regulation of constitu⊃ tive thrombomodulin or inducible tissue–factor activities on the sur⊃ face of human saphenous–vein en⊃ dothelial cells in culture following stimulation by interleukin–1, tumor necrosis factor, thrombin or phorbol ester. 273: 679
Arduini, A. See Ramsay, R. R.
Argaud, D.
——; Halimi, S.; Catelloni, F.; Leverve, X. M.
Inhibition of gluconeogenesis in iso⊃ lated rat hepatocytes after chronic treatment with phenobarbital. 280: 663
Argiles, J. M. See Lopez–Soriano, F. J.
Arias, J. See Calvete, J. J.
Arinze, I. J. See Kawai, Y.
Aroca, P.
——; Solano, F.; Garcia–Borron, J. C.; Lozano, J. A.
Specificity of dopachrome tautomer⊃ ase and inhibition by carboxylated indoles. Considerations on the enzyme active site. 277: 393
Arriaga, P. See Martin Villacorta, J.
Arthur, G. See Badiani, K.
——; Page, L.
Synthesis of phosphatidylethanola⊃ mine and ethanolamine plasmalogen by the CDP–ethanolamine and decarboxylase pathways in rat heart, kidney and liver. 273: 121
Arthur, J. R.
——; Nicol, F.; Grant, E.; Beckett, G. J.
The effects of selenium deficiency on hepatic type–I iodothyronine deiodi⊃ nase and protein disulfide isomerase assessed by activity measurements and affinity labelling. 274: 297
Aruoma, O. I.
——; Halliwell, B.; Gajewski, E.; Dizdar⊃ oglu, M.
Copper–ion–dependent damage to the bases in DNA in the presence of hydrogen peroxide. 273: 601
Arvieux, J. See Reboul, A.
Asensi, M. See Pallardo, F. V.
Ashby, B.
——; Almonor, G. O.; Wernick, E.; Se⊃ lak, M. A.
Prostaglandin concentration–depend⊃ ent desensitization of adenylate cyclase in human erythroleukemia (HEL) cells is abolished by pertussis toxin and enhanced by induction by dimethyl sulfoxide. 280: 801
Ashby, G. A. See Bagby, S.; Thorne⊃ ley, R. N. F.
Ashcroft, S. J. H. See Niki, I.
Ashwell, M. See Guo, X.
Ashworth, J. C. See Bohnsack, J. F.
Askonas, L. J.
——; Ricigliano, J. W.; Penning, T. M.
The kinetic mechanism catalyzed by homogeneous rat liver 3α–hydroxys⊃ teroid dehydrogenase. Evidence for binary and ternary dead–end com⊃ plexes containing nonsteroidal anti⊃ inflammatory drugs. 278: 835
Assimacopoulos–Jeannet, F. See Penicaud, L.
Atassi, M. Z. See Ruan, K. H.
Atkins, G. L. See Mellor, S. J.
Atkinson, E. A. See Salter, A. M.
Atkinson, T. See Goward, C. R.
Atrian, S. See Ribas de Pouplana, L.
Attwood, P. V.
——; Graneri, B. D. L. A.
Pyruvate carboxylase catalysis of phosphate transfer between carba⊃ moyl phosphate and ADP. 273: 443
Aubin, J. E. See Wrana, J. L.
Aunis, D. See Sontag, J. M.
Aurbach, R. See Hertz, R.
Authier, F.
——; Desbuquois, B.
Degradation of glucagon in isolated liver endosomes. ATP–dependence and partial characterization of deg⊃ radation products. 280: 211
Autieri, M. See Bradford, P. G.
Avila, J.
Does MAP1B bind to tubulin through the interaction of α–helixes? 274: 621
Aviv, A. See Takaya, J.
Awasthi, Y. C. See Medh, R. D.; Shar⊃ ma, R.
Ayad, S.
——; Marriott, A.; Brierley, V. H.; Grant, M. E.
Mammalian cartilage synthesizes both proteoglycan and nonproteo⊃ glycan forms of type IX collagen. 278: 441
Ayte, J. See Royo, T.

Baader, E. See Tschank, G.
Baccino, F. M. See Isidoro, C.
Back, D. W. See Samis, J. A.
Bader, M. F. See Sontag, J. M.
Badiani, K.
——; Arthur, G.
2–Acyl–sn–glycero–3–phosphoethano⊃ lamine lysophospholipase A_2 activity in guinea pig heart microsomes. 275: 393
Badman, G. T. See Gallacher, G.
Bafor, M.
——; Smith, M. A.; Jonsson, L.; Stobart, K.; Stymne, S.
Ricinoleic acid biosynthesis and tria⊃ cylglycerol assembly in microsomal preparations from developing ca⊃ stor–bean (Ricinus communis) endo⊃ sperm. 280: 507
Bagby, G. J. See Spolarics, Z.
Bagby, S.
——; Barker, P. D.; Hill, H. A. O.; Sanghera, G. S.; Dunbar, B.; Ashby, G. A.; Eady, R. R.; Thorneley, R. N. F.
Direct electrochemistry of two geneti⊃ cally distinct flavodoxins isolated from Azotobacter chroococcum grown under nitrogen–fixing condi⊃ tions. 277: 313
Baggiolini, M. See Car, B. D.
Bailey, C. J. See Moynagh, P. N.
——; Malthouse, J. P. G.
A proton magnetic resonance study of hydrogen–exchange reactions of yeast tryptophan synthase. 273: 605
Bailey, E. See Mann, D. J.
Bailyes, E. M. See Guest, P. C.
Baines, A. J. See Bennett, A. F.; Hayes, N. V. L.
Bajin, K. See Kovacevic, Z.
Baker, B. C.
——; Campbell, C. J.; Grinham, C. J.; Turcatti, G.
Purification and partial characteriza⊃ tion of rat factor D. 279: 775
Baker, J. R.
——; Christner, J. E.; Ekborg, S. L.
An unsulfated region of the rat chon⊃ drosarcoma chondroitin sulfate chain and its binding to monoclonal antibody 3B3. 273: 237
Bakken, A. M.
——; Farstad, M.; Holmsen, H.
Identity between palmitoyl–CoA synthetase and arachidonoyl–CoA synthetase in human platelets? 274: 145
Bakkeren, H. F. See Pieters, M. N.
Balla, E. See Polgar, L.
Balla, T.
——; Hollo, Z.; Varnai, P.; Spat, A.
Angiotensin II inhibits potassium–in⊃ duced calcium signal generation in rat adrenal glomerulosa cells. 273: 399
Ballance, G. M. See MacGregor, E. A.
Ballard, F. J. See Tomas, F. M.
Ballmer, P. E.
——; McNurlan, M. A.; Southorn, B. G.; Garlick, P. J.; Grant, I.
Effects of human recombinant inter⊃ leukin–1β on protein synthesis in rat tissues compared with a classical acute–phase reaction induced by turpentine. Rapid response of mus⊃ cle to interleukin–1β. 279: 683
Bandurski, R. S. See Kowalczyk, S.
Banks, P. See Sheth, B.
Bankston, P. W. See Sjoeholm, A.
Baquet, A.
——; Lavoinne, A.; Hue, L.
Comparison of the effects of various amino acids on glycogen synthesis, lipogenesis and ketogenesis in isolat⊃ ed rat hepatocytes. 273: 57
——; Maisin, L.; Hue, L.
Swelling of rat hepatocytes activates acetyl–CoA carboxylase in parallel to glycogen synthase. 278: 887
Baracos, V. E. See Wu, G.
Baranno, J. L.
——; Bley, M. A.; Batista, F. D.; Glikin, G. C.
A DNA topoisomerase I inhibitor blocks the differentiation of rat granulosa cells induced by follicle–⊃ stimulating hormone. 277: 557
Barata, B. A. S. See Bray, R. C.
Barber, M. C. See Vernon, R. G.
Barchan, K. See Norman, M.
Barchowsky, A. See Buckley, B. J.
Bardelle, C. See Bihoreau, N.
Bardy, D. See Lander, M.
Barelli, H. See Dauch, P.
Baricault, L. See Schohn, H.
Barja de Quiroga, G.
——; Lopez–Torres, M.; Perez–Campo,

R.; Abelenda, M.; Paz Nava, M.; Puerta, M. L.
Effect of cold acclimation on GSH, antioxidant enzymes and lipid peroxidation in brown adipose tissue. 277: 289
Barker, P. D. See Bagby, S.
Barker, P. J. See Ferreira, L. M. A.
Barnes, L. D. See Robinson, A. K.
Barnes, P. J. See Chilvers, E. R.
Barnes, S. See Kwakye, J. B.
Baron, V. See Hainaut, P.
Barra, D. See Cronin, V. B.
Barrett, A. J. See Buttle, D. J.; Rawlings, N. D.
Thimet oligopeptidase (EC 3.4.24.15): the same by any name? Reply to comments. 277: 295
Barritt, G. J. See Polverino, A. J.
Barry, V. A. See Cheek, T. R.
Bars, R. G. See Bell, D. R.
——; Elcombe, C. R.
Dose-dependent acinar induction of cytochromes P450 in rat liver. Evidence for a differential mechanism of induction of P450IA1 by β-naphthoflavone and dioxin. 277: 577
Bar-Tana, J. See Hertz, R.
Bartlett, K. See Melde, K.; Pourfarzam, M.
Bartolami, S. See Cantau, B.
Bartrons, R. See Ventura, F.
Bartsch, R. G. See Ambler, R. P.
Barua, A. B.
——; Gunning, D. B.; Olson, J. A.
Metabolism in vivo of all-trans-[11-^{3}H]retinoic acid after an oral dose in rats. Characterization of retinoyl β-glucuronide in the blood and other tissues. 277: 527
Bashir, A. See Hooper, N. M.
Baskevitch, P. P. See Cantau, B.
Basson, M. D.
——; Goldenring, J. R.; Tang, L. H.; Lewis, J. J.; Padfield, P.; Jamieson, J. D.; Modlin, I. M.
Redistribution of 23 kDa tubulovesicle-associated GTP-binding proteins during parietal cell stimulation. 279: 43
Basu, N.
——; Sett, R.; Das, P. K.
Down-regulation of mannose receptors on macrophages after infection with Leishmania donovani. 277: 451
Bateman, J. F.
——; Hannagan, M.; Chan, D.; Cole, W. G.
Characterization of a type I collagen α2(I) glycine-586 to valine substitution in osteogenesis imperfecta type IV. Detection of the mutation and prenatal diagnosis by a chemical cleavage method. 276: 765
Batista, F. D. See Baranao, J. L.
Batstone, F. R. See Gray, S. R.
Battersby, A. R. See Lander, M.
Batty, I. H. See Chilvers, E. R.
Bauman, P. A. See Henry, E. C.
Baumann, M. See Halila, R.
Baumann, P. See Van Dijk, W.
Baxter, R. C. See Scott, C. D.
Baydoun, E. A. H. See Hobbs, M. C.
Bayer, E. A. See Hiller, Y.
Bayley, P. M. See Schilstra, M. J.
Beach, C. M. See De Beer, M. C.
Beaubien, B. C. See Jose, P. J.
Beaulieu, J. F.
——; Quaroni, A.
Clonal analysis of sucrase-isomaltase expression in the human colon adenocarcinoma Caco-2 cells. 280: 599
Beauregard, G. See Turcotte, G.
Becker, A. B. See Saxena, S. P.
Becker, E. L. See Kermode, J. C.
Beckett, G. J. See Arthur, J. R.
Bedwell, S. See Jessup, W.
Beech, J. S. See Holness, M. J.
Beechey, R. B. See Vayro, S.
Beeley, N. R. A. See Sagoo, J. K.
Beer, D. See Papageorgiou, A. C.
Beguinot, L. See Magni, M.
Beliveau, R. See Dallaire, L.; Vachon, V.
Bell, D. R.
——; Bars, R. G.; Gibson, G. G.; Elcombe, C. R.
Localization and differential induction of cytochrome P450IVA and acyl-CoA oxidase in rat liver. 275: 247
——; Elcombe, C. R.
Induction of acyl-CoA oxidase and cytochrome P450IVA1 RNA in rat primary hepatocyte culture by peroxisome proliferators. 280: 249
Bell, L. C.
——; Ferguson, S. J.
Nitric and nitrous oxide reductases are active under aerobic conditions in cells of Thiosphaera pantotropha 273: 423
Bell, R. M. See Borchardt, R. A.
Bellion, E. See Jones, J. G.
Bellomo, G. See Fulceri, R.
Bellows, C. G. See Nagata, T.
Beltman, J. See Sandberg, M.
Benaim, G.
——; Losada, S.; Gadelha, E. R.; Docampo, R.
A calmodulin-activated calcium-magnesium ATPase is involved in calcium transport by plasma membrane vesicles from Trypanosoma cruzi. 280: 715
Benech, J. C.
——; Galina, A.; De Meis, L.
Correlation between calcium uptake, calcium efflux and phosphoenzyme level in sarcoplasmic-reticulum vesicles. 274: 427
Benedetti, A. See Fulceri, R.
Bengtsson-Olivecrona, G. See Lindblom, A.; Liu, G.
Bennett, A. F. See Hayes, N. V. L.
——; Hayes, N. V. L.; Baines, A. J.
Site specificity in the interactions of synapsin 1 with tubulin. 276: 793
Ben-Shlomo, H.
——; Sigmund, O.; Stabel, S.; Reiss, N.; Naor, Z.
Preferential release of catecholamine from permeabilized PC12 cells by α- and β-type protein kinase C subspecies. 280: 65
Benyamin, Y. See Houmeida, A.
Ben-Zvi, A. See David, M.
Bercovich, Z. See Rosenberg-Hasson, Y.
Beretz, A. See Archipoff, G.
Berg, T. See Magnusson, S.
——; Wassdal, I.; Mindroiu, T.; Sletten, K.; Scicli, G.; Carretero, O. A.; Scicli, A. G.
T-kininogenase activity of the rat submandibular gland is predominantly due to the kallikrein-like serine protease antigen γ. 280: 19
Bergey, E. J. See Ramasubbu, N.
Berggren, P. O. See Chandramouli, V.; Niki, I.
Bergman, T.
——; Postlind, H.
Characterization of mitochondrial cytochromes P-450 from pig kidney and liver catalyzing 26-hydroxylation of 25-hydroxyvitamin D_3 and C_{27} steroids. 276: 427
Bergstrom, J. D. See Ding, V. D. H.
Berk, B. C.
——; Taubman, M. B.; Griendling, K. K.; Cragoe, E. J. Jr.; Fenton, J. W. II.; Brock, T. A.
Thrombin-stimulated events in cultured vascular smooth-muscle cells. 274: 799
Berkelaar, J. A. M. See Stewart, J. M.
Bernet, B. See Papageorgiou, A. C.
Berridge, M. J. See Cheek, T. R.
Berthon, B. See Coquil, J. F.
Bertics, P. J. See Tanke, T.
Bertsch, W. See Mach, L.
Betz, A.
——; Hofsteenge, J.; Stone, S. R.
Ionic interactions in the formation of the thrombin-hirudin complex. 275: 801
Beukers, M. W. See Oh, Y.
Bevan, S. J. See Parry-Billings, M.
Beynon, R. J. See Cusack, M.; Leyland, D. M.
Bhakdi, S. See Sauer, H.
Bhown, A. S. See Niemann, M. A.
Bielicki, J.
——; Hopwood, J. J.
Human liver N-acetylgalactosamine 6-sulfatase. Purification and characterization. 279: 515
Bieth, J. G. See Faller, B.
Bihoreau, N.
——; Paolantonacci, P.; Bardelle, C.; Fontaine-Aupart, M. P.; Krishnan, S.; Yon, J.; Romet-Lemonne, J. L.
Structural and functional characterization of factor VIII-ΔII, a new recombinant factor VIII lacking most of the B-domain. 277: 23
Bijsterbosch, M. K. See Van Dijk, M. C. M.
Billingsley, M. L. See Polli, J. W.
Bingle, C. D.
——; Epstein, O.; Srai, S. K. S.; Gitlin, J. D.
Hepatic ceruloplasmin-gene expression during development in the guinea pig. Correlation with changes in hepatic copper metabolism. 276: 771
Biol, M. C. See Ruggiero-Lopez, D.
Bird, G. St. J. See Rossier, M. F.
——; Oliver, K. G.; Horstman, D. A.; Obie, J.; Putney, J. W. Jr.
Relationship between the calcium-mobilizing action of inositol 1,4,5-trisphosphate in permeable AR4-2J cells and the estimated levels of inositol 1,4,5-trisphosphate in intact AR4-2J cells. 273: 541
Biryukov, K. See Makuch, R.
Bishop, W. R. See Borchardt, R. A.
Bismut, H.
——; Plas, C.
Role of serine biosynthesis and its utilization in the alternative pathway from glucose to glycogen during the response to insulin in cultured fetal-rat hepatocytes. 276: 577
Bitonti, A. J. See Byers, T. L.
Bjaaland, T. See Carter, T. D.
Bjoerk, I. See Lindahl, P.
Blackburn, E. C. See Hawkins, H. C.
Black-Schaefer, C. L.
——; McCourt, J. D.; Poyton, R. O.; McKee, E. E.
Mitochondrial gene expression in Saccharomyces cerevisiae. III. Proteolysis of nascent chains in isolated yeast mitochondria optimized for protein synthesis. 274: 199
Blackwell, L. F. See Hill, J. P.
Blair, G. E. See Boulanger, P. A.

Blake, D. J. See Sellar, G. C.
Blake, D. R. See Grootveld, M.; Rogers, K. R.
Blanchette-Mackie, E. J. See Masuno, H.
Blas, S. D. See Davis, F. B.
Blayney, L. M.
——; Gapper, P. W.; Newby, A. C.
Inhibition of a receptor-operated calcium channel in pig aortic microsomes by cyclic GMP-dependent protein kinase. 273: 803
Bleackley, R. C. See Salter, A. M.
Bley, M. A. See Baranao, J. L.
Blumberg, S. See Indig, F. E.
Board, P. G. See Stenberg, G.; Suzuki, T.
——; Mannervik, B.
The contribution of the C-terminal sequence to the catalytic activity of GST2, a human alpha-class glutathione transferase. 275: 171
Bobek, L. A.
——; Aguirre, A.; Levine, M. J.
Human salivary cystatin S. Cloning, sequence analysis, hybridization in situ and immunocytochemistry. 278: 627
Bocckino, S. B. See Borchardt, R. A.
Bock-Moebius, I.
——; Brune, M.; Wittinghofer, A.; Zimmermann, H.; Leberman, R.; Dauvergne, M. T.; Zimmermann, S.; Brandmeier, B.; Roesch, P.
Identification of valine/leucine/isoleucine and threonine/alanine/glycine proton-spin systems of Escherichia coli adenylate kinase by selective deuteration and selective protonation. 273: 311
Bodmer, S. See Huber, D.
Boehm, B.
——; Deutzmann, R.; Burkhardt, H.
Purification of a serine-proteinase inhibitor from human articular cartilage. Identity with the acid-stable proteinase inhibitor of mucous secretions. 274: 269
Boehm, M.
——; Larisch, K.; Erdmann, E.; Camps, M.; Jakobs, K.; Gierschik, P.
Failure of [^{32}P]ADP-ribosylation by pertussis toxin to determine $G_i\alpha$ content in membranes from various human tissues. Improved radioimmunological quantification using the iodine-125-labeled C-terminal decapeptide of retinal transducin. 277: 223
Boers, W. See Van Dijk, M. C. M.
Boeynaems, J. M. See Pirotton, S.
Bogaards, J. J. P. See Van Ommen, B.
Boggaram, J. See Li, Y. K.
Bogle, R. G. See Carter, T. D.
Bohnsack, J. F.
——; Mollison, K. W.; Buko, A. M.; Ashworth, J. C.; Hill, H. R.
Group B streptococci inactivate complement component C5a by enzymic cleavage at the C-terminus. 273: 635
Bolgiano, B.
——; Salmon, I.; Ingledew, W. J.; Poole, R. K.
Redox analysis of the cytochrome o-type quinol oxidase complex of Escherichia coli reveals three redox components. 274: 723
Bollen, M. See Uyttenhove, K.
Bolton, T. B. See Prestwich, S. A.
Bolwell, G. P.
——; Rodgers, M. W.
L-Phenylalanine ammonia-lyase from French bean (Phaseolus vulgaris L.). Characterization and differential expression of antigenic multiple M_r forms. 279: 231
Bond, H. M.
——; Morrone, G.; Venuta, S.; Howell, K. E.
Characterization and purification of proteins which bind high-density lipoprotein. A putative cell-surface receptor. 279: 633
Bond, J. See Leighton, B.
Bonfa, M. See Casella, L.
Bonkovsky, H. L. See Evans, C. O.; Greene, Y. J.
Bonvini, E.
——; Debell, K. E.; Taplits, M. S.; Brando, C.; Laurenza, A.; Seamon, K.; Hoffman, T.
A role for guanine-nucleotide-binding proteins in mediating T-cell-receptor coupling to inositol phospholipid hydrolysis in a murine T-helper (type II) lymphocyte clone. 275: 689
Boobis, A. R. See Edwards, R. J.
Booker, G. W. See Chapman-Smith, A.
Boon, K. See McGivan, J. D.
Boot-Handford, R. See Nissinen, M.
Boot-Handford, R. P. See Sheehan, J. K.; Thomas, J. T.
Borbely, G. See Palfi, Z.
Borchardt, R. A.
——; Bishop, W. R.; Bocckino, S. B.; Loomis, C. R.; Raben, D. M.; Ramer, J. K.; Van Veldhoven, P. P.; Bell, R. M.
Quantification of diradylglycerols: reply to comments. 280: 830
Bordwell, K. L. See Mooney, R. A.
Borel, M. See Moustacas, A. M.
Borensztajn, J.
——; Kotlar, T. J.; Chang, S.
Apoprotein-independent binding of chylomicron remnants to rat liver membranes. 279: 769
Borgeat, P. See McDonald, P. P.
Borghgraef, R. See De Smedt, H.
Bork, P.
——; Rohde, K.
More von Willebrand factor type A domains? Sequence similarities with malaria thrombospondin-related anonymous protein, dihydropyridine-sensitive calcium channel and inter-α-trypsin inhibitor. 279: 908
Borrias, W. E. See Fillat, M. F.
Borthwick, A. C. See Diggle, T. A.; Rutter, G. A.
Bosch, F. See Gomez-Foix, A. M.
Bose, C. See Hubbard, J. A. M.; Sagoo, J. K.
Bostad, L. See Holm, J.
Boulanger, P. A.
——; Blair, G. E.
Expression and interactions of human adenovirus oncoproteins. 275: 281
Boulet, I. See Pallen, C. J.
Bourdeau, N. See Darnanville, A.
Bouscarel, B.
——; Fromm, H.; Ceryak, S.; Cassidy, M. M.
Ursodeoxycholic acid increases low-density lipoprotein binding, uptake and degradation in isolated hamster hepatocytes. 280: 589
Boutron, A. See Feneant-Thibault, M.
Bowler, A.
——; Redgrave, T. G.; Mamo, J. C. L.
Chylomicron remnant clearance in homozygote and heterozygote Watanabe heritable-hyperlipidemic rabbits is defective. Lack of evidence for an independent chylomicron remnant receptor. 276: 381
Bowyer, D. E. See Gherardi, E.
Boyce, S. J. See Moynagh, P. N.
Boylan, J. M. See Gruppuso, P. A.
Brabant, G. See Schoefl, C.
Bradford, P. G.
——; Autieri, M.
Increased expression of the inositol 1,4,5-trisphosphate receptor in human leukemic (HL-60) cells differentiated with retinoic acid or dimethyl sulfoxide. 280: 205
Brady, H. J. M.
——; Lowe, N.; Sowden, J. C.; Edwards, M.; Butterworth, P. H. W.
The human carbonic anhydrase I gene has two promoters with different tissue specificities. 277: 903
Braendli, A. W.
Mammalian glycosylation mutants as tools for the analysis and reconstitution of protein transport. 276: 1
Brambilla, R.
——; Zippel, R.; Sturani, E.; Morello, L.; Peres, A.; Alberghina, L.
Characterization of the tyrosine phosphorylation of calpactin I (annexin II) induced by platelet-derived growth factor. 278: 447
Brand, M. D. See Hafner, R. P.
——; Couture, P.; Else, P. L.; Withers, K. W.; Hulbert, A. J.
Evolution of energy metabolism. Proton permeability of the inner membrane of liver mitochondria is greater in a mammal than in a reptile. 275: 81
Brandmeier, B. See Bock-Moebius, I.
Brando, C. See Bonvini, E.
Brannigan, J.
——; Matagne, A.; Jacob, F.; Damblon, C.; Joris, B.; Klein, D.; Spratt, B. G.; Frere, J. M.
The mutation Lys234His yields a class A β-lactamase with a novel pH-dependence. 278: 673
Brass, A. See Scott, J. E.
Brautigan, D. L. See Gruppuso, P. A.
Bray, R. C.
——; Turner, N. A.; Le Gall, J.; Barata, B. A. S.; Moura, J. J. G.
Information from EPR spectroscopy on the iron-sulfur centers of the iron-molybdenum protein (aldehyde oxidoreductase) of Desulfovibrio gigas. 280: 817
Breckon, R. See Anderson, R. J.
Bredoux, R. See Darnanville, A.
Bree, F. See Urien, S.
Breitbart, H. See Rubinstein, S.
Breton, M.
——; Colard, O.
Protein kinase C promotes arachidonate mobilization through enhancement of CoA-independent transacylase activity in platelets. 280: 93
Brett, C. T. See Hobbs, M. C.
Briat, J. F. See Lobreaux, S.
Brickell, P. M. See Maschio, A.
Bricteux-Gregoire, S.
——; Verly, W. G.
The use of thioglycollate to demonstrate DNA AP (apurinic/apyrimidinic-site) lyase activities. Biological consequences of thiol addition to the 5' product of a β-elimination reaction at an AP site in DNA. 273: 777
Brierley, V. H. See Ayad, S.
Brigotti, M. See Sperti, S.
Brindle, N. P. J. See Byrne, C. D.
Brindley, D. N. See Gomez-Munoz, A.; Hermier, D.; Salter, A. M.
Brinkmann, A. O. See Faber, P. W.
Brion, J. P. See Hanger, D. P.

——; Hanger, D. P.; Bruce, M. T.; Couck, A. M.; Flament-Durand, J.; Anderton, B. H.
Tau in Alzheimer neurofibrillary tangles. N- and C-terminal regions are differentially associated with paired helical filaments and the location of a putative abnormal phosphorylation site. 273: 127
——; Hanger, D. P.; Couck, A. M.; Anderton, B. H.
A68 proteins in Alzheimer's disease are composed of several tau isoforms in a phosphorylated state which affects their electrophoretic mobilities. 279: 831
Briscoe, C. P. See Cook, S. J.
Brisson, C. See Archipoff, G.
Brittain, T. See Mathews, A. J.
Brkljac, O. See Kovacevic, Z.
Brock, T. A. See Berk, B. C.
Brocklebank, A. M. See Wiley, J. S.
Brocklehurst, K. See Gallacher, G.; Topham, C. M.
Brocklehurst, S. M. See Topham, C. M.
Brocks, D. G. See Tschank, G.
Bronte, V. See Pizzo, P.
Brooks, D. A. See Taylor, J. A.
Brooks, R. A.
——; Burrin, J. M.; Kohner, E. M.
Characterization of release of basic fibroblast growth factor from bovine retinal endothelial cells in monolayer cultures. 276: 113
Brooks, S. P. J.
——; Storey, K. B.
Reevaluation of the glycerol-3-phosphate dehydrogenase/L-lactate dehydrogenase enzyme system. Evidence against the direct transfer of NADH between active sites. 278: 875
Broomfield, S. J. See Hooper, N. M.
Brossa, O. See Seccia, M.
Brossmer, R. See Watzlawick, H.
Brostedt, E.
——; Nordlund, S.
Purification and partial characterization of a pyruvate oxidoreductase from the photosynthetic bacterium Rhodospirillum rubrum grown under nitrogen-fixing conditions. 279: 155
Brouwer, A. See Pieters, M. N.
Brown, D. See Hallinan, T.
Brown, D. J. S. See Lane, A. N.
Brown, G. M. See Tai, G. H.
Brown, I. R. See Cruz, T. F.
Brown, J. C.
——; Spragg, J. H.; Taylor, P. W.
Monoclonal antibodies specific for the C-terminus of the laminin B2 subunit. Evidence for glycosylation differences between murine and human laminin. 277: 593
Brown, K. D. See Vaughan, T. J.
Brown, M. J. See Nunez, D. J. R.
Brown, N. F. See Salter, A. M.
Brown, T. See Lane, A. N.
Brownsey, R. W. See Pelech, S. L.
Bruce, J. See Salter, A. M.
Bruce, M. T. See Brion, J. P.
Bruce, N. C.
——; Wilmot, C. J.; Jordan, K. N.; Stephens, L. D. G.; Lowe, C. R.
Microbial degradation of the morphine alkaloids. Purification and characterization of morphine dehydrogenase from Pseudomonas putida M10. 274: 875
Brune, M. See Bock-Moebius, I.
Brunori, M. See Santucci, R.
Brunton, V. G.
——; Grant, M. H.; Wallace, H. M.
Mechanisms of spermine toxicity in baby-hamster kidney (BHK) cells. The role of amine oxidases and oxidative stress. 280: 193
Brussee, J. See Adang, A. E. P.
Buckley, B. J.
——; Barchowsky, A.; Dolor, R. J.; Whorton, A. R.
Regulation of arachidonic acid release in vascular endothelium. Calcium-dependent and -independent pathways. 280: 281
Buckley, P. D. See Hill, J. P.
Bugg, T. D. H.
——; Alefounder, P. R.; Abell, C.
An amino acid sequence motif observed amongst enzymes of the shikimate pathway. 276: 841
Buko, A. M. See Bohnsack, J. F.
Bukowiecki, L. J. See Marette, A.
Bulygin, V. V.
——; Vinogradov, A. D.
Interaction of magnesium with F_0-F_1 mitochondrial ATPase as related to its slow active/inactive transition. 276: 149
Bunce, N. J. See Landers, J. P.
Burchell, A. See Waddell, I. D.
Burchell, B. See Wooster, R.
Burge, V.
——; Mainferme, F.; Wattiaux, R.
Transient membrane association of the precursors of cathepsin C during their transfer into lysosomes. 275: 797
Burger, H. J. See Ugele, B.
Burkhardt, H. See Boehm, B.
Burnett, D. See Buttle, D. J.
Burnham, F. J. See Gibbons, G. F.
Burns, R. G. See Symmons, M. F.
Assembly of chick brain MAP2-tubulin microtubule protein. Characterization of the protein and the MAP2-dependent addition of tubulin dimers. 277: 231
Kinetics of GTP hydrolysis during the assembly of chick brain MAP2-tubulin microtubule protein. 277: 239
Burrin, J. M. See Brooks, R. A.
Burstein, Y. See Indig, F. E.
Burton, D. R. See Sheth, B.; Williamson, R. A.
Busch, A. E. See Kavanaugh, M. P.
Bush, T. L. See Byers, T. L.
Bushfield, M.
——; Lavan, B. E.; Houslay, M. D.
Okadaic acid identifies a phosphorylation/dephosphorylation cycle controlling the inhibitory guanine-nucleotide-binding regulatory protein G_i2. 274: 317
Butcher, G. See Gherardi, E.
Butler, W. T. See Nagata, T.; Wrana, J. L.
Butt, E. See Sandberg, M.
Butters, T. D.
——; Scudder, P.; Rotsaert, J.; Peturson, S.; Fleet, G. W. J.; Willenbrock, F. W.; Jacob, G. S.
Purification to homogeneity of Charonia lampas α-fucosidase by using sequential ligand-affinity chromatography. 279: 189
Butterworth, P. H. W. See Brady, H. J. M.
Buttle, D. J. See Abrahamson, M.
——; Abrahamson, M.; Burnett, D.; Mort, J. S.; Barrett, A. J.; Dando, P. M.; Hill, S. L.
Human sputum cathepsin B degrades proteoglycan, is inhibited by α_2-macroglobulin and is modulated by neutrophil elastase cleavage of cathepsin B precursor and cystatin C. 276: 325
Bycroft, B. W. See Gledhill, L.
Byers, L. D. See Li, Y. K.
Byers, T. L.
——; Bush, T. L.; McCann, P. P.; Bitonti, A. J.
Antitrypanosomal effects of polyamine biosynthesis inhibitors correlate with increases in Trypanosoma brucei brucei S-adenosyl-L-methionine. 274: 527
Byford, M. F.
Rapid and selective modification of phosphoserine residues catalyzed by barium(2+) ions for their detection during peptide microsequencing. 280: 261
Byrd, J. C. See Yonezawa, S.
Byrne, C. D.
——; Brindle, N. P. J.; Wang, T. W. M.; Hales, C. N.
Interaction of non-esterified fatty acid and insulin in control of triacylglycerol secretion by Hep G2 cells. 280: 99

Cabezas, J. A. See Garcia-Sastre, A.
Some questions and suggestions on the type references of the official nomenclature (IUB) for sialidase(s) and endosialidase. 278: 311
Caen, J. P. See Darnanville, A.
Cairns, N. J. See Hanger, D. P.
Cairo, G.
——; Rappocciolo, E.; Tacchini, L.; Schiaffonati, L.
Expression of the genes for the ferritin H and L subunits in rat liver and heart. Evidence for tissue-specific regulations at pre- and post-translational levels. 275: 813
Calaycay, J. See Tressel, T.
Calderhead, D. M. See Gibbs, E. M.
Caldwell, A. M. See Zammit, V. A.
Callanan, H. See Thompson, N. L.
Calle, R. See Zawalich, W. S.
Callow, M. J. See Redgrave, T. G.
Calvete, J. J.
——; Arias, J.; Alvarez, M. V.; Lopez, M. M.; Henschen, A.; Gonzalez-Rodriguez, J.
Further studies on the topography of human platelet glycoprotein IIb. Localization of monoclonal antibody epitopes and the putative glycoprotein IIIa- and fibrinogen-binding regions. 273: 767
Further studies on the topography of the N-terminal region of human platelet glycoprotein IIIa. Localization of monoclonal antibody epitopes and the putative fibrinogen-binding sites. 274: 457
——; Henschen, A.; Gonzalez-Rodriguez, J.
Assignment of disulfide bonds in human platelet GPIIIa. A disulfide pattern for the β-subunits of the integrin family. 274: 63
Calvo, P. See Alonso, J. M.
Calza, R. E. See O'Fallon, J. V.
Camadro, J. M.
——; Matringe, M.; Scalla, R.; Labbe, P.
Kinetic studies on protoporphyrinogen oxidase inhibition by diphenyl ether herbicides. 277: 17
Camargo, A. C. M.
Distinction between endo-oligopeptidase A (EC 3.4.22.19) and soluble metalloendopeptidase (EC 3.4.24.15). Comments. 277: 294
Campa, J. S. See Mays, P. K.
Campanella, L. See Santucci, R.

Campbell, A. K. See Sala-Newby, G. B.
Campbell, C. J. See Baker, B. C.
Campbell, G. See Hesketh, J.
Campbell, G. P. See Hesketh, J. E.
Campbell, R. D. See Hsieh, S. L.
Camps, M. See Boehm, M.
Canaves, J. M.
——; Ferragut, J. A.; Gonzalez-Ros, J. M.
Verapamil prevents the effects of daunomycin on the thermotropic phase transition of model lipid bilayers. 279: 413
Canela, E. I. See Franco, R.
Cannon, J. R.
——; Eacho, P. I.
Interaction of LY171883 and other peroxisome proliferators with fatty acid-binding protein isolated from rat liver. 280: 387
Cannons, A. C.
——; Iida, N.; Solomonson, L. P.
Expression of a cDNA clone encoding the heme-binding domain of Chlorella nitrate reductase. 278: 203
Cantau, B.
——; Bartolami, S.; Baskevitch, P. P.; Desarnaud, F.; Chicot, D.; Jard, S.
Angiotensin receptors from rat liver, brain and pituitary gland. Expression of two subtypes in Xenopus oocytes. 277: 729
Cantell, K. See Adolf, G. R.
Cantin, M. See Anand-Srivastava, M. B.
Cantley, L. C. See Endemann, G. C.
Cantoni, L.
——; Rossi, C.; Rizzardini, M.; Gadina, M.; Ghezzi, P.
Interleukin-1 and tumor necrosis factor induce hepatic heme oxygenase. Feedback regulation by glucocorticoids. 279: 891
Capeillere-Blandin, C.
Electron-transfer steps involved in the reactivity of Hansenula anomala flavocytochrome b_2 as deduced from deuterium isotope effects and simulation studies. 274: 207
——; Delaveau, T.; Descamps-Latscha, B.
Structural modifications of human β_2 microglobulin treated with oxygen-derived radicals. 277: 175
Capiod, T.
——; Noel, J.; Combettes, L.; Claret, M.
Cyclic AMP-evoked oscillations of intracellular $[Ca^{2+}]$ in guinea pig hepatocytes. 275: 277
Car, B. D.
——; Baggiolini, M.; Walz, A.
Formation of neutrophil-activating peptide 2 from platelet-derived connective tissue-activating peptide III by different tissue proteinases. 275: 581
Carbo, N. See Lopez-Soriano, F. J.
Cardellach, F.
——; Taraschi, T. F.; Ellingson, J. S.; Stubbs, C. D.; Rubin, E.; Hoek, J. B.
Maintenance of structural and functional characteristics of skeletal-muscle mitochondria and sarcoplasmic-reticular membranes after chronic ethanol treatment. 274: 565
Carey, P. R. See Pusztai, M.
Caride, A. J. See Donnet, C.
Carlberg, I. See Stenberg, G.
——; Nordlund, S.
Purification and partial characterization of glutamate synthase from Rhodospirillum rubrum grown under nitrogen-fixing conditions. 279: 151
Carlstedt, I. See Davies, J. R.; Sheehan, J. K.; Thornton, D. J.
Carne, T. K. See Dixon, H. B. F.
Carnicelli, D. See Sperti, S.
Carpani, G. See Gianni, M.
Carper, S. W.
——; Tome, M. E.; Fuller, D. J. M.; Chen, J. R.; Harari, P. M.; Gerner, E. W.
Polyamine catabolism in rodent and human cells in culture. 280: 289
Carre-Eusebe, D.
——; Lederer, F.; Le, K. H. D.; Elsevier, S. M.
Processing of the precursor of protamine P2 in mouse. Peptide mapping and N-terminal sequence analysis of intermediates. 277: 39
Carretero, O. A. See Berg, T.
Carroll, F. I. See Khan, W. A.
Carter, T. D.
——; Bogle, R. G.; Bjaaland, T.
Spiking of intracellular calcium ion concentration in single cultured pig aortic endothelial cells stimulated with ATP or bradykinin. 278: 697
Cary, A. J.
——; Dougherty, J. J.
Nucleoside triphosphates promote the transformation of Ah receptor to its DNA-binding form. 274: 401
Casabiell, X.
——; Pandiella, A.; Casanueva, F. F.
Regulation of epidermal growth factor receptor signal transduction by cis-unsaturated fatty acids. Evidence for a protein kinase C-independent mechanism. 278: 679
Casado, J. See Ruiz, B.
Casado, M. See Gomeza, J.
Casanueva, F. F. See Casabiell, X.
Casella, L.
——; Gullotti, M.; Poli, S.; Bonfa, M.; Ferrari, R. P.; Marchesini, A.
Spectroscopic and binding studies on the stereoselective interaction of tyrosine with horseradish peroxidase and lactoperoxidase. 279: 245
Cass, C. E. See Wiley, J. S.
Cassaigne, A. See Dumora, C.
Cassidy, M. M. See Bouscarel, B.
Castelfranco, P. A. See Walker, C. J.
Catelloni, F. See Argaud, D.
Cates, G. A. See Vaillancourt, J. P.
Catimel, B.
——; Parmentier, S.; Leung, L. L. K.; McGregor, J. L.
Separation of important new platelet glycoproteins (GPIa, GPIc, GPIc*, GPIIa and GMP-140) by FPLC. Characterization by monoclonal antibodies and gas-phase sequencing. 279: 419
Cau, A. See Condo, S. G.
Cava, F.
——; Gonzalez, J.; Gonzalez-Buitrago, J. M.; Muriel, C.; Jimenez, R.
Inhibition of biliary cholesterol and phospholipid secretion by cefmetazole. The role of vesicular transport and of canalicular events. 275: 591
Cazenave, J. P. See Archipoff, G.
Cerletti, C. See Romano, M.
Ceryak, S. See Bouscarel, B.
Chaban, G. See Cowan, D. B.
Chae, H. Z. See Kim, Y. S.
Chaffin, D. O. See De Groot, R.
Chain, D.
——; Korc-Grodzicki, B.; Kreizman, T.; Shaltiel, S.
Endogenous cleavage of the Arg-379-Ala-380 bond in vitronectin results in a distinct conformational change which 'buries' Ser-378, its site of phosphorylation by protein kinase A. 274: 387
Chalifa, V. See Liscovitch, M.
Challiss, R. A. J. See Chilvers, E. R.; Dimitriadis, G. D.; Lambert, D. G.; Strupish, J.
——; Willcocks, A. L.; Mulloy, B.; Potter, B. V. L.; Nahorski, S. R.
Characterization of inositol 1,4,5-trisphosphate- and inositol 1,3,4,5-tetrakisphosphate-binding sites in rat cerebellum. 274: 861
Chalmers, R. M.
——; Keen, J. N.; Fewson, C. A.
Comparison of benzyl alcohol dehydrogenases and benzaldehyde dehydrogenases from the benzyl alcohol and mandelate pathways in Acinetobacter calcoaceticus and from the TOL-plasmid-encoded toluene pathway in Pseudomonas putida. N-terminal amino acid sequences, amino acid compositions and immunological cross-reactions. 273: 99
Chambaz, E. M. See Pelosin, J. M.
Chambers, T. J. See Hayman, A. R.
Chambert, R.
——; Petit-Glatron, M. F.
Polymerase and hydrolase activities of Bacillus subtilis levansucrase can be separately modulated by site-directed mutagenesis. 279: 35
Chan, D. See Bateman, J. F.
Chan, H. T. C.
——; Anthony, C.
The interaction of methanol dehydrogenase and cytochrome c_L in the acidophilic methylotroph Acetobacter methanolicus. 280: 139
Chandler, C. S. See Tomas, F. M.
Chandramouli, V.
——; Khan, A.; Oestenson, C. G.; Bergren, P. O.; Loew, H.; Landau, B. R.; Efendic, S. E.
Quantification of glucose cycling and the extent of equilibration of glucose 6-phosphate with fructose 6-phosphate in islets from ob/ob mice. 278: 353
Chandrasekaran, C. See Ellsworth, J. L.
Chandrasekaran, L. See Parthasarathy, N.
Chang, C. Y. See Chiou, S. H.
Chang, J. Y. See Ngai, P. K.
Chang, L. S. See Yang, C. C.
Chang, S. See Borensztajn, J.
Changani, K. K. See Holness, M. J.
Chantler, E. See Sheehan, J. K.
Chantry, A.
——; Leighton, B.; Day, A. J.
Cross-reactivity of amylin with calcitonin-gene-related peptide binding sites in rat liver and skeletal muscle membranes. 277: 139
Chao, C. C. K.
——; Huang, S. L.; Lee, L. Y.; Lin-Chao, S.
Identification of inducible damage-recognition proteins that are overexpressed in HeLa cells resistant to cis-diamminedichloroplatinum(II). 277: 875
Chao, J. See Wang, J.
Chao, L. See Wang, J.
Chap, H. See Vicendo, P.
Chaplin, L. C. See Hubbard, J. A. M.
Chapman-Smith, A.
——; Booker, G. W.; Clements, P. R.; Wallace, J. C.; Keech, D. B.
Further studies on the localization of the reactive lysyl residue of pyruvate carboxylase. 276: 759

Chardot, T.
——; Meunier, J. C.
Properties of oxidized and reduced spinach (Spinacia oleracea) chloroplast fructose-1,6-bisphosphatase activated by various agents. 278: 787
Charlier, P. See Lamotte-Brasseur, J.
Chattopadhyay, J. See Kiss, Z.
Chaudhari, P. See Higgins, P. J.
Chaudhuri, S.
——; Duncan, K.; Graham, L. D.; Coggins, J. R.
Identification of the active-site lysine residues of two biosynthetic 3-dehydroquinases. 275: 1
Chawla, D.
——; Hughes, R. C.
Effects of Brefeldin A on oligosaccharide processing. Evidence for decreased branching of complex-type glycans and increased formation of hybrid-type glycans. 279: 159
Checler, F. See Dauch, P.
Cheek, T. R.
——; Barry, V. A.; Berridge, M. J.; Missiaen, L.
Bovine adrenal chromaffin cells contain an inositol 1,4,5-trisphosphate-insensitive but caffeine-sensitive calcium store that can be regulated by intraluminal free calcium. 275: 697
Cheeseman, K. H. See Seccia, M.
Chen, J. C. See Wang, C. N.
Chen, J. R. See Carper, S. W.
Chen, W. See Vessey, D. A.
Chen, W. L. See Hsieh, J. C.
Chen, X. Y.
——; Lo, T. C. Y.
Phosphorylation of a cell surface 112 kDa protein by an ecto-protein kinase in rat L6 myoblasts. 279: 467
Involvement of a cell surface protein and an ecto-protein kinase in myogenesis. 279: 475
Chen, Y. See Scott, J. E.
Chen, Y. H. See Chu, S. T.
Cheng, P. W. See Wu, R.
Cheronis, J. C. See Ying, Q. L.
Chesters, J. K. See Petrie, L.
Chetty, N. See Vieira-Makings, E.
Chevalier, S. See Turcotte, G.
Chia, H. P. See Pallen, C. J.
Chiang, H. L. See Wing, S. S.
Chicot, D. See Cantau, B.
Chilton, F. H. See Churchill, L.; Cluzel, M.
Chilvers, E. R.
——; Batty, I. H.; Challiss, R. A. J.; Barnes, P. J.; Nahorski, S. R.
Determination of mass changes in phosphatidylinositol 4,5-bisphosphate and evidence for agonist-stimulated metabolism of inositol 1,4,5-trisphosphate in airway smooth muscle. 275: 373
Chiou, S. H.
——; Lo, C. H.; Chang, C. Y.; Itoh, T.; Kaji, H.; Samejima, T.
Ostrich crystallins. Structural characterization of δ-crystallin with enzymic activity. 273: 295
Chomiki, N. See Coquil, J. F.
Choudry, Y.
——; Kenny, A. J.
Hydrolysis of transforming growth factor-α by cell-surface peptidases in vitro. 280: 57
Chow, S. B. See Llopis, J.
Christiaens, L. See Jamin, M.
Christie, M. J. See Kavanaugh, M. P.
Christner, J. E. See Baker, J. R.
Chrystal, E. J. T. See Field, R. A.
Chu, S. T.
——; Chen, Y. H.
Role of the N-terminal region of phospholipase A_2 subunit of β_1-bungarotoxin in the toxin-calcium complex-formation. 278: 481
Chu, T. M. See Lee, H.
Chung, B. C. See Hu, M. C.
Churchill, L.
——; Chilton, F. H.; Proud, D.
Interaction of platelet-activating factor with cultured guinea pig tracheal epithelial cells. 276: 593
Ciarrocchi, G.
——; Lestingi, M.; Fontana, M.; Spadari, S.; Montecucco, A.
Correlation between anthracycline structure and human DNA ligase inhibition. 279: 141
Cimino, G. See Di Marzo, V.
Claret, M. See Capiod, T.; Coquil, J. F.
Clark, A. E.
——; Holman, G. D.; Kozka, I. J.
Determination of the rates of appearance and loss of glucose transporters at the cell surface of rat adipose cells. 278: 235
Clark, A. G.
——; Hamilton, J. F.; Marshall, S. N.
Inhibition by inorganic anions of glutathione S-transferases from insect and mammalian sources. 278: 193
Clark, C. C.
——; Richards, C. F.; Iozzo, R. V.
Post-translational alterations in newly synthesized cartilage proteoglycans induced by the glutamine analog 6-diazo-5-oxo-L-norleucine. Time course of inhibition and recovery. 273: 283
Clark, J. B. See Hardy, L.
Clark, M. See Lassegue, B.
Clark, S.
——; Dunlop, M.
Modulation of phospholipase A_2 activity by epidermal growth factor (EGF) in CHO cells transfected with human EGF receptor. Role of receptor cytoplasmic subdomain. 274: 715
——; Eckardt, G.; Siddle, K.; Harrison, L. C.
Changes in insulin-receptor structure associated with trypsin-induced activation of the receptor tyrosine kinase. 276: 27
Clarke, D. See Wooster, R.
Clarke, S. D. See Dixon, H. B. F.
Clarkson, G. H. D.
——; Neagle, J.; Lindsay, J. G.
Topography of succinate dehydrogenase in the mitochondrial inner membrane. A study using limited proteolysis and immunoblotting. 273: 719
Clegg, R. A. See Watt, P. W.
Clement, O. See Puceat, M.
Clemente, F. See Estival, A.
Clements, P. R. See Chapman-Smith, A.
Clemetson, K. J. See Darnanville, A.; Kocher, M.
Clezardin, P. See Vuillard, L.
Cluzel, M.
——; Rohde, C. A.; MacGlashan, D. W. Jr.; Undem, B. J.; Chilton, F. H.
Dynamics of platelet activating factor release and uptake in a human neutrophil suspension. 278: 453
Cobbold, P. H. See Sanchez-Bueno, A.; Schoefl, C.
Cockcroft, S.
Relationship between arachidonate release and exocytosis in permeabilized human neutrophils stimulated with formylmethionyl-leucyl-phenylalanine (fMetLeuPhe), guanosine 5'-[γ-thio]triphosphate (GTP[S]) and calcium. 275: 127
Cockett, M. I. See Murphy, G.
Coester, L.
——; Hernnaas, J.; Malmstroem, A.
Biosynthesis of dermatan sulfate proteoglycans. The effect of β-D-xyloside addition on the polymer-modification process in fibroblast cultures. 276: 533
Coetzee, G. A. See Van der Westhuyzen, D. R.
Coetzee, S. See Shephard, E. G.
Coffer, A.
——; Fellows, J.; Young, S.; Pappin, D.; Rahman, D.
Purification and characterization of biologically active scatter factor from ras-transformed NIH 3T3 conditioned medium. 278: 35
Coggins, J. See MacKintosh, C.
Coggins, J. R. See Chaudhuri, S.
Coghlan, J. P. See Fernley, R. T.
Cohen, P. See MacKintosh, C.
Cohen, R. D. See Almond, M. K.
Colard, O. See Breton, M.
Colburn, K. A. See Sasak, W. V.
Cole, W. G. See Bateman, J. F.
Coles, B. See Harris, J. M.; Meyer, D. J.
Collins, P. D. See Jose, P. J.
Colomb, M. G. See Reboul, A.
Colombo, R.
——; Milzani, A.; Contini, P.; Dalle Donne, I.
Effects of lithium ions on actin polymerization in the presence of magnesium ions. 274: 421
Colston, D. See Anderson, R. J.
Combettes, L. See Capiod, T.; Coquil, J. F.
Comerford, J. G.
——; Dawson, A. P.
Fluoroaluminate treatment of rat liver microsomes inhibits GTP-dependent vesicle fusion. 280: 335
Conder, L. H.
——; Woodard, S. I.; Dailey, H. A.
Multiple mechanisms for the regulation of heme synthesis during erythroid cell differentiation. Possible role for coproporphyrinogen oxidase. 275: 321
Condo, S. G.
——; Pellegrini, M. G.; Corda, M.; Sanna, M. T.; Cau, A.; Giardina, B.
Lobster hemocyanin. Influence of acclimatization on subunit composition and functional properties. 277: 419
Conlan, J. W. See Tunwell, R. E. A.
Conlon, J. M.
——; Youson, J. H.; Whittaker, J.
Structure and receptor-binding activity of insulin from a holostean fish, the bowfin (Amia calva). 276: 261
Constantinou, C. D. See Steinmann, B.
Contini, P. See Colombo, R.
Cook, A. M. See Locher, H. H.
Cook, P. R. See Dear, P. H.
Cook, S. J. See Plevin, R.
——; Briscoe, C. P.; Wakelam, M. J. O.
The regulation of phospholipase D activity and its role in sn-1,2-diradylglycerol formation in bombesin- and phorbol 12-myristate 13-acetate-stimulated Swiss 3T3 cells. 280: 431

Cool, D. R. See Kulanthaivel, P.
Coolbear, T. See Hudson, R. C.
Coombs, G. H. See Lockwood, B. C.
Cooper, A. D. See Ellsworth, J. L.
Cooper, A. J. L.
——; Gelbard, A. S.
[^{15}N]Alanine and [^{15}N]ammonia metabolism in vivo. Comments. 276: 271
Cooper, D. M. F.
Inhibition of adenylate cyclase by calcium – a counterpart to stimulation by calcium/calmodulin. 278: 903
Cooper, G. J. S. See Leighton, B.
Coquil, J. F.
——; Berthon, B.; Chomiki, N.; Combettes, L.; Jourdon, P.; Schteingart, C.; Erlinger, S.; Claret, M.
Effects of taurolithocholate, a calcium–mobilizing agent, on cell calcium in rat hepatocytes, human platelets and neuroblastoma NG108–15 cell line. 273: 153
Corda, M. See Condo, S. G.
Cork, S. See Watt, P. W.
Corrales, F. J. See Pajares, M. A.
Correas, I.
Characterization of isoforms of protein 4.1 present in the nucleus. 279: 581
Costi, A. See Patel, B.
Couck, A. M. See Brion, J. P.
Coulson, A. F. W. See Ambler, R. P.
Coussons, P. J.
——; Kelly, S. M.; Price, N. C.; Johnson, C. M.; Smith, B.; Sawyer, L.
Selective modification by transglutaminase of a glutamine side chain in the hinge region of the histidine–388 → glutamine mutant of yeast phosphoglycerate kinase. 273: 73
Couture, P. See Brand, M. D.
Cove, F. L. See Flint, N.
Cowan, D. B.
——; Chaban, G.; Liew, C. C.
The DNA–binding properties of a rat nuclear phosphoprotein. 274: 687
Coy, D. H. See Sekar, M. C.
Coyette, J. See El Kharroubi, A.
Cragoe, E. J. Jr. See Berk, B. C.
Craig, D. B.
——; Wallace, C. J. A.
The specificity and K_d at physiological ionic strength of an ATP–binding site on cytochrome c suit it to a regulatory role. 279: 781
Craig, F. F.
——; Simmonds, A. C.; Watmore, D.; McCapra, F.; White, M. R. H.
Membrane–permeable luciferin esters for assay of firefly luciferase in live intact cells. 276: 637
Craig, R. K. See Maschio, A.
Craik, J. D. See Wiley, J. S.
Cresswell, C. J. See Thomas, J. T.
Crispino, A. See Di Marzo, V.
Cronin, V. B.
——; Maras, B.; Barra, D.; Doonan, S.
The amino acid sequence of the aspartate aminotransferase from bakers' yeast (Saccharomyces cerevisiae). 277: 335
Cronshaw, A. D. See Hayes, J. D.; Hussey, A. J.; McLellan, L. I.
Cross, A. R. See Meier, B.
Cross, C. E. See Frei, B.
Cruz, T. F.
——; Kandel, R. A.; Brown, I. R.
Interleukin 1 induces the expression of a heat–shock gene in chondrocytes. 277: 327
Cubitt, A. B.
——; Thaw, C. N.; Gershengorn, M. C.
5'–CMP stimulates phospholipase A–mediated hydrolysis of phosphatidylinositol in permeabilized pituitary GH_3 cells. 278: 831
Culic, O. See Lin, S. H.
Cullen, P. J. See Loomis–Husselbee, J. W.
Cummings, C. See Scott, J. E.
Cunningham, J. M. See Vesey, D. A.
Curthoys, N. P. See Perera, S. Y.
Curtis, C. G. See Hughes, H. M.
Cusack, M.
——; Stephen, A. G.; Powls, R.; Beynon, R. J.
Purification and characterization of thaumatopain, a cysteine protease from the arils of the plant Thaumatococcus daniellii. 274: 231
Cuthbertson, K. S. R. See Schoefl, C.

Dabrowska, R. See Makuch, R.
DaCosta, C. See Leighton, B.
Da Cruz e Silva, O. See Wooster, R.
Daerr, W. See Windler, E.
Dahiya, R. See Yonezawa, S.
Dahlmann, B. See Seelig, A.
Dailey, H. A. See Conder, L. H.
Dali, H. See Sugumaran, M.
Dallaire, L.
——; Tremblay, L.; Beliveau, R.
Purification and characterization of metabolically active capillaries of the blood–brain barrier. 276: 745
Dalle Donne, I. See Colombo, R.
Dalton, K. See Meyer, D. J.
Damblon, C. See Adam, M.; Branniган, J.; Jamin, M.
Damiani, E.
——; Margreth, A.
Subcellular fractionation to junctional sarcoplasmic reticulum and biochemical characterization of 170 kDa calcium– and low–density–lipoprotein–binding protein in rabbit skeletal muscle. 277: 825
Dando, P. M. See Buttle, D. J.
Daniel, M. See Ambler, R. P.
Daniel, P. See Al Daher, S.
Daniel, R. M. See Hudson, R. C.; Ruttersmith, L. D.; Simpson, H. D.
Danielsen, E. M.
——; Hansen, G. H.; Wetterberg, L. L.
Morphological and functional changes in the enterocyte induced by fructose. 280: 483
Daniel–Vedele, F. See Truong, H. N.
Danin, M. See Liscovitch, M.
D'Arcy, S. M. T. See Savage, A. V.
Darley–Usmar, V. See Jessup, W.
Darley–Usmar, V. M. See Hardy, L.
——; Severn, A.; O'Leary, V. J.; Rogers, M.
Treatment of macrophages with oxidized low–density lipoprotein increases their intracellular glutathione content. 278: 429
Darnanville, A.
——; Bredoux, R.; Clemetson, K. J.; Kieffer, N.; Bourdeau, N.; Levy–Toledano, S.; Caen, J. P.; Enouf, J.
The phosphoprotein that regulates platelet calcium transport is located on the plasma membrane, controls membrane–associated calcium–ATPase and is not glycoprotein Ib β–subunit. 273: 429
Das, A. M. See Harris, D. A.
Das, P. K. See Basu, N.
Das, S.
——; Gillin, F. D.
Chitin synthase in encysting Entamoeba invadens. 280: 641
Dasso, L. L. T.
——; Taylor, C. W.
Heparin and other polyanions uncouple α_1–adrenoceptors from G–proteins. 280: 791
Date, T. See Takata, Y.
Dauch, P.
——; Barelli, H.; Vincent, J. P.; Checler, F.
Fluorimetric assay of the neurotensin–degrading metalloendopeptidase, endopeptidase 24.16. 280: 421
Dauvergne, M. T. See Bock–Moebius, I.
David, M.
——; Lubinsky–Mink, S.; Ben–Zvi, A.; Suissa, M.; Ulitzur, S.; Kuhn, J.
Citrate synthase from Mycobacterium smegmatis. Cloning, sequence determination and expression in Escherichia coli. 278: 225
Davidson, J. S. See Van der Merwe, P. A.
Davidson, N. O. See Davis, B. H.
Davie, J. R. See Hendzel, M. J.
——; Delcuve, G. P.
Characterization and chromatin distribution of the H1 histones and high–mobility–group non–histone chromosomal proteins of trout liver and hepatocellular carcinoma. 280: 491
Davies, D. S. See Edwards, R. J.
Davies, J. R.
——; Gallagher, J. T.; Richardson, P. S.; Sheehan, J. K.; Carlstedt, I.
Mucins in cat airway secretions. 275: 663
Davies, M. See Thomas, G. J.
Davies, M. J. See Turner, J. J. O.
Davis, B. H.
——; Rapp, U. R.; Davidson, N. O.
Retinoic acid and transforming growth factor β differentially inhibit platelet–derived–growth–factor–induced Ito–cell activation. 278: 43
Davis, F. B.
——; Smith, T. J.; Davis, P. J.; Blas, S. D.
Structure–activity relationships of retinoids as inhibitors of calmodulin–dependent human erythrocyte calcium–ATPase activity and calmodulin binding to membranes. 277: 603
——; Smith, T. J.; Davis, P. J.; Lawrence, W. D.; Ryan, A. J. Jr.; Farrell, M. O.; Blas, S. D.
Sex–dependent inhibition by retinoic acid of thyroid hormone action on rabbit reticulocyte calcium–ATPase activity. 273: 489
Davis, P. J. See Davis, F. B.
Davis, R. A. See Dueland, S.
Davison, M. See Watkinson, A.
Dawson, A. P. See Comerford, J. G.; Loomis–Husselbee, J. W.
Day, A. J. See Chantry, A.; Kralicek, A. V.; Steinkasserer, A.
Day, I. N. M. See Peshavaria, M.
Day, P. J. R.
——; Flora, P. S.; Fox, J. E.; Walker, M. R.
Immobilization of polynucleotides on magnetic particles. Factors influencing hybridization efficiency. 278: 735
Dean, D. R. See May, H. D.
Dean, M. See Martin, H.
Dear, P. H.
——; Cook, P. R.
Cellular gels. Purifying and mapping long DNA molecules. 273: 695
De Beer, F. C. See De Beer, M. C.; Shephard, E. G.
De Beer, M. C.
——; Beach, C. M.; Shedlofsky, S. I.; De Beer, F. C.

Identification of a novel serum amyloid A protein in BALB/c mice. 280: 45
Debell, K. E. See Bonvini, E.
De Both, N. J. See Faber, P. W.
Decanniere, C. See Vanstapel, F.
De Gasperi, R. See Al Daher, S.
De Groot, H. See Wang, J. F.
De Groot, R.
——; Chaffin, D. O.; Kuehn, M.; Smith, A. L.
Trimethoprim resistance in Haemophilus influenzae is due to altered dihydrofolate reductase(s). 274: 657
De Haro, C. See Moreno, A.
De Jong-Brink, M. See Hordijk, P. L.
De Jonge, H. R. See Van den Berghe, N.
DeJoseph, M. R. See Jessy, J.
Dekker, J.
——; Aelmans, P. H.; Strous, G. J.
The oligomeric structure of rat and human gastric mucins. 277: 423
——; Van der Ende, A.; Aelmans, P. H.; Strous, G. J.
Rat gastric mucin is synthesized and secreted exclusively as filamentous oligomers. 279: 251
Delaisse, J. M.
——; Ledent, P.; Vaes, G.
Collagenolytic cysteine proteinases of bone tissue. Cathepsin B, (pro)cathepsin L and a cathepsin L-like 70 kDa proteinase. 279: 167
Delarge, M. H. P. See Hobbs, M. C.
Delaveau, T. See Capeillere-Blandin, C.
Delcuve, G. P. See Davie, J. R.
Delicado, E. G.
——; Sen, R. P.; Miras-Portugal, M. T.
Effects of phorbol esters and secretagogues on nitrobenzylthioinosine binding to nucleoside transporters and nucleoside uptake in cultured chromaffin cells. 279: 651
Delisle, M. C. See Vachon, V.
De Lorenzo, F. See Sanchez, M.
Delos, S.
——; Villar, M. T.; Hu, P.; Peterson, D. L.
Cloning, expression, isolation and characterization of the pre-S domains of hepatitis B surface antigen, devoid of the S protein. 276: 411
DeLuca, C. I. See Samis, J. A.
Demacker, P. N. M. See Mol, M. J. T. M.
Demain, A. L. See Fauth, U.; Xiao, X.
De Matteis, F. See Holley, A. E.
——; Gibbs, A. H.; Martin, S. R.; Milek, R. L. B.
Labeling in vivo and chirality of griseofulvin-derived N-alkylated protoporphyrins. 280: 813
De Meester, F. See Varetto, L.
De Meis, L. See Benech, J. C.
De Nardi, M. See Hawkins, H. C.
Denker, B. M.
——; Tempst, P.; Neer, E. J.
Characterization of a mastoparan-stimulated nucleotidase from bovine brain. 278: 341
Dent, C. L.
——; Latchman, D. S.
The overlapping octamer/TAATGA-RAT motif is a high-affinity binding site for the cellular transcription factors Oct-1 and Oct-2. 277: 541
Dente, L. See Van Dijk, W.
Denton, R. M. See Diggle, T. A.; Issad, T.; Rutter, G. A.
DePierre, J. W. See Mankowitz, L.
De Pont, J. J. H. H. M. See Van Uem, T. J. F.
Derksen, J. T. P. See Verkade, H. J.
Desarnaud, F. See Cantau, B.
Desbuquois, B. See Authier, F.
Descamps-Latscha, B. See Capeillere-Blandin, C.
Deshmukh, D. R. See Mawal, M. R.
De Smedt, H.
——; Parys, J. B.; Himpens, B.; Missiaen, L.; Borghgraef, R.
Changes in the mechanism of calcium mobilization during the differentiation of BC_3H1 muscle cells. 273: 219
Deutzmann, R. See Boehm, B.
Devraj, R. V. See Glew, R. H.
Dewji, N. N. See Hall, N. A.
Deyashiki, Y. See Hara, A.; Kanazu, T.
Diasio, R. B. See Kwakye, J. B.
Dice, J. F. See Wing, S. S.
Dickens, M. See Tavare, J. M.
Dickenson, J. M.
——; Huckerby, T. N.; Nieduszynski, I. A.
A nonreducing terminal fragment from tracheal cartilage keratan sulfate chains contains $\alpha(2-3)$-linked *N*-acetylneuraminic acid. 278: 779
Dickinson, K. E. J. See Sekar, M. C.
Dideberg, O. See Lamotte-Brasseur, J.; Palomeque-Messia, P.
Diefenbach, R. J.
——; Duggleby, R. G.
Pyruvate decarboxylase from Zymomonas mobilis. Structure and reactivation of apoenzyme by the cofactors thiamin diphosphate and magnesium ion. 276: 439
Diggle, T. A.
——; Schmitz-Peiffer, C.; Borthwick, A. C.; Welsh, G. I.; Denton, R. M.
Evidence that insulin activates casein kinase 2 in rat epididymal fat-cells and that this may result in the increased phosphorylation of an acid-soluble 22 kDa protein. 279: 545
Dilworth, M. J.
——; Eady, R. R.
Hydrazine is a product of dinitrogen reduction by the vanadium-nitrogenase from Azotobacter chroococcum 277: 465
Di Marzo, V.
——; Cimino, G.; Crispino, A.; Minardi, C.; Sodano, G.; Spinella, A.
A novel multifunctional metabolic pathway in a marine mollusk leads to unprecedented prostaglandin derivatives (prostaglandin 1,15-lactones). 273: 593
Dimitriadis, G. See Leighton, B.
Dimitriadis, G. D.
——; Richards, S. J.; Parry-Billings, M.; Leighton, B.; Newsholme, E. A.; Challiss, R. A. J.
β-Adrenoceptor-agonist and insulin actions on glucose metabolism in rat skeletal muscle in different thyroid states. 278: 587
Ding, V. D. H.
——; Sheares, B. T.; Bergstrom, J. D.; Ponpipom, M. M.; Perez, L. B.; Poulter, C. D.
Purification and characterization of recombinant human farnesyl diphosphate synthase expressed in Escherichia coli. 275: 61
Dive, G. See Lamotte-Brasseur, J.; Varetto, L.
Diven, W. F. See Glew, R. H.
Di Virgilio, F. See Michelangeli, F.; Pizzo, P.
Dixon, H. B. F. See Sparkes, M. J.; Weitkamp, E. L. C.
Part of the phospho group of pyridoxal phosphate may titrate over the pH range 5-8 in aspartate aminotransferase. 280: 832
——; Clarke, S. D.; Smith, G. A.; Carne, T. K.
The origin of multiply sigmoid curves of pH-dependence. The partitioning of groups among titration pK values. 278: 279
Dizdaroglu, M. See Aruoma, O. I.
Dobson, C. M. See Radford, S. E.
Docampo, R. See Benaim, G.
——; Pignataro, O. P.
The inositol phosphate/diacylglycerol signalling pathway in Trypanosoma cruzi. 275: 407
Docherty, A. J. P. See Murphy, G.
Dockray, G. J. See Watkinson, A.
Dohi, T.
——; Morita, K.; Kitayama, S.; Tsujimoto, A.
Calcium-dependent biosynthesis of platelet-activating factor by submandibular gland cells. 276: 175
Dola, C. P. See Tou, J. S.
Dolor, R. J. See Buckley, B. J.
Donato, H. Jr.
——; Mani, R. S.; Kay, C. M.
Spectal studies on the cadmium ion binding properties of bovine brain S-110b protein. 276: 13
Donie, F. See Reiser, G.
——; Reiser, G.
Purification of a high-affinity inositol 1,3,4,5-tetrakisphosphate receptor from brain. 275: 453
Donnet, C.
——; Caride, A. J.; Fernandez, H. N.; Rossi, J. P. F. C.
Differential reactivity of lysine residues of the red blood cell calcium pump involved in the E_1-E_2 conformational equilibrium. 279: 121
Donoghue, C. M. See Savage, A. V.
Donoso, J. See Vazquez, M. A.
Dooley, T. P. See Weiland, K. L.
Doonan, S. See Cronin, V. B.
Douce, R. See Dumas, R.; Neuburger, M.; Verniquet, F.
Dougherty, J. J. See Cary, A. J.
Douglas, K. T. See Reed, C. J.
Downes, C. P. See McPhee, F.
Doyle, D. See Thompson, N. L.
Doyle, F. A. See McGivan, J. D.
Drachman, J. G. See Mortensen, E. R.
Drenkhan, M. See Klein, H. H.
Drevon, C. A. See Dueland, S.
Drews, G. See Gao, Z. Y.
Drickamer, K. See Taylor, M. E.
Driedzic, W. R. See Stewart, J. M.
Drummond, D. R.
——; Hennessey, E. S.; Sparrow, J. C.
Stability of mutant actins. 274: 301
Dryden, A. J. See Hayman, A. R.
D'Santos, C. S. See Sexton, P. M.
Dubbelman, T. M. A. R. See Prinsze, C.
Dubyak, G. R. See Xie, M.
Ducep, J. B. See Nave, J. F.
Dueland, S.
——; Nenseter, M. S.; Drevon, C. A.
Uptake and degradation of filamentous actin and vitamin D-binding protein in the rat. 274: 237
——; Reichen, J.; Everson, G. T.; Davis, R. A.
Regulation of cholesterol and bile acid homoeostasis in bile-obstructed rats. 280: 373

Duez, C. See Palomeque–Messia, P.
Duggleby, R. G. See Diefenbach, R. J.; Szedlacsek, S. E.
Duim, B. See Leyte, A.
Dulery, B. See Nave, J. F.
Dumas, R.
——; Lebrun, M.; Douce, R.
Isolation, characterization and sequence analysis of a full–length cDNA clone encoding acetohydroxy acid reductoisomerase from spinach chloroplasts. 277: 469
Dumont, J. E. See Takazawa, K.
Dumora, C.
——; Lacoste, A. M.; Cassaigne, A.; Mazat, J. P.
Allosteric regulation of phosphonoacetaldehyde hydrolase by n–butylphosphonic acid. 280: 557
Dunbar, B. See Bagby, S.
Duncan, K. See Chaudhuri, S.
Dunlop, M. See Clark, S.
Dupuis, A.
——; Skehel, J. M.; Walker, J. E.
NADH:ubiquinone oxidoreductase from bovine mitochondria. cDNA sequence of a 19 kDa cysteine–rich subunit. 277: 11
Duronio, V. See Rogers, J. E.
Durrant, A. J. See Poole, D. M.
——; Hall, J.; Hazlewood, G. P.; Gilbert, H. J.
The non–catalytic C–terminal region of endoglucanase E from Clostridium thermocellum contains a cellulose–binding domain. 273: 289
Dusart, V. See Adam, M.

Eacho, P. I. See Cannon, J. R.
Eady, R. R. See Bagby, S.; Dilworth, M. J.
Eap, C. B. See Van Dijk, W.
East, J. M. See Tunwell, R. E. A.
Ebberink, R. H. M. See Hordijk, P. L.
Eberhard, D. A.
——; Holz, R. W.
Regulation of the formation of inositol phosphates by calcium, guanine nucleotides and ATP in digitonin–permeabilized bovine adrenal chromaffin cells. 279: 447
Ebina, Y. See Hayashi, H.
Ebner, T. See Wooster, R.
Eckardt, G. See Clark, S.
Edelberg, J. M.
——; Weissler, M.; Pizzo, S. V.
Kinetic analysis of the effects of glycosaminoglycans and lipoproteins on urokinase–mediated plasminogen activation. 276: 785
Edgington, T. S. See Ruf, W.
Edmondson, D. E. See Fillat, M. F.
Edwards, G. E. See Kleczkowski, L. A.
Edwards, M. See Brady, H. J. M.
Edwards, R. H. T. See MacLennan, P. A.
Edwards, R. J.
——; Singleton, A. M.; Murray, B. P.; Murray, S.; Boobis, A. R.; Davies, D. S.
Identification of a functionally conserved surface region of rat cytochromes P450IA. 278: 749
Efendic, S. E. See Chandramouli, V.
Egyed, A.
Sodium modulates carrier–mediated iron(2+) transport through the erythroid cell membrane. 275: 635
Ehnholm, C. See Jauhiainen, M.
Ehrhard, I. See Watzlawick, H.
Eistetter, H. R. See Keller, A.
Ekborg, S. L. See Baker, J. R.
Ekman, G. See Norman, M.
El Battari, A.
——; Forget, P.; Fouchier, F.; Pic, P.
Effect of inhibiting N–glycosylation or oligosaccharide processing on vasoactive intestinal peptide receptor binding activity and structure. 278: 527
Elce, J. S. See Samis, J. A.
Elcombe, C. R. See Bars, R. G.; Bell, D. R.
ElDeib, M. M. R.
——; Parker, C. D.; White, A. A.
Activation of intestinal brush border guanylate cyclase by aromatic disulfide compounds. 275: 29
El–Fakahany, E. E. See Pou, S.
Elford, B. C. See Kirk, K.
Elfring, R. H. See Haagsman, H. P.
Eli, Y. See Liscovitch, M.
Eliopoulos, E. E. See Zagalsky, P. F.
El Kharroubi, A. See Adam, M.
——; Jacques, P.; Piras, G.; Van Beeumen, J.; Coyette, J.; Ghuysen, J. M.
The Enterococcus hirae R40 penicillin–binding protein 5 and the methicillin–resistant Staphylococcus aureus penicillin–binding protein 2' are similar. 280: 463
Ellingson, J. S. See Cardellach, F.
Ellory, J. C. See Kirk, K.; Tse, C. M.
Ellsworth, J. L.
——; Chandrasekaran, C.; Cooper, A. D.
Evidence for sterol–independent regulation of low–density lipoprotein receptor activity in Hep–G2 cells. 279: 175
Elmore, M. See Murphy, C. T.
Eloranta, T. See Halmekyto, M.
Else, P. L. See Brand, M. D.
Elsegood, C. L. See Redgrave, T. G.
Elsevier, S. M. See Carre–Eusebe, D.
Emmison, N.
——; Agius, L.; Zammit, V. A.
Regulation of fatty acid metabolism and gluconeogenesis by growth hormone and insulin in sheep hepatocyte cultures. Effects of lactation and pregnancy. 274: 21
Ena, J. M. See Peeters, R. A.
Endemann, G. C.
——; Graziani, A.; Cantley, L. C.
A monoclonal antibody distinguishes two types of phosphatidylinositol 4–kinase. 273: 63
Engelbart, K. See Tschank, G.
Englebert, S. See Palomeque–Messia, P.
Engstroem, A. See Andersons, D.; Widersten, M.
Enomaa, N. See Halila, R.
Enouf, J. See Darnanville, A.
Epstein, O. See Bingle, C. D.
Erdmann, E. See Boehm, M.
Erlinger, S. See Coquil, J. F.
Ermel, B. See Kellerer, M.
Erneux, C. See Hollande, F.; Pirotton, S.; Takazawa, K.
Esbach, B. See Pieters, M. N.
Estaller, C. See Steinkasserer, A.
Estevez, F. See Alvarez, J. F.
Estival, A.
——; Pradel, P.; Wicker–Planquart, C.; Vaysse, N.; Puigserver, A.; Clemente, F.
Regulation of amylase and chymotrypsinogen expression by dexamethasone and caerulein in serum–free–cultured pancreatic acinar AR4–2J cells. Influence of glucose. 279: 197
Estrela, J. M. See Pallardo, F. V.
Evans, C. See Worrall, A. F.
Evans, C. H. See Hulkower, K. I.
Evans, C. O.
——; Healey, J. F.; Greene, Y.; Bonkovsky, H. L.
Cloning, sequencing and expression of cDNA for chick liver haem oxygenase. Comparison of avian and mammalian cDNAs and deduced proteins. 273: 659
Evans, G. S. See Flint, N.
Evans, J. C. See Hughes, H. M.
Evans, R. D.
——; Ilic, V.; Williamson, D. H.
Effects of platelet–activating factor on lipid metabolism in rats in vivo. Origin of the hypertriglyceridemia. 280: 541
Evans, R. W. See Garratt, R. C.
Everson, G. T. See Dueland, S.
Ewing, J. F. See Trakshel, G. M.
Exterkate, F. A.
——; Alting, A. C.; Slangen, C. J.
Specificity of two genetically related cell–envelope proteinases of Lactococcus lactis subsp. cremoris towards α_{s1}–casein–(1–23)–fragment. 273: 135

Fabbro, D. See Huwiler, A.
Faber, P. W.
——; King, A.; Van Rooij, H. C. J.; Brinkmann, A. O.; De Both, N. J.; Trapman, J.
The mouse androgen receptor. Functional analysis of the protein and characterization of the gene. 278: 269
Fagan, J. M.
——; Waxman, L.
Purification of a protease in red blood cells that degrades oxidatively damaged hemoglobin. 277: 779
Fain, J. N. See Pittner, R. A.
Falgueyret, J. P. See Riendeau, D.
Faller, B.
——; Bieth, J. G.
Kinetics of the interaction of chymotrypsin with eglin c. 280: 27
Fallon, R. J. See Gruppuso, P. A.
Faraoni, A. See Santucci, R.
Farias, R. N. See Spinedi, A.
Faris, R. A. See Thompson, N. L.
Farmer, P. B. See Holley, A. E.
Farndale, R. W. See Wadman, I. A.
Farooqui, S. M. See Smith, A.
Farrell, A. See Grootveld, M.
Farrell, M. O. See Davis, F. B.
Farrow, N.
——; Kanamori, K.; Ross, B. D.; Parivar, F.
[^{15}N]Alanine and [^{15}N]ammonia metabolism: a reply. 276: 272
Farstad, M. See Bakken, A. M.
Farver, O. See Zhou, A.
Fast, P. See Pusztai, M.
Fatemi, S. J. A. See Kadir, F. H. A.
——; Kadir, F. H. A.; Moore, G. R.
Aluminum transport in blood serum. Binding of aluminum by human transferrin in the presence of human albumin and citrate. 280: 527
Fauth, U.
——; Romaniec, M. P. M.; Kobayashi, T.; Demain, A. L.
Purification and characterization of endoglucanase S_3 from Clostridium thermocellum. 279: 67
Fauvel, J. See Vicendo, P.
Fearnley, I. M.
——; Finel, M.; Skehel, J. M.; Walker, J. E.
NADH:ubiquinone oxidoreductase from bovine heart mitochondria.

cDNA sequences of the import precursors of the nuclear-encoded 39 kDa and 42 kDa subunits. 278: 821
Feijge, M. A. H. See Heemskerk, J. W. M.
Feinberg, J. See Houmeida, A.
Felipe, A. See Ruiz, B.
——; Remesar, X.; Pastor-Anglada, M. L-Lactate uptake by rat liver. Effect of food deprivation and substrate availability. 273: 195
Feliu, J. E. See Alvarez, J. F.
Fellows, J. See Coffer, A.
Feneant-Thibault, M.
——; Galera, P.; Maccario, J.; Boutron, A.; Pujol, J. P.; Moatti, N. Interleukin-1β-induced changes in the kinetic constants of L-proline uptake in human skin fibroblasts. 276: 57
Fenton, J. W. II. See Berk, B. C.
Ferguson, M. A. J. See Weinhart, U.
Ferguson, S. J. See Bell, L. C.; McEwan, A. G.
Fernandez, D. See Manser, E.
Fernandez, H. N. See Donnet, C.
Fernandez-Cabrera, C. See Zurdo, J.
Fernandez-Gallardo, S. See Garcia, M. d. C.
Fernley, R. T.
——; Wright, R. D.; Coghlan, J. P. Radioimmunoassay of carbonic anhydrase VI in saliva and sheep tissues 274: 313
Ferragut, J. A. See Canaves, J. M.
Ferrari, R. P. See Casella, L.
Ferre, P. See Penicaud, L.
Ferreira, L. M. A.
——; Hazlewood, G. P.; Barker, P. J.; Gilbert, H. J. The cellodextrinase from Pseudomonas fluorescens subsp. cellulosa consists of multiple functional domains. 279: 793
Ferrero, M. A.
——; Luengo, J. M.; Reglero, A. Application to the determination of the minimal chain length serving as exogenous acceptor in the enzymic synthesis of colominic acid. 280: 575
Fewson, C. A. See Chalmers, R. M.
Field, C. J. See Wu, G.
Field, R. A.
——; Haines, A. H.; Chrystal, E. J. T.; Luszniak, M. C. Histidines, histamines and imidazoles as glycosidase inhibitors. 274: 885
Fill, M.
——; Mejia-Alvarez, R.; Zorzato, F.; Volpe, P.; Stefani, E. Antibodies as probes for ligand gating of single sarcoplasmic reticulum calcium-release channels. 273: 449
Fillat, M. F.
——; Borrias, W. E.; Weisbeek, P. J. Isolation and overexpression in Escherichia coli of the flavodoxin gene from Anabaena PCC 7119. 280: 187
——; Edmondson, D. E.; Gomez-Moreno, C. Light-dependent de-activation/re-activation of Anabaena variabilis ferredoxin:NADP$^+$ reductase. 274: 781
Finbloom, D. S. Regulation of cell-surface receptors for human interferon-γ on the human histiocytic lymphoma cell line U937. 274: 775
Fincham, D. A. See Tse, C. M.
Findlay, D. M. See McQuillan, D. J.; Schneider, H. G.; Sexton, P. M.
Findlay, J. B. C. See Hall, M. D.; Pottinger, J. D. D.; Ryba, N. J. P.; Zagalsky, P. F.
Fine, A. See Ritzenthaler, J. D.
Finel, M. See Fearnley, I. M.
Finley, E. See Vernon, R. G.; Watt, P. W.
Finocchiaro, L. M. E.
——; Nahmod, V. E.; Launay, J. M. Melatonin biosynthesis and metabolism in peripheral blood mononuclear leukocytes. 280: 727
Finucane, M. D. See Malthouse, J. P. G.
Fischer, L. See Sandberg, M.
Fisher, K.
——; Lowe, D. J.; Thorneley, R. N. F. Klebsiella pneumoniae nitrogenase. The pre-steady-state kinetics of molybdenum-iron protein reduction and hydrogen evolution under conditions of limiting electron flux show that the rates of association with the iron protein and electron transfer are independent of the oxidation level of the molybdenum-iron protein. 279: 81
Fitzgerald, M. G. See Revelli, J. P.
Fitzsimmons, C. See Gherardi, E.
Flament-Durand, J. See Brion, J. P.
Flanagan, D. See Lin, S. H.; Thompson, N. L.
Fleet, G. W. J. See Butters, T. D.
Flint, N.
——; Cove, F. L.; Evans, G. S. A low-temperature method for the isolation of small-intestinal epithelium along the crypt-villus axis. 280: 331
Flora, P. S. See Day, P. J. R.
Fluharty, A. L. See Rommerskirch, W.
Flynn, G. See Almond, M. K.
Fonnum, F. See Fykse, E. M.; Gaustad, R.
Fontaine-Aupart, M. P. See Bihoreau, N.
Fontana, A. See Huber, D.
Fontana, M. See Ciarrocchi, G.
Foot, E. A. See Leighton, B.
Forget, P. See El Battari, A.
Forsman, M. See Ambler, R. P.
Forte, T. M. See Frei, B.
Fosang, A. J.
——; Hardingham, T. E. 1-C-6 epitope in cartilage proteoglycan G2 domain is masked by keratan sulfate. 273: 369
Foster, B. K. See Gibson, G. J.
Fothergill-Gilmore, L. A. See Ribas de Pouplana, L.
Fouchier, F. See El Battari, A.
Fourie, A. M. See Van der Westhuyzen, D. R.
Fox, J. E. See Day, P. J. R.
Franceschini, N.
——; Amicosante, G.; Perilli, M.; Maccarrone, M.; Oratore, A.; Van Beeumen, J.; Frere, J. M. Proteolytic interconversion and N-terminal sequences of the Citrobacter diversus major β-lactamases. 275: 629
Francki, K. T. See Gibson, G. J.
Franco, R.
——; Aran, J. M.; Canela, E. I. Fitting integrated enzyme rate equations to progress curves with the use of a weighting matrix. 274: 509
Franklin, K. See Pollack, S.
Franklin, M. See Petrie, L.
Fransson, L. A. See Lindblom, A.
Frappier, T.
——; Stetzkowski-Marden, F.; Pradel, L. A. Interaction domains of neurofilament light chain and brain spectrin. 275: 521
Fraser, C. M. See Revelli, J. P.
Fraser, G. M. See Meyer, D. J.
Frater, Y. See Holley, A. E.
Frazao, C. See Topham, C. M.
Freedman, R. B. See Hawkins, H. C.
Freeman, C.
——; Hopwood, J. J. Glucuronate-2-sulfatase activity in cultured human skin fibroblast homogenates. 279: 399
Freemont, P. S.
——; Lane, A. N.; Sanderson, M. R. Structural aspects of protein-DNA recognition. 278: 1
Freer, R. J. See Kermode, J. C.
Frei, B.
——; Forte, T. M.; Ames, B. N.; Cross, C. E. Gas phase oxidants of cigaret smoke induce lipid peroxidation and changes in lipoprotein properties in human blood plasma. Protective effects of ascorbic acid. 277: 133
Freissmuth, M.
——; Selzer, E.; Schuetz, W. Interactions of purified bovine brain A_1-adenosine receptors with G-proteins. Reciprocal modulation of agonist and antagonist binding. 275: 651
Frenoy, J. P. See Magnusson, S.
Frere, J. M. See Ambler, R. P.; Brannigan, J.; Franceschini, N.; Jacob, F.; Jamin, M.; Lamotte-Brasseur, J.; Matagne, A.; Varetto, L.
Frey, B. M.
——; Frey, F. J.; Lingappa, V. R.; Trachsel, H. Expression of human recombinant lipocortin I in a wheat-germ cell-free system and Xenopus oocytes. Lipocortin is not secreted. 275: 219
Frey, F. J. See Frey, B. M.
Freyssinet, J. M. See Archipoff, G.
Frias, I.
——; Siverio, J. M.; Gonzalez, C.; Trujillo, J. M.; Perez, J. A. Purification of a new peroxidase catalyzing the formation of lignan-type compounds. 273: 109
Friend, D. S. See Hardy, D. M.
Fritz, I. B. See Ailenberg, M.
Fritzsch, G. See Sauer, H.
Fromm, H. See Bouscarel, B.
Frost, S. C. See Wong, W. T.
Fry, S. C. See Smith, R. C.
Fuchs, D. See Werner, E. R.
Fujioka, M. See Takata, Y.
Fujita, H. See Mitani, K.
Fukamizu, A.
——; Hatae, T.; Kon, Y.; Sugimura, M.; Hasegawa, T.; Yokoyama, M.; Nomura, T.; Katsuki, M.; Murakami, K. Human renin in transgenic mouse kidney is localized to juxtaglomerular cells. 278: 601
Fulceri, R.
——; Bellomo, G.; Gamberucci, A.; Benedetti, A. Liver glucose-6-phosphatase activity is not modulated by physiological intracellular calcium concentrations 275: 805
Fuller, D. J. M. See Carper, S. W.
Fuller, S. J. See Sugden, P. H.
——; Gaitanaki, C. J.; Hatchett, R. J. IV.; Sugden, P. H. Acute α_1-adrenergic stimulation of cardiac protein synthesis may involve increased intracellular pH and protein kinase activity. 273: 347

Funk, W. D. See Stowell, K. M.
Fussell, J. C.
——; Kelly, F. J.
Effects of dexamethasone on lung protein turnover. 273: 93
Futerman, A. H.
——; Pagano, R. E.
Determination of the intracellular sites and topology of glucosylceramide synthesis in rat liver. 280: 295
Fykse, E. M.
——; Fonnum, F.
Transport of γ-aminobutyrate and L-glutamate into synaptic vesicles. Effect of different inhibitors on the vesicular uptake of neurotransmitters and on the magnesium-ATPase. 276: 363

Gade, G.
A unique charged tyrosine-containing member of the adipokinetic hormone/red-pigment-concentrating hormone peptide family isolated and sequenced from two beetle species. 275: 671
Gadelha, E. R. See Benaim, G.
Gadina, M. See Cantoni, L.
Gaget, C. See Nave, J. F.
Gahm, A. See Llopis, J.
Gaillard, J. See Verniquet, F.
Gaitanaki, C. J. See Fuller, S. J.
Gajewski, E. See Aruoma, O. I.
Galera, P. See Feneant-Thibault, M.
Galina, A. See Benech, J. C.
Gallacher, G.
——; Jackson, C. S.; Searcey, M.; Badman, G. T.; Goel, R.; Topham, C. M.; Mellor, G. W.; Brocklehurst, K.
A polyclonal antibody preparation with Michaelian catalytic properties. 279: 871
Gallagher, J. A. See Schoefl, C.
Gallagher, J. T. See Davies, J. R.; Lyon, M.; Nelson, S. R.; Turnbull, J. E.
Galleni, M. See Adam, M.
Gallo, J. M. See Hanger, D. P.
Gamberucci, A. See Fulceri, R.
Ganapathy, V. See Kulanthaivel, P.; Ramamoorthy, S.
Ganem, B. See Pegg, A. E.
Ganesan, S. See Zawalich, W. S.
Gao, Z. Y.
——; Drews, G.; Henquin, J. C.
Mechanisms of the stimulation of insulin release by oxytocin in normal mouse islets. 276: 169
Gapper, P. W. See Blayney, L. M.
Garattini, E. See Gianni, M.
Garcia, C. See Garcia, M. d. C.
Garcia, M. See Varon, R.
Garcia, M. d. C.
——; Garcia, C.; Gijon, M. A.; Fernandez-Gallardo, S.; Mollinedo, F.; Sanchez Crespo, M.
Metabolism of platelet-activating factor in human hematopoietic cell lines. Differences between myeloid and lymphoid cells. 273: 573
Garcia Blanco, F. See Vazquez, M. A.
Garcia-Borron, J. C. See Aroca, P.
Garcia-Canovas, F. See Varon, R.
Garcia-Carmona, F. See Valero, E.
Garcia-Perez, A. I. See Jimeno, P.
Garcia-Sancho, J. See Alonso, M. T.; Alvarez, J.; Montero, M.
Garcia-Sastre, A.
——; Villar, E.; Manuguerra, J. C.; Hannoun, C.; Cabezas, J. A.
Activity of influenza C virus O-acetylesterase with O-acetyl-containing compounds. 273: 435

Gardemann, A. See Meyerholz, H. H.
Gardner, E. J. See Major, G. N.
Gargosky, S. E. See Tomas, F. M.
Gariani, L. S. See Malthouse, J. P. G.
Garlick, P. J. See Ballmer, P. E.
Garratt, R. C.
——; Evans, R. W.; Hasnain, S. S.; Lindley, P. F.; Sarra, R.
EXAFS studies of chicken dicupric ovotransferrin. 280: 151
Garrett, M. D.
——; Major, G. N.; Totty, N.; Hall, A.
Purification and N-terminal sequence of the p21^{rho} GTPase-activating protein, rho GAP. 276: 833
Gasiewicz, T. A. See Henry, E. C.
Gatt, S. See Levade, T.
Gau, S. S. See Van Ommen, B.
Gaustad, R.
——; Sletten, K.; Loevhaug, D.; Fonnum, F.
Purification and characterization of carboxylesterases from rat lung. 274: 693
Gavel, Y. See Wilson, I. B. H.
Gawler, D. J.
——; Potter, B. V. L.; Gigg, R.; Nahorski, S. R.
Interactions between inositol tris- and tetrakis-phosphates. Effects on intracellular calcium mobilization in SH-SY5Y cells. 276: 163
Geahlen, R. L. See Wang, Q.
Gebhardt, R. See Ugele, B.
Gechtman, Z. See Orr, I.
——; Orr, I.; Shoshan-Barmatz, V.
Involvement of protein phosphorylation in activation of calcium efflux from sarcoplasmic reticulum. 276: 97
Geelen, M. J. H. See Tijburg, L. B. M.
Geeves, M. A. See McKillop, D. F. A.
The dynamics of actin and myosin association and the crossbridge model of muscle contraction. 274: 1
Gelbard, A. S. See Cooper, A. J. L.
Genieser, H. G. See Sandberg, M.
Gennity, J. M.
——; Siess, W.
Thrombin inhibits the pertussis-toxin-dependent ADP-ribosylation of a novel soluble G_i-protein in human platelets. 279: 643
George, I. M. See Hughes, H. M.
Georgescu, H. I. See Hulkower, K. I.
Gerard, C. M.
——; Mollereau, C.; Vassart, G.; Parmentier, M.
Molecular cloning of a human cannabinoid receptor which is also expressed in testis. 279: 129
Gerding, A. See Verkade, H. J.
Gerner, E. W. See Carper, S. W.
Gerok, W. See Vom Dahl, S.
Gerrard, J. M. See Saxena, S. P.
Gershengorn, M. C. See Cubitt, A. B.
Geyer, R. See Wendorf, P.
Ghadiminejad, I.
——; Saggerson, E. D.
A study of properties and abundance of the components of liver carnitine palmitoyltransferases in mitochondrial inner and outer membranes. Effects of hypothyroidism, fasting and a ketotic diabetic state. 277: 611
Gherardi, E.
——; Bowyer, D. E.; Fitzsimmons, C.; Le Cras, T.; Hutchings, A.; Butcher, G.
Probing of the expression of the low-density lipoprotein receptor in vivo using an anti-receptor monoclonal antibody. 280: 1

Ghezzi, P. See Cantoni, L.
Ghidoni, R. See Kivatinitz, S. C.
Ghisla, S. See Melde, K.
Ghosh, A. See Mukhopadhyay, G.
Ghosh, S. K.
——; Rawal, N.; Syed, S. K.; Paik, W. K.; Kim, S.
Enzymic methylation of myelin basic protein in myelin. 275: 381
Ghuysen, J. M. See Ambler, R. P.; El Kharroubi, A.; Lamotte-Brasseur, J.; Palomeque-Messia, P.
Giachetti, E.
——; Vanni, P.
Effect of magnesium(2+) and manganese(2+) on isocitrate lyase, a non-essentially metal ion-activated enzyme. A graphical approach for the discrimination of the model for activation. 276: 223
Giacobino, J. P. See Revelli, J. P.
Gianni, M.
——; Studer, M.; Carpani, G.; Terao, M.; Garattini, E.
Retinoic acid induces liver/bone/kidney-type alkaline phosphatase gene expression in F9 teratocarcinoma cells. 274: 673
Gianotti, M. See Puigserver, P.
Giardina, B. See Condo, S. G.
Gibbons, G. F.
——; Burnham, F. J.
Effect of nutritional state on the utilization of fatty acids for hepatic triacylglycerol synthesis and secretion as very-low-density lipoprotein. 275: 87
Gibbs, A. H. See De Matteis, F.; Holley, A. E.
Gibbs, E. M.
——; Calderhead, D. M.; Holman, G. D.; Gould, G. W.
Phorbol ester only partially mimics the effects of insulin on glucose transport and glucose-transporter distribution in 3T3-L1 adipocytes. 275: 145
Gibson, G. G. See Bell, D. R.
Gibson, G. J. See Taylor, J. A.
——; Francki, K. T.; Hopwood, J. J.; Foster, B. K.
Human and sheep growth-plate cartilage type X collagen synthesis and the influence of tissue storage. 277: 513
Gierschik, P. See Boehm, M.
Gieselmann, V. See Rommerskirch, W.
Gigg, R. See Gawler, D. J.; Ivorra, I.
Gijon, M. A. See Garcia, M. d. C.
Gil, J. See Ventura, F.
Gilbert, H. J. See Durrant, A. J.; Ferreira, L. M. A.; Poole, D. M.
Gillin, F. D. See Das, S.
Gilmore, K. S. See Meyer, D. J.
Gimenez, C. See Gomeza, J.
Gionti, E. See Sanchez, M.
Giorgetti, S. See Hainaut, P.
Giralt, E. See Royo, T.
Girard, A.
——; Merchie, B.; Maisterrena, B.
Compartmentalized system with membrane-bound glycerol kinase. Activity and product distribution versus asymmetrical substrate supply. 274: 819
Girard, J. See Iynedjian, P. B.; Penicaud, L.
Girr, M. See Schohn, H.
Gitlin, J. D. See Bingle, C. D.; Hildebrandt, M.; Jaeger, J. L.
Glaser, T. See Schwarz-Ben Meir, N.
Glatz, J. F. C. See Vork, M. M.
Gledhill, L.
——; Williams, P.; Bycroft, B. W.

Irreversible inactivation of β-lactamase I from Bacillus cereus by chlorinated 6-spiroepoxypenicillins. 276: 801
Glew, R. H.
——; Gopalan, V.; Hubbell, C. A.; Devraj, R. V.; Lawson, R. A.; Diven, W. F.; Mannock, D. A.
2,3-Di-O-tetradecyl-1-O-(β-D-glucopyranosyl)-sn-glycerol is a substrate for human glucocerebrosidase. 274: 557
Glikin, G. C. See Baranao, J. L.
Gloessl, J. See Mach, L.
Gloor, S. See Schmalzing, G.
Goda, T. See Shinohara, H.
Goel, R. See Gallacher, G.
Goldberg, A. L. See Wing, S. S.
Goldberg, E. See LeVan, K. M.
Goldenring, J. R. See Basson, M. D.
Golderer, G.
——; Groebner, P.
ADP-ribosylation of core histones and their acetylated subspecies. 277: 607
Goldstein, R. H. See Ritzenthaler, J. D.
Gomeza, J.
——; Casado, M.; Gimenez, C.; Aragon, C.
Inhibition of high-affinity γ-aminobutyric acid uptake in primary astrocyte cultures by phorbol esters and phospholipase C. 275: 435
Gomez-Foix, A. M.
——; Rodriguez-Gil, J. E.; Guinovart, J. J.
Anti-insulin effects of amylin and calcitonin-gene-related peptide on hepatic glycogen metabolism. 276: 607
——; Rodriguez-Gil, J. E.; Guinovart, J. J.; Bosch, F.
Prostaglandins E_2 and $F_{2\alpha}$ increase fructose 2,6-bisphosphate levels in isolated hepatocytes. 274: 309
Gomez-Moreno, C. See Fillat, M. F.
Gomez-Munoz, A.
——; Hales, P.; Brindley, D. N.
Unsaturated fatty acids activate glycogen phosphorylase in cultured rat hepatocytes. 276: 209
Gonias, S. L. See Anonick, P. K.
Gonzalez, C. See Frias, I.
Gonzalez, J. See Cava, F.
Gonzalez-Bosch, C.
——; Marcote, M. J.; Hernandez-Yago, J.
Role of polyamines in the transport in vitro of the precursor of ornithine transcarbamylase. 279: 815
Gonzalez-Buitrago, J. M. See Cava, F.
Gonzalez-Duarte, R. See Ribas de Pouplana, L.
Gonzalez-Rodriguez, J. See Calvete, J. J.; Rivas, G. A.
Gonzalez-Ros, J. M. See Canaves, J. M.
Goodridge, A. G. See McCormick, C. C.
Gopalan, V. See Glew, R. H.
Goppelt-Struebe, M. See Rehfeldt, W.
Gor, J. See Hallinan, T.
Goueli, S. A.
Isolation and identification of a novel cellular protein that potently activates calcium/phospholipid-dependent protein kinase (protein kinase C). 279: 695
Gould, G. W. See Gibbs, E. M.
Goward, C. R.
——; Irons, L. I.; Murphy, J. P.; Atkinson, T.
The secondary structure of protein G', a robust molecule. 274: 503
Goyal, J. See Lermioglu, F.
Graber, P. See Grenfell, S.
Graham, E. J. See Samis, J. A.
Graham, H. C. See White, A. M.
Graham, L. D. See Chaudhuri, S.
Grainger, D. J. See Kemp, P. R.
——; Hesketh, T. R.; Metcalfe, J. C.; Weissberg, P. L.
A large accumulation of nonmuscle myosin occurs at first entry into M phase in rat vascular smooth muscle cells. 277: 145
Grand, R. J. A.
——; Owen, D.
The biochemistry of ras p21. 279: 609
Graneri, B. D. L. A. See Attwood, P. V.
Granner, D. K. See Lange, A. J.; O'Brien, R. M.
Grant, A. See Waddell, I. D.
Grant, D.
——; Long, W. F.; Moffat, C. F.; Williamson, F. B.
Infrared spectroscopy of heparins suggests that the region 750-950 cm^{-1} is sensitive to changes in iduronate residue ring conformation. 275: 193
——; Long, W. F.; Williamson, F. B.
Heparin-polypeptide interaction. Near-IR spectroscopy in an anhydrous dispersant allows the involvement of polymer-associated water to be assessed. 277: 569
Grant, E. See Arthur, J. R.
Grant, I. See Ballmer, P. E.
Grant, M. E. See Ayad, S.; Thomas, J. T.
Grant, M. H. See Brunton, V. G.
Gravela, E. See Seccia, M.
Gray, P.
The effects of systematic errors on the analysis of irreversible enzyme inhibition progress curves. 274: 181
Gray, S. R.
——; Batstone, F. R.; Santiapillai, N. F.; Richardson, P. J.
Solubilization and purification of a putative quisqualate-sensitive glutamate receptor from crustacean muscle. 273: 165
Graziani, A. See Endemann, G. C.
Green, B. See Packman, L. C.
Greene, Y. See Evans, C. O.
Greene, Y. J.
——; Healey, J. F.; Bonkovsky, H. L.
Immunochemical studies of heme oxygenase. Preparation and characterization of antibodies to chick liver heme oxygenase and their use in detecting and quantifying amounts of heme oxygenase protein 279: 849
Greeve, J. See Windler, E.
Greiling, H. See Stoecker, G.
Grenfell, S.
——; Smithers, N.; Witham, S.; Shaw, A.; Graber, P.; Solari, R.
Analysis of mutations in the putative nuclear localization sequence of interleukin-1β. 280: 111
Greten, H. See Windler, E.
Griendling, K. K. See Berk, B. C.; Lassegue, B.
Griffith, D. A. See Jarvis, S. M.
Griffiths, B. See Yonezawa, S.
Griffiths, E. J.
——; Halestrap, A. P.
Further evidence that cyclosporin A protects mitochondria from calcium overload by inhibiting a matrix peptidyl-prolyl cis-trans isomerase. Implications for the immunosuppressive and toxic effects of cyclosporin. 274: 611
Gringorten, L. See Pusztai, M.
Grinham, C. J. See Baker, B. C.
Grinstein, S. See Trudel, S.
Grizzle, W. E. See Kwakye, J. B.
Groebner, P. See Golderer, G.
Grootveld, M.
——; Henderson, E. B.; Farrell, A.; Blake, D. R.; Parkes, H. G.; Haycock, P.
Oxidative damage to hyaluronate and glucose in synovial fluid during exercise of the inflamed rheumatoid joint. Detection of abnormal low-molecular-mass metabolites by proton NMR spectroscopy. 273: 459
Gross, R. W. See Hazen, S. L.
Grosso, L. E.
——; Parks, W. C.; Wu, L.; Mecham, R. P.
Fibroblast adhesion to recombinant tropoelastin expressed as a protein A-fusion protein. 273: 517
Grover, A. K. See Khan, I.
Grubb, A. See Abrahamson, M.
Grundy, J. E. See Tysoe-Calnon, V. A.
Gruppuso, P. A.
——; Boylan, J. M.; Smiley, B. L.; Fallon, R. J.; Brautigan, D. L.
Hepatic protein tyrosine phosphatases in the rat. 274: 361
Guadano, A. See Alvarez, J. F.
Guay, J. See Riendeau, D.
Gueant, J. L. See Schohn, H.
Guenzler, V. See Tschank, G.
Guesdon, F. See Saklatvala, J.
Guest, P. C.
——; Bailyes, E. M.; Rutherford, N. G.; Hutton, J. C.
Insulin secretory granule biogenesis. Coordinate regulation of the biosynthesis of the majority of constituent proteins. 274: 73
Guidotti, G. See Mortensen, E. R.
Guigo, R.
——; Smith, T. F.
A common pattern between the TGF-β family and glutaredoxin. 280: 833
Guinovart, J. J. See Gomez-Foix, A. M.
Gullotti, M. See Casella, L.
Gum, J. R. See Yonezawa, S.
Gundlach, B.
——; Helland, R.; Radsak, K.; Wiegandt, H.
Analyses of the effect of monensin on glycosphingolipid metabolism. 279: 753
Gunning, D. B. See Barua, A. B.
Guo, I. C. See Hu, M. C.
Guo, X.
——; Ashwell, M.; Sinnott, M. L.; Krenitsky, T. A.
β-Deuterium kinetic isotope effects in the purine nucleoside phosphorylase reaction. 278: 487
Gupta, S. See Sharma, R.
Gusev, N. B. See Vorotnikov, A. V.
Gutkowska, J. See Anand-Srivastava, M. B.
Guz, A. See Mistry, R.

Haagsman, H. P. See Oosterlaken-Dijksterhuis, M. A.
——; Elfring, R. H.; Van Buel, B. L. M.; Voorhout, W. F.
The lung lectin surfactant protein A aggregates phospholipid vesicles via a novel mechanism. 275: 273

Haasemann, M.
——; Nawratil, P.; Mueller-Esterl, W.
Rat tyrosine kinase inhibitor shows sequence similarity to human α_2-HS glycoprotein and bovine fetuin. 274: 899
Hachimori, A. See Hirano, N.
Hack, N.
——; Margolis, B. L.; Ullrich, A.; Schlessinger, J.; Skorecki, K. L.
Distinct structural specificities for functional coupling of the epidermal growth factor receptor to calcium-signalling versus phospholipase A_2 responses. 275: 563
Haering, H. U. See Kellerer, M.; Vogt, B.
Haeussinger, D. See Vom Dahl, S.
Hafner, R. P.
——; Brand, M. D.
Effect of protonmotive force on the relative proton stoichiometries of the mitochondrial proton pumps. 275: 75
Hagmann, J. See Anagli, J.
Hainaut, P.
——; Kowalski, A.; Giorgetti, S.; Baron, V.; Van Obberghen, E.
Insulin and insulin-like-growth-factor-I (IGF-I) receptors in Xenopus laevis oocytes. Comparison with insulin receptors from liver and muscle. 273: 673
Haines, A. H. See Field, R. A.
Hajnal, A. See Jackman, M. P.
Halban, P. A. See Sizonenko, S. V.
Halbruegge, M. See Sandberg, M.
Hales, C. N. See Byrne, C. D.
Hales, P. See Gomez-Munoz, A.; Hermier, D.
Halestrap, A. P. See Griffiths, E. J.; Poole, R. C.
Calcium-dependent opening of a non-specific pore in the mitochondrial inner membrane is inhibited at pH values below 7. Implications for the protective effect of low pH against chemical and hypoxic cell damage. 278: 715
Halila, R.
——; Baumann, M.; Ikonen, E.; Enomaa, N.; Peltonen, L.
Human leukocyte aspartylglucosaminidase. Evidence for two different subunits in a more complex native structure. 276: 251
Halimi, S. See Argaud, D.
Hall, A. See Garrett, M. D.
Hall, J. See Durrant, A. J.
Hall, M. D.
——; Hoon, M. A.; Ryba, N. J. P.; Pottinger, J. D. D.; Keen, J. N.; Saibil, H. R.; Findlay, J. B. C.
Molecular cloning and primary structure of squid (Loligo forbesi) rhodopsin, a phospholipase C-directed G-protein-linked receptor. 274: 35
Hall, N. See Al Daher, S.
Hall, N. A.
——; Lake, B. D.; Dewji, N. N.; Patrick, A. D.
Lysosomal storage of subunit c of mitochondrial ATP synthase in Batten's disease (ceroid-lipofuscinosis). 275: 269
Hallbrucker, C. See Vom Dahl, S.
Hallinan, T.
——; Gor, J.; Rice-Evans, C. A.; Stanley, R.; O'Reilly, R.; Brown, D.
Lipid peroxidation in electroporated hepatocytes occurs much more readily than does hydroxyl-radical formation. 277: 767
Halliwell, B. See Aruoma, O. I.; Ingelman-Sundberg, M.
Halmekyto, M. See Hyttinen, J. M.
——; Alhonen, L.; Wahlfors, J.; Sinervirta, R.; Eloranta, T.; Janne, J.
Characterization of a transgenic mouse line over-expressing the human ornithine decarboxylase gene. 278: 895
Hamilton, J. F. See Clark, A. G.
Han, J. R. See Liu, M. C.
——; Liu, M. C.
Polarized secretion of tyrosine-sulfated proteins and free tyrosine O-sulfate by filter-grown Madin-Darby canine kidney (MDCK) cells. 279: 289
Hanada, K. See Higuchi, K.
Hanaoka, T. See Shigeoka, S.
Hanauske-Abel, H. M. See Tschank, G.
Hancock, J. T. See Meier, B.
Handschumacher, R. E. See Lee, C. W.; Sokoloski, J. A.
Hanger, D. P. See Brion, J. P.
——; Brion, J. P.; Gallo, J. M.; Cairns, N. J.; Luthert, P. J.; Anderton, B. H.
Tau in Alzheimer's disease and Down's syndrome is insoluble and abnormally phosphorylated. 275: 99
Hanin, V. See Houmeida, A.
Hanley, A. See Yesufu, H. M. I.
Hanley, M. R. See Stephens, L. R.
Hannagan, M. See Bateman, J. F.
Hannesson, H. H. See Kusche, M.
Hannoun, C. See Garcia-Sastre, A.
Hannun, Y. A. See Khan, W. A.
Hansen, G. H. See Danielsen, E. M.
Hansen, H. O.
——; Andreasen, P. H.; Mandrup, S.; Kristiansen, K.; Knudsen, J.
Induction of acyl-CoA-binding protein and its mRNA in 3T3-L1 cells by insulin during preadipocyte-to-adipocyte differentiation. 277: 341
Hansen, S. I. See Holm, J.
Hansson, H. See Abrahamson, M.
Hansson, H. A. See Mankowitz, L.
Hansson, L. See Andersons, D.
Hantgan, R. R. See Ramsamooj, P.
Haque, A. See Sharma, R.
Hara, A. See Kanazu, T.
——; Nakayama, T.; Harada, T.; Kanazu, T.; Shinoda, M.; Deyashiki, Y.; Sawada, H.
Distribution and characterization of dihydrodiol dehydrogenases in mammalian ocular tissues. 275: 113
——; Shinoda, M.; Kanazu, T.; Nakayama, T.; Deyashiki, Y.; Sawada, H.
Inhibition of dimeric dihydrodiol dehydrogenases of rabbit and pig lens by ascorbic acid. 275: 121
Harada, T. See Hara, A.
Harari, P. M. See Carper, S. W.
Haraszthy, G. See Ramasubbu, N.
Harbers, M.
——; Hilz, H.
Suppression of c-fos precursor RNA splicing by the protein kinase C inhibitor H7 [1-(5-isoquinolinesulfonyl)-2-methylpiperazine]. 278: 305
Harden, N. See Ahmed, S.
Harding, S. E. See Simpkin, N. J.
Hardingham, T. E. See Fosang, A. J.; Hughes, C.
Hardman, M. J. See Page, R. A.
Hardy, D. L. See Patel, B.
Hardy, D. M.
——; Oda, M. N.; Friend, D. S.; Huang, T. T. F. Jr.
A mechanism for differential release of acrosomal enzymes during the acrosome reaction. 275: 759
Hardy, L.
——; Clark, J. B.; Darley-Usmar, V. M.; Smith, D. R.; Stone, D.
Reoxygenation-dependent decrease in mitochondrial NADH:CoQ reductase (complex I) activity in the hypoxic/reoxygenated rat heart. 274: 133
Haro, D. See Royo, T.
Harris, D. A.
——; Das, A. M.
Control of mitochondrial ATP synthesis in the heart. 280: 561
Harris, E. D. See Percival, S. S.
Harris, J. M.
——; Meyer, D. J.; Coles, B.; Ketterer, B.
A novel glutathione transferase (13-13) isolated from the matrix of rat liver mitochondria having structural similarity to class Theta enzymes. 278: 137
Harrison, D. J. See Hussey, A. J.
Harrison, L. C. See Clark, S.
Harrison, M. L. See Wang, Q.
Hartel-Schenk, S. See Thompson, N. L.
Hartley, B. S. See Loviny-Anderton, T.; Smith, C. A.
Haruki, K. See Ikejiri, K.
Hascall, V. C. See McQuillan, D. J.
Hase, S. See Watzlawick, H.
Hasegawa, T. See Fukamizu, A.
Hashimoto, T. See Hertz, R.
Hasilik, A. See Horst, M.; Isidoro, C.
Hasnain, S. See Khouri, H. E.
Hasnain, S. S. See Garratt, R. C.
Hass, R. See Rehfeldt, W.
Hassid, A. See Lermioglu, F.
Hatae, T. See Fukamizu, A.
Hatchett, R. J. IV. See Fuller, S. J.
Haufler, U. R. See Simpson, H. D.
Haupt, H. See Watzlawick, H.
Hausen, A. See Werner, E. R.
Hausser, H. See Schmidt, G.
Haussinger, D. See Vom Dahl, S.
Havsteen, B. H. See Varon, R.
Hawkins, H. C.
——; Blackburn, E. C.; Freedman, R. B.
Comparison of the activities of protein disulfide-isomerase and thioredoxin in catalyzing disulfide isomerization in a protein substrate. 275: 349
——; De Nardi, M.; Freedman, R. B.
Redox properties and cross-linking of the dithiol/disulfide active sites of mammalian protein disulfide-isomerase. 275: 341
——; Freedman, R. B.
The reactivities and ionization properties of the active-site dithiol groups of mammalian protein disulfide-isomerase. 275: 335
Hawkins, P. T. See Stephens, L. R.
Hawkins, R. A. See Jessy, J.
——; Jessy, J.
Hyperammonemia does not impair brain function in the absence of net glutamine synthesis. 277: 697
Hayakawa, T. See Sato, T.
Hayashi, H.
——; Miyake, N.; Kanai, F.; Shibasaki, F.; Takenawa, T.; Ebina, Y.
Phosphorylation in vitro of the 85 kDa subunit of phosphatidylinositol 3-kinase and its possible activation by insulin receptor tyrosine kinase. 280: 769
Hayashi, K. See Adachi, T.
Hayashi, R. See Salter, A. M.
Haycock, P. See Grootveld, M.
Hayden, K. A. See Henry, E. C.
Hayes, J. D. See Hussey, A. J.; McLellan, L. I.

——; Judah, D. J.; McLellan, L. I.; Kerr, L. A.; Peacock, S. D.; Neal, G. E.
Ethoxyquin–induced resistance to aflatoxin B_1 in the rat is associated with the expression of a novel alpha–class glutathione S–transferase subunit, Yc_2, which possesses high catalytic activity for aflatoxin B_1–8,9–epoxide. 279: 385
——; Kerr, L. A.; Peacock, S. D.; Cronshaw, A. D.; McLellan, L. I.
Hepatic glutathione S–transferases in mice fed on a diet containing the anticarcinogenic antioxidant butylated hydroxyanisole. Isolation of mouse glutathione S–transferase heterodimers by gradient elution of the glutathione–Sepharose affinity matrix. 277: 501
Hayes, N. V. L. See Bennett, A. F.
——; Bennett, A. F.; Baines, A. J.
Selective calcium–dependent interaction of calmodulin with the head domain of synapsin 1. 275: 93
Hayman, A. R.
——; Dryden, A. J.; Chambers, T. J.; Warburton, M. J.
Tartrate–resistant acid phosphatase from human osteoclastomas is translated as a single polypeptide. 277: 631
Haywood, J. See Tugal, H. B.
Hazen, S. L.
——; Gross, R. W.
Human myocardial cytosolic calcium–independent phospholipase A_2 is modulated by ATP. Concordant ATP–induced alterations in enzyme kinetics and mechanism–based inhibition. 280: 581
Hazlewood, G. P. See Durrant, A. J.; Ferreira, L. M. A.; Poole, D. M.
Healey, J. F. See Evans, C. O.; Greene, Y. J.
Heemskerk, J. W. M.
——; Feijge, M. A. H.; Kester, A.; Hornstra, G.
Dietary fat modifies thromboxane A_2–induced stimulation of rat platelets. 278: 399
Hegardt, F. G. See Royo, T.
Heimberg, M. See Scott, R. L.
Heinrich, P. C. See Schooltink, H.
Helin, K. See Magni, M.
Helland, R. See Gundlach, B.
Hellerstroem, C. See Sjoeholm, A.
Hembry, R. M. See Ward, R. V.
Henderson, C. J.
——; Wolf, C. R.
Evidence that the androgen receptor mediates sexual differentiation of mouse renal cytochrome P450 expression. 278: 499
Henderson, E. B. See Grootveld, M.
Henderson, H. E. See Van der Westhuyzen, D. R.
Hendzel, M. J.
——; Davie, J. R.
Dynamically acetylated histones of chicken erythrocytes are selectively methylated. 273: 753
Hennessey, E. S. See Drummond, D. R.
Henquin, J. C. See Gao, Z. Y.
Henrissat, B.
A classification of glycosyl hydrolases based on amino acid sequence similarities. 280: 309
Henry, A.
——; Stacpoole, P. W.; Allen, C. M.
Dolichol biosynthesis in human malignant cells. 278: 741
Henry, E. C.
——; Hayden, K. A.; Bauman, P. A.; Gasiewicz, T. A.
Ribonuclease inhibits Ah receptor transformation in vitro. 279: 689
Henschen, A. See Calvete, J. J.
Hermier, D.
——; Hales, P.; Brindley, D. N.
Biphasic effects of glucagon and cyclic AMP on the synthesis and secretion of lipids by rat hepatocytes. 279: 705
Hernandez–Yago, J. See Gonzalez–Bosch, C.
Hernmaas, J. See Coester, L.
Hertz, R.
——; Aurbach, R.; Hashimoto, T.; Bar–Tana, J.
Thyromimetic effect of peroxisomal proliferators in rat liver. 274: 745
Hesch, R. D. See Schoefl, C.
Hesketh, J.
——; Campbell, G.; Loveridge, N.
Myosin heavy–chain mRNA is present in both myofibrillar and subsarcolemmal regions of muscle fibers. 279: 309
Hesketh, J. E.
——; Campbell, G. P.; Whitelaw, P. F.
The c–myc mRNA in cytoskeletal–bound polysomes in fibroblasts. 274: 607
——; Pryme, I. F.
Interaction between mRNA, ribosomes and the cytoskeleton. 277: 1
Hesketh, T. R. See Grainger, D. J.
Hessing, M.
The interaction between complement component C4b–binding protein and the vitamin K–dependent protein S forms a link between blood coagulation and the complement system. 277: 581
Higgins, P. J.
——; Chaudhari, P.; Ryan, M. P.
Cell–shape regulation and matrix protein p52 content in phenotypic variants of ras–transformed rat kidney fibroblasts. Functional analysis and biochemical comparison of p52 with proteins implicated in cell–shape determination. 273: 651
——; Ryan, M. P.
p52(PAI–1) and actin expression in butyrate–induced flat revertants of v–ras–transformed rat kidney cells. 279: 883
Higham, S. See Shoshan–Barmatz, V.
Higuchi, K.
——; Kitagawa, K.; Naiki, H.; Hanada, K.; Hosokawa, M.; Takeda, T.
Polymorphism of apolipoprotein A–II (apoA–II) among inbred strains of mice. Relationship between the molecular type of apoA–II and mouse senile amyloidosis. 279: 427
Hildebrandt, M.
——; Reutter, W.; Gitlin, J. D.
Tissue–specific regulation of dipeptidyl peptidase IV expression during development. 277: 331
Hilger, F. See Lesuisse, E.
Hilger, R. A. See Kasimir, S.
Hill, B. C.
——; Marmor, S.
Photochemical and ligand–exchange properties of the cyanide complex of fully reduced cytochrome c oxidase. 279: 355
Hill, H. A. O. See Bagby, S.
Hill, H. R. See Bohnsack, J. F.
Hill, J. P. See Kitson, T. M.
——; Buckley, P. D.; Blackwell, L. F.; Motion, R. L.
Effect of pyrophosphate ions and alkaline pH on the kinetics of propionaldehyde oxidation by sheep liver cytosolic aldehyde dehydrogenase. 273: 691
Hill, S. L. See Buttle, D. J.
Hiller, Y.
——; Bayer, E. A.; Wilchek, M.
Studies on the biotin–binding site of avidin. Minimized fragments that bind biotin. 278: 573
Hilz, H. See Harbers, M.
Himpens, B. See De Smedt, H.
Hirama, T. See Khouri, H. E.
Hirano, K. See Adachi, T.
Hirano, N.
——; Ichiba, T.; Hachimori, A.
The role of histidine–118 of inorganic pyrophosphatase from thermophilic bacterium PS–3. 278: 595
Hirano, T. See Schooltink, H.
Hirata, M.
——; Kimura, Y.; Ishimatsu, T.; Yanaga, F.; Shuto, T.; Sasaguri, T.; Koga, T.; Watanabe, Y.; Ozaki, S.
Synthetic inositol 1,3,4,5–tetrakisphosphate analogs. 276: 333
Hirata, Y. See Ikejiri, K.
Hirokawa, K.
——; Aoki, N.
Up–regulation of thrombomodulin by activation of histamine H_1–receptors in human umbilical–vein endothelial cells in vitro. 276: 739
Hirschowitz, B. I. See Sekar, M. C.
Hirsimaki, P. See Poso, A. R.
Hixson, D. C. See Lin, S. H.; Thompson, N. L.
Hizuka, N. See Ikejiri, K.
Ho, C. L.
——; Hwang, L. L.
Structure and biological activities of a new mastoparan isolated from the venom of the hornet Vespa basalis. 274: 453
Ho, J. J. L. See Yonezawa, S.
Hobbs, M. C.
——; Delarge, M. H. P.; Baydoun, E. A. H.; Brett, C. T.
Differential distribution of a glucuronyltransferase, involved in glucuronoxylan synthesis, within the Golgi apparatus of pea (Pisum sativum var. Alaska). 277: 653
Hocking, A. M. See McQuillan, D. J.
Hodemaekers, H. M. See Van Steeg, H.
Hodgson, H. J. F. See Vesey, D. A.
Hoeier–Madsen, M. See Holm, J.
Hoejrup, P. See Mandrup, S.
Hoek, J. B. See Cardellach, F.
Hoer, A.
——; Oberdisse, E.
Inositol 1,3,4,5,6–pentakisphosphate and inositol hexakisphosphate are inhibitors of the soluble inositol 1,3,4,5–tetrakisphosphate 3–phosphatase and the inositol 1,4,5–trisphosphate/1,3,4,5–tetrakisphosphate 5–phosphatase from pig brain. 278: 219
Hoffman, T. See Bonvini, E.
Hofmann, A. F. See Oude Elferink, R. P. J.
Hofsteenge, J. See Betz, A.; Stone, S. R.
——; Vincentini, A.; Stone, S. R.
Purification and characterization of truncated ribonuclease inhibitor. 275: 541
Hoftiezer, V. See Sjoeholm, A.
Holland, E. A. See Tandon, N. N.
Hollande, F.
——; Verjans, B.; Erneux, C.
Regeneration of soluble and particulate inositol 1,4,5–trisphospate 5–phosphatase after SDS/polyacrylamide gel electrophoresis. 277: 293

Holldorf, A. W. See Monstadt, G. M.
Hollenberg, M. D. See Zhao, D.
Holley, A. E.
——; Frater, Y.; Gibbs, A. H.; De Mat⊃ teis, F.; Lamb, J. H.; Farmer, P. B.; Naylor, S.
Isolation of two N–monosubstituted protoporphyrins, bearing either the whole drug or a methyl group on the pyrrole nitrogen atom, from liver of mice given griseofulvin. 274: 843
Hollo, Z. See Balla, T.
Holm, J.
——; Hansen, S. I.; Hoeier–Madsen, M.; Bostad, L.
High–affinity folate binding in human choroid plexus. Characterization of radioligand binding, immunoreactiv⊃ ity, molecular heterogeneity and hydrophobic domain of the binding protein. 280: 267
Holman, G. D. See Clark, A. E.; Gibbs, E. M.
Holmsen, H. See Bakken, A. M.
Holness, M. J. See Munday, M. R.
——; Changani, K. K.; Sugden, M. C.
Progressive suppression of muscle glucose utilization during pregnan⊃ cy. 280: 549
——; Liu, Y. L.; Beech, J. S.; Sugden, M. C.
Glucose utilization by interscapular brown adipose tissue in vivo during nutritional transitions in the rat. 273: 233
——; Sugden, M. C.
Glucose disposal by skeletal muscle in response to refeeding after pro⊃ gressive starvation. 277: 429
Holsztynska, E. J. See Zimniak, P.
Holten, D. See Manos, P.
Holz, R. W. See Eberhard, D. A.
Holzknecht, R. A. See Tuchman, M.
Hong, W. See Thompson, N. L.
Hoon, M. A. See Hall, M. D.
Hooper, N. M.
——; Bashir, A.
Glycosyl–phosphatidylinositol–an⊃ chored membrane proteins can be distinguished from transmembrane polypeptide–anchored proteins by differential solubilization and tem⊃ perature–induced phase separation in Triton X–114. 280: 745
——; Broomfield, S. J.; Turner, A. J.
Characterization of antibodies to the glycosyl–phosphatidylinositol mem⊃ brane anchors of mammalian pro⊃ teins. 273: 301
Hopper, D. J.
——; Rogozinski, J.; Toczko, M.
Lupanine hydroxylase, a quinocyto⊃ chrome c from an alkaloid–degrad⊃ ing Pseudomonas sp. 279: 105
Hopwood, J. J. See Bielicki, J.; Free⊃ man, C.; Gibson, G. J.; Taylor, J. A.
Hordijk, P. L.
——; Schallig, H. D. F. H.; Ebberink, R. H. M.; De Jong–Brink, M.; Joosse, J.
Primary structure and origin of schis⊃ tosomin, an anti–gonadotropic neu⊃ ropeptide of the pond snail Lymnaea stagnalis. 279: 837
Horion, B. See Lesuisse, E.
Horner, A. A.
Heterogeneous distribution of anti⊃ thrombin–binding sites in rat brain heparan sulfate proteoglycans. 280: 393
Hornstra, G. See Heemskerk, J. W. M.
Horst, M. See Isidoro, C.
——; Hasilik, A.
Expression and maturation of human cathepsin D in baby–hamster kidney cells. 273: 355
Horstman, D. A. See Bird, G. S. J.
Horuk, R.
Differences in internalization and intracellular processing of interleu⊃ kin–1 associated with the two forms of interleukin–1 receptor found in B–cells and T–cells. 273: 79
Hosoi, M.
——; Kim, S.; Yamauchi, T.; Watanabe, T.; Murakami, K.; Suzuki, F.; Tak⊃ ahashi, A.; Nakamura, Y.; Yamamo⊃ to, K.
Similarity between physicochemical properties of recombinant rat prore⊃ nin and native inactive renin. 275: 727
Hosokawa, M. See Higuchi, K.
Houba, S. See Palomeque–Messia, P.
Houmeida, A.
——; Hanin, V.; Feinberg, J.; Benyamin, Y.; Roustan, C.
Definition of a calcium–sensitive interface in the plasma gelsolin–actin complex. 274: 753
Houslay, M. D. See Bushfield, M.; Strassheim, D.
Functioning of the inhibitory regula⊃ tion of adenylate cyclase in diabetic states: a reply. 278: 310
Houweling, M.
——; Tijburg, L. B. M.; Jamil, H.; Vance, D. E.; Nyathi, C. B.; Vaartjes, W. J.; Van Golde, L. M. G.
Phosphatidylcholine metabolism in rat liver after partial hepatectomy. Evidence for increased activity and amount of CTP:phosphocholine cytidylyltransferase. 278: 347
Howard, R. J. See Hsiao, L. L.
Howell, K. E. See Bond, H. M.
Howell, S.
——; Murray, H.; Scott, C. S.; Turner, A. J.; Kenny, A. J.
A highly sensitive ELISA for endo⊃ peptidase–24.11, the common acute lymphoblastic leukemia antigen (CALLA, CD–10), applicable to material of porcine and human origin. 278: 417
Howl, J.
——; Ismail, T.; Strain, A. J.; Kirk, C. J.; Anderson, D.; Wheatley, M.
Characterization of the human liver vasopressin receptor. Profound differences between human and rat vasopressin–receptor–mediated responses suggest only a minor role for vasopressin in regulating human hepatic function. 276: 189
Hreniuk, S. P. See Kaartinen, J. M.
Hseu, T. H. See Huang, L.
Hsiao, L. L.
——; Howard, R. J.; Aikawa, M.; Taras⊃ chi, T. F.
Modification of host cell membrane lipid composition by the intra–er⊃ ythrocytic human malaria parasite Plasmodium falciparum. 274: 121
Hsieh, J. C.
——; Huang, S. C.; Chen, W. L.; Lai, Y. C.; Tam, M. F.
Cysteine–86 is not needed for the enzymic activity of glutathione S–transferase 3–3. 278: 293
Hsieh, S. L.
——; Campbell, R. D.
Evidence that gene G7a in the human major histocompatibility complex encodes valyl–tRNA synthetase. 278: 809
Hsuan, J. See Jose, P. J.
Hu, M. C.
——; Guo, I. C.; Lin, J. H.; Chung, B. C.
Regulated expression of cytochrome P–450scc (cholesterol–side–chain cleavage enzyme) in cultured cell lines detected by antibody against bacterially expressed human pro⊃ tein. 274: 813
Hu, P. See Delos, S.
Huang, K. S. See Low, M. G.
Huang, L.
——; Hseu, T. H.; Wey, T. T.
Purification and characterization of an endoxylanase from Trichoderma koningii G–39. 278: 329
Huang, S. C. See Hsieh, J. C.
Huang, S. L. See Chao, C. C. K.
Huang, T. F.
——; Sheu, J. R.; Teng, C. M.
A potent antiplatelet peptide, trifla⊃ vin, from Trimeresurus flavoviridis snake venom. 277: 351
Huang, T. T. F. Jr. See Hardy, D. M.
Hubbard, J. A. M. See Williams, H. D.
——; Martin, S. R.; Chaplin, L. C.; Bose, C.; Kelly, S. M.; Price, N. C.
Solution structures of calcitonin–⊃ gene–related–peptide analogs of calcitonin–gene–related peptide and amylin. 275: 785
Hubbard, P. See Niki, I.
Hubbell, C. A. See Glew, R. H.
Huber, D.
——; Fontana, A.; Bodmer, S.
Activation of human platelet–derived latent transforming growth factor–β1 by human glioblastoma cells. Com⊃ parison with proteolytic and glyco⊃ sidic enzymes. 277: 165
Huckerby, T. N. See Dickenson, J. M.; Tai, G. H.
Hudson, R. C.
——; Schofield, L. R.; Coolbear, T.; Daniel, R. M.; Morgan, H. W.
Purification and properties of an aryl β–xylosidase from a cellulolytic extreme thermophile expressed in Escherichia coli. 273: 645
Hue, L. See Baquet, A.
Huelser, E. See Reiser, G.
Hughes, B. P. See Polverino, A. J.
Hughes, C.
——; Murphy, G.; Hardingham, T. E.
Metalloproteinase digestion of carti⊃ lage proteoglycan. Pattern of cleav⊃ age by stromelysin and susceptibility to collagenase. 279: 733
Hughes, H. M.
——; George, I. M.; Evans, J. C.; Row⊃ lands, C. C.; Powell, G. M.; Curtis, C. G.
The role of the liver in the production of free radicals during halothane anesthesia in the rat. Quantification of N–tert–butyl–α–(4–nitrophenyl)⊃ nitrone (PBN)–trapped adducts in bile from halothane as compared with carbon tetrachloride. 277: 795
Hughes, R. C. See Chawla, D.
Hulbert, A. J. See Brand, M. D.
Hulbert, P. B. See Meyer, D. J.
Hulkower, K. I.
——; Georgescu, H. I.; Evans, C. H.
Evidence that responses of articular chondrocytes to interleukin–1 and basic fibroblast growth factor are not mediated by protein kinase C. 276: 157
Hulmes, D. J. S. See Mellor, S. J.
Hummer, C.
——; Millan, J. L.
Gly^{429} is the major determinant of

uncompetitive inhibition of human germ cell alkaline phosphatase by L-leucine. 274: 91
Hunt, D. See Nadkarni, S.
Hunter, J. L. See Thorneley, R. N. F.
Hussey, A. J.
——; Kerr, L. A.; Cronshaw, A. D.; Harrison, D. J.; Hayes, J. D.
Variation in the expression of Mu-class glutathione S-transferase isoenzymes from human skeletal muscle. Evidence for the existence of heterodimers. 273: 323
Hutchings, A. See Gherardi, E.
Huth, W. See Schwerdt, G.
Hutton, J. C. See Guest, P. C.
Huwiler, A.
——; Fabbro, D.; Pfeilschifter, J.
Possible regulatory functions of protein kinase C-α and -ϵ isoenzymes in rat renal mesangial cells. Stimulation of prostaglandin synthesis and feedback inhibition of angiotensin II-stimulated phosphoinositide hydrolysis. 279: 441
Hwang, L. L. See Ho, C. L.
Hyttinen, J. M.
——; Halmekyto, M.; Alhonen, L.; Janne, J.
Levels of ornithine decarboxylase genomic sequences, heterogeneous nuclear RNA and mRNA in human myeloma cells resistant to α-difluoromethylornithine. 278: 871

Ichiba, T. See Hirano, N.
Igarashi, A. See Aisaka, K.
Igarashi, P.
——; Karniski, L. P.
Cloning of cDNAs encoding a rabbit renal brush border membrane protein immunologically related to band 3. Sequence similarity with microsomal dipeptidase. 280: 71
Iida, N. See Cannons, A. C.
Ikebe, M. See Araki, Y.
Ikehara, Y. See Ohkubo, K.
Ikejiri, K.
——; Wasada, T.; Haruki, K.; Hizuka, N.; Hirata, Y.; Yamamoto, M.
Identification of a novel transcription unit in the human insulin-like growth factor-II. 280: 439
Ikonen, E. See Halila, R.
Iles, R. A. See Almond, M. K.
Ilic, V. See Evans, R. D.
Indig, F. E.
——; Pecht, M.; Trainin, N.; Burstein, Y.; Blumberg, S.
Hydrolysis of thymic humoral factor γ2 by neutral endopeptidase (EC 3.4.24.11). 278: 891
Ingelman-Sundberg, M.
——; Kaur, H.; Terelius, Y.; Persson, J. O.; Halliwell, B.
Hydroxylation of salicylate by microsomal fractions and cytochrome P-450. Lack of production of 2,3-dihydroxybenzoate unless hydroxyl radical formation is permitted. 276: 753
Ingledew, W. J. See Bolgiano, B.
Insel, P. A. See Ransnaes, L. A.
Iozzo, R. V. See Adany, R.; Clark, C. C.
Irons, L. I. See Goward, C. R.
Irvine, R. F. See Ivorra, I.; Loomis-Husselbee, J. W.; Stephens, L. R.
Iscan, M. See Zimniak, P.
Ishikawa, H.
——; Ogino, H.; Oshida, H.
Rates of reactions catalyzed by a dimeric enzyme. Effects of the reaction scheme and the kinetic parameters on cooperativity. 280: 131
Ishimatsu, T. See Hirata, M.
Isidoro, C.
——; Horst, M.; Baccino, F. M.; Hasilik, A.
Differential segregation of human and hamster cathepsin D in transfected baby-hamster kidney cells. 273: 363
Ismail, T. See Howl, J.
Isom, G. E. See Rathinavelu, A.
Issad, T.
——; Tavare, J. M.; Denton, R. M.
Analysis of insulin receptor phosphorylation sites in intact rat liver cells by two-dimensional phosphopeptide mapping. Predominance of the tris-phosphorylated form of the kinase domain after stimulation by insulin. 275: 15
Itarte, E. See Molina, E.
Ito, A. See Sato, T.
Itoh, T. See Chiou, S. H.
Ivorra, I.
——; Gigg, R.; Irvine, R. F.; Parker, I.
Inositol 1,3,4,6-tetrakisphosphate mobilizes calcium in Xenopus oocytes with high potency. 273: 317
Iwahashi, H.
——; Parker, C. E.; Mason, R. P.; Tomer, K. B.
Radical adducts of nitrosobenzene and 2-methyl-2-nitrosopropane with 12,13-epoxylinoleic acid radical, 12,13-epoxylinolenic acid radical and 14,15-epoxyarachidonic acid radical. Identification by HPLC-EPR and liquid chromatography-thermospray-MS. 276: 447
Iwamasa, T. See Nakasone, S.
Iyer, R. K. See Lim, H. M.
Iynedjian, P. B.
——; Girard, J.
Nomenclature for mammalian glucokinase. 275: 821

Jackman, M. P.
——; Hajnal, A.; Lerch, K.
Albino mutants of Streptomyces glaucescens tyrosinase. 274: 707
Jackson, C. S. See Gallacher, G.
Jackson, J. B. See McEwan, A. G.
Jackson, P. J. See Morris, G. E.
Jackson, S. See Melde, K.
Jacob, F. See Brannigan, J.; Varetto, L.
——; Joris, B.; Frere, J. M.
Active-site serine mutants of the Streptomyces albus G β-lactamase. 277: 647
Jacob, G. S. See Butters, T. D.
Jacobi, D. See Nave, J. F.
Jacobson, D. P. See O'Flaherty, J. T.
Jacques, P. See El Kharroubi, A.
Jaeger, J. L.
——; Shimizu, N.; Gitlin, J. D.
Tissue-specific ceruloplasmin gene expression in the mammary gland. 280: 671
Jaernberg, S. E. See Sjoeberg, B.
Jahnsen, T. See Sandberg, M.
Jakob, F. See Thole, H. H.
Jakobs, K. See Boehm, M.
James, P. S. See Vaughan, T. J.
Jamieson, G. A. See Tandon, N. N.
Jamieson, G. P. See Wiley, J. S.
Jamieson, J. D. See Basson, M. D.
Jamil, H. See Houweling, M.
Jamin, M. See Adam, M.
——; Adam, M.; Damblon, C.; Christiaens, L.; Frere, J. M.
Accumulation of acyl-enzyme in DD-peptidase-catalyzed reactions with analogs of peptide substrates. 280: 499
Janetzko, A. See Vogel, M.
Janne, J. See Halmekyto, M.; Hyttinen, J. M.
Jansen, P. L. M. See Oude Elferink, R. P. J.; Roelofsen, H.
Jard, S. See Cantau, B.
Jarvis, S. M. See Williams, T. C.
——; Griffith, D. A.
Expression of the rabbit intestinal N2 sodium/nucleoside transporter in Xenopus laevis oocytes. 278: 605
Jastorff, B. See Sandberg, M.
Jauhiainen, M.
——; Metso, J.; Koskinen, P.; Ehnholm, C.
Characterization of the enzyme activity of human plasma lipoprotein (a) using synthetic peptide substrates. 274: 491
Jeanrenaud, B. See Penicaud, L.
Jenkins, T. C. See Lane, A. N.
Jenne, D. E.
——; Tschopp, J.
Angiotensin II-forming heart chymase is a mast-cell-specific enzyme. 276: 567
Jerance, D. See Kovacevic, Z.
Jergil, B. See Persson, A.
Jespersen, H. M.
——; MacGregor, E. A.; Sierks, M. R.; Svensson, B.
Comparison of the domain-level organization of starch hydrolases and related enzymes. 280: 51
Jessen, H.
——; Sheikh, M. I.
Stoichiometric studies of β-alanine transporters in rabbit proximal tubule. 277: 891
Jessup, W.
——; Darley-Usmar, V.; O'Leary, V.; Bedwell, S.
5-Lipoxygenase is not essential in macrophage-mediated oxidation of low-density lipoprotein. 278: 163
Jessy, J. See Hawkins, R. A.
——; DeJoseph, M. R.; Hawkins, R. A.
Hyperammonemia depresses glucose consumption throughout the brain. 277: 693
Jeter, J. R. Jr. See Tou, J. S.
Jimbow, K. See Pankovich, J. M.
Jimenez, R. See Cava, F.
Jimenez, S. A. See Reginato, A. M.
Jimeno, P.
——; Garcia-Perez, A. I.; Luque, J.; Pinilla, M.
Changes in glycolytic enzyme activities in aging erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems. 279: 237
Joensson, A. C. See Watkinson, A.
Johanessen, E. See Tysnes, O. B.
Johansson, B. See Persson, A.
Johnson, C. M. See Coussons, P. J.
Johnson, E. A. See Nelson, S. R.
Johnson, M. R. See Kwakye, J. B.
Jones, B. S.
——; Yeaman, S. J.
Long-term regulation of pyruvate dehydrogenase complex. Evidence that kinase-activator protein (KAP) is free pyruvate dehydrogenase kinase. 275: 781
Jones, G. E. See Rist, R. J.
Jones, J.
——; Morgan, B. P.
Killing of cells by perforin. Resistance to killing is not due to diminished binding of perforin to the cell membrane. 280: 199

Jones, J. G.
——; Bellion, E.
Methanol oxidation and assimilation in Hansenula polymorpha. An analysis by carbon-13 NMR in vivo. 280: 475
Jones, O. T. G. See Meier, B.
Jones, T. See Thomas, J. T.
Jonsson, L. See Bafor, M.
Joosse, J. See Hordijk, P. L.
Jordan, K. N. See Bruce, N. C.
Jordan, P. M.
——; Woodcock, S. C.
Mutagenesis of arginine residues in the catalytic cleft of Escherichia coli porphobilinogen deaminase that affects dipyrromethane cofactor assembly and tetrapyrrole chain initiation and elongation. 280: 445
Joris, B. See Ambler, R. P.; Branni=gan, J.; Jacob, F.; Matagne, A.
Jose, P. J.
——; Collins, P. D.; Perkins, J. A.; Beaubien, B. C.; Totty, N. F.; Waterfield, M. D.; Hsuan, J.; Wil=liams, T. J.
Identification of a second neutro=phil-chemoattractant cytokine gen=erated during an inflammatory reaction in the rabbit peritoneal cavity in vivo. Purification, partial amino acid sequence and structural relationship to melanoma growth-=stimulatory activity. 278: 493
Josephson, S. See Andersons, D.
Jourdain, A. See Neuburger, M.
Jourdian, G. W. See Watzlawick, H.
Jourdon, P. See Coquil, J. F.
Judah, D. J. See Hayes, J. D.
Jukkola, A.
——; Risteli, J.; Risteli, L.
Effect of dextran on synthesis, se=cretion and deposition of type III procollagen in cultured human fibroblasts. 279: 49
Julius, C. See Thorneley, R. N. F.
Jump, D. B. See MacDougald, O. A.
Jungblut, P. W. See Thole, H. H.
Jungermann, K. See Meyerholz, H. H.

Kaartinen, J. M.
——; Hreniuk, S. P.; Martin, L. F.; Ranta, S.; LaNoue, K. F.; Ohisalo, J. J.
Attenuated adenosine-sensitivity and decreased adenosine-receptor number in adipocyte plasma mem=branes in human obesity. 279: 17
Kadir, F. H. A. See Fatemi, S. J. A.
——; Al-Massad, F. K.; Fatemi, S. J. A.; Singh, H. K.; Wilson, M. T.; Moore, G. R.
Electron transfer between horse ferri=tin and ferrihemoproteins. 278: 817
Kahana, C. See Rosenberg-Hasson, Y.
Kahn, R. A. See Regazzi, R.
Kaji, H. See Chiou, S. H.
Kallunki, P. See Nissinen, M.
Kalsner, I. See Adolf, G. R.
Kalwant, S.
——; Porter, A. G.
Purification and characterization of human brain prolyl endopeptidase. 276: 237
Kamen, M. D. See Ambler, R. P.
Kamps, J. A. A. M.
——; Kruijt, J. K.; Kuiper, J.; Van Berkel, T. J. C.
Uptake and degradation of human low-density lipoprotein by human liver parenchymal and Kupffer cells in culture. 276: 135
Kanai, F. See Hayashi, H.
Kanamori, K. See Farrow, N.
Kanazu, T. See Hara, A.
——; Shinoda, M.; Nakayama, T.; Dey=ashiki, Y.; Hara, A.; Sawada, H.
Aldehyde reductase is a major protein associated with 3-deoxyglucosone reductase activity in rat, pig and human livers. 279: 903
Kanda, T. See Peeters, R. A.
Kandel, R. A. See Cruz, T. F.
Kannan, R.
——; Yuan, J.; Low, P. S.
Isolation and partial characterization of antibody- and globin-enriched complexes from membranes of dense human erythrocytes. 278: 57
Kaplan, H. See Pusztai, M.
Kappas, A. See Mitani, K.
Kaptein, A.
——; Roodenburg, L.; Princen, H. M. G.
Butyrate stimulates the secretion of apolipoprotein (apo) A-I and apo B100 by the human hepatoma cell line Hep G2. Induction of apo A-I mRNA with no change of apo B100 mRNA. 278: 557
Karniski, L. P. See Igarashi, P.
Kasimir, S.
——; Schoenfeld, W.; Hilger, R. A.; Koenig, W.
Analysis of leukotriene B_4 metabolism in human promyelocytic HL-60 cells. 279: 283
Kass, G. E. N. See Llopis, J.
Kasugai, S. See Nagata, T.
Kato, S. See Oda-Tamai, S.
Katsuki, M. See Fukamizu, A.
Katz, D. See Maschio, A.
Katz, R. See Pollack, S.
Kaup, F. J. See Meier, B.
Kaur, H. See Ingelman-Sundberg, M.
Kaur, P. See Saklatvala, J.
Kavanaugh, M. P.
——; Christie, M. J.; Osborne, P. B.; Busch, A. E.; Shen, K. Z.; Wu, Y. N.; Seeburg, P. H.; Adelman, J. P.; North, R. A.
Transmitter regulation of voltage-de=pendent potassium channels ex=pressed in Xenopus oocytes. 277: 899
Kawai, Y.
——; Arinze, I. J.
Ontogeny of guanine-nucleotide-=binding regulatory proteins in rabbit liver. 274: 439
Kay, C. M. See Donato, H. Jr.
Kay, R. R. See Stephens, L. R.
Kaye, A. M. See Soemjen, D.
Keech, D. B. See Chapman-Smith, A.
Keen, C. L. See Romero-Chapman, N.
Keen, J. N. See Chalmers, R. M.; Hall, M. D.; Pottinger, J. D. D.; Ryba, N. J. P.
Keller, A.
——; Eistetter, H. R.; Voss, T.; Schae=fer, K. P.
The pulmonary surfactant protein C (SP-C) precursor is a type II tran=smembrane protein. 277: 493
Kellerer, M.
——; Obermaier-Kusser, B.; Proefrock, A.; Schleicher, E.; Seffer, E.; Mush=ack, J.; Ermel, B.; Haering, H. U.
Insulin activates GTP binding to a 40 kDa protein in fat cells. 276: 103
Kellie, S. See Murphy, C. T.
Kelly, F. J. See Fussell, J. C.
Kelly, S. M. See Coussons, P. J.; Hub=bard, J. A. M.; Ribas de Pouplana, L.
——; Price, N. C.
The unfolding and refolding of pig heart fumarase. 275: 745
Kemp, B. E. See Sexton, P. M.
Kemp, P. R.
——; Grainger, D. J.; Shanahan, C. M.; Weissberg, P. L.; Metcalfe, J. C.
The Id gene is activated by serum but is not required for de-differenti=ation in rat vascular smooth muscle cells. 277: 285
Kemp, R. See Vayro, S.
Kempen, H. J. M. See Ugele, B.
Kenny, A. J. See Choudry, Y.; Howell, S.; Millican, P. E.
Keramidas, M. See Pelosin, J. M.
Kerbey, A. L. See Mistry, S. C.
Kermode, J. C.
——; Freer, R. J.; Becker, E. L.
The significance of functional recep=tor heterogeneity in the biological responses of the rabbit neutrophil to stimulation by chemotactic for=myl peptides. 276: 715
Kern, F.
——; Menasche, M.; Robert, L.
Relative rates of biosynthesis of colla=gen type I, type V and type VI in calf cornea. 274: 615
Kerr, L. A. See Hayes, J. D.; Hussey, A. J.; McLellan, L. I.
Kersters-Hilderson, H. See Van Bastelaere, P.
Kester, A. See Heemskerk, J. W. M.
Ketterer, B. See Harris, J. M.; Meyer, D. J.
Khan, A. See Chandramouli, V.
Khan, I.
——; Grover, A. K.
Expression of cyclic-nucleotide-sensi=tive and -insensitive isoforms of the plasma membrane calcium pump in smooth muscle and other tissues. 277: 345
Khan, W. A.
——; Mascarella, S. W.; Lewin, A. H.; Wyrick, C. D.; Carroll, F. I.; Han=nun, Y. A.
Use of D-erythro-sphingosine as a pharmacological inhibitor of protein kinase C in human platelets. 278: 387
Kheshti, A. See Scott, R. L.
Khomutov, A. R. See Weitkamp, E. L. C.
Khomutov, R. M. See Weitkamp, E. L. C.
Khouri, H. E.
——; Plouffe, C.; Hasnain, S.; Hirama, T.; Storer, A. C.; Menard, R.
A model to explain the pH-depend=ent specificity of cathepsin B-cata=lyzed hydrolyses. 275: 751
Kiang, J. G.
——; Wu, Y. Y.; Lin, M. C.
Heat treatment induces an increase in intracellular cyclic AMP content in human epidermoid A-431 cells. 276: 683
Kieffer, N. See Darnanville, A.
Kilberg, M. S. See Tamarappoo, B. K.; Wilde, S. W.
Kim, S. See Ghosh, S. K.; Hosoi, M.
Kim, Y. S. See Yonezawa, S.
——; Chae, H. Z.
Purification and properties of malo=nyl-CoA synthetase from Rhizobium japonicum. 273: 511
Kimura, M. See Takaya, J.
Kimura, Y. See Hirata, M.
King, A. See Faber, P. W.
King, G. F. See Kralicek, A. V.
King, M. J.
——; Sharma, R. P.; Sale, G. J.
Site-specific dephosphorylation and

deactivation of the human insulin receptor tyrosine kinase by particulate and soluble phosphotyrosyl protein phosphatases. 275: 413
King, W. G.
——; Kucera, G. L.; Sorisky, A.; Zhang, J.; Rittenhouse, S. E.
Protein kinase C regulates the stimulated accumulation of 3-phosphorylated phosphoinositides in platelets. 278: 475
Kinkaid, A.
——; Wilton, D. C.
Comparison of the catalytic properties of phospholipase A_2 from pancreas and venom using a continuous fluorescence displacement assay. 278: 843
Kinuta, M.
——; Yao, K.; Masuoka, N.; Ohta, J.; Teraoka, T.; Ubuka, T.
Isolation and characterization of 3-[(carboxymethyl)thio]-3-(1H-imidazol-4-yl)propanoic acid from human urine and preparation of its proposed precursor, S-[2-carboxy-1-(1H-imidazol-4-yl)ethyl]cysteine 275: 617
Kioussis, D. See Maschio, A.
Kirk, C. J. See Howl, J.
Kirk, K.
——; Wong, H. Y.; Elford, B. C.; Newbold, C. I.; Ellory, J. C.
Enhanced choline and rubidium(1+) transport in human erythrocytes infected with the malaria parasite Plasmodium falciparum. 278: 521
Kirley, T. L.
The magnesium ATPase of rabbit skeletal-muscle transverse tubule is a highly glycosylated multiple-subunit enzyme. 278: 375
Kishimoto, T. See Schooltink, H.
Kiss, Z.
——; Chattopadhyay, J.; Pettit, G. R.
Stimulation of phosphatidylcholine synthesis by activators of protein kinase C is dissociable from increased phospholipid hydrolysis. 273: 189
——; Rapp, U. R.; Pettit, G. R.; Anderson, W. B.
Phorbol ester and bryostatin differentially regulate the hydrolysis of phosphatidylethanolamine in Ha-ras- and raf-oncogene-transformed NIH 3T3 cells. 276: 505
Kitagawa, K. See Higuchi, K.
Kitayama, S. See Dohi, T.
Kitson, K. E. See Page, R. A.
Kitson, T. M.
Effect of some thiocarbamate compounds on aldehyde dehydrogenase and implications for the disulfiram ethanol reaction. 278: 189
——; Hill, J. P.; Midwinter, G. G.
Identification of a catalytically essential nucleophilic residue in sheep liver cytoplasmic aldehyde dehydrogenase. 275: 207
Kivatinitz, S. C.
——; Miglio, A.; Ghidoni, R.
Ganglioside incorporation and release by the isolated perfused rat liver. 274: 581
Kleczkowski, L. A.
——; Randall, D. D.; Edwards, G. E.
Oxalate as a potent and selective inhibitor of spinach (Spinacia oleracea) leaf NADPH-dependent hydroxypyruvate reductase. 276: 125
Klein, D. See Brannigan, J.
Klein, H. H.
——; Matthaei, S.; Drenkhan, M.; Ries, W.; Scriba, P. C.
The relationship between insulin binding, insulin activation of insulin-receptor tyrosine kinase, and insulin stimulation of glucose uptake in isolated rat adipocytes. Effects of isoprenaline. 274: 787
Klein, J. B. See McLeish, K. R.
Kleinman, H. K. See Tandon, N. N.
Klein-Soyer, C. See Archipoff, G.
Klenz, E. M. See Spencer, S. R.
Kloetzel, P. M. See Seelig, A.
Knap, A. K.
——; Pratt, R. F.
Inactivation of the RTEM-1 cysteine β-lactamase by iodoacetate. The nature of active-site functional groups and comparisons with the native enzyme. 273: 85
Knight, C. G.
A quenched fluorescent substrate for thimet peptidase containing a new fluorescent amino acid, DL-2-amino-3-(7-methoxy-4-coumaryl)propionic acid. 274: 45
Knook, D. L. See Pieters, M. N.
Knowles, P. F.
——; Marsh, D.
Magnetic resonance of membranes. 274: 625
Knowles, S. E. See Tomas, F. M.
Knudsen, J. See Hansen, H. O.; Mandrup, S.
Kobayashi, T. See Fauth, U.
Kocher, M.
——; Clemetson, K. J.
Staurosporine both activates and inhibits serine/threonine kinases in human platelets. 275: 301
Kodama, H.
——; Shimojo, N.; Suzuki, K. T.
Distribution of manganese in rat pancreas and identification of its primary binding protein as pro-carboxypeptidase B. 278: 857
Koenig, W. See Kasimir, S.
Koga, T. See Hirata, M.
Koh, E. K. See Smolen, J. E.
Kohlhauf Albertin, H. See Pliska, V.
Kohner, E. M. See Brooks, R. A.
Koistinen, V.
Effect of complement-protein-C3b density on the binding of complement factor H to surface-bound C3b. 280: 255
Koklitis, P. A.
——; Murphy, G.; Sutton, C.; Angal, S.
Purification of recombinant human prostromelysin. Studies on heat activation to give high-M_r and low-M_r active forms, and a comparison of recombinant with natural stromelysin activities. 276: 217
Kolb-Bachofen, V. See Windler, E.
Kolodziej, M. P. See Zammit, V. A.
Komarov, P. See Wang, J. F.
Kon, Y. See Fukamizu, A.
Konstantinidis, A.
——; Sinnott, M. L.
The interaction of 1-fluoro-D-glucopyranosyl fluoride with glucosidases 279: 587
Korc-Grodzicki, B. See Chain, D.
Korodi, I. See Polgar, L.
Kortesuo, P. T.
——; Nevalainen, T. J.
Phospholipase A_2 in human ascitic fluid. Purification, characterization and immunochemical detection. 278: 263
Koskinen, P. See Jauhiainen, M.
Kosower, N. S. See Schwarz-Ben Meir, N.
Kotlar, T. J. See Borensztajn, J.
Kovacevic, Z.
——; Brkljac, O.; Bajin, K.
Control and function of the transamination pathways of glutamine oxidation in tumor cells. 273: 271
——; Brkljac, O.; Jerance, D.
Mechanism and control of degradation and resynthesis of adenylates in tumor cells. 273: 277
Kowalchyk, J. A. See Martin, T. F. J.
Kowalczyk, S.
——; Bandurski, R. S.
Enzymic synthesis of 1-O-(indol-3-ylacetyl)-β-D-glucose. Purification of the enzyme from Zea mays, and preparation of antibodies to the enzyme. 279: 509
Kowalewski, H. J. See Vogel, M.
Kowalski, A. See Hainaut, P.
Kowlessur, D. See Topham, C. M.
Kozka, I. J. See Clark, A. E.
Kozma, R. See Ahmed, S.
Kragh-Hansen, U.
Octanoate binding to the indole- and benzodiazepine-binding region of human serum albumin. 273: 641
Krajickova, J. See Vilim, V.
Kralicek, A. V.
——; Day, A. J.; Wake, R. G.; King, G. F.
A sequence similarity between proteins involved in initiation and termination of bacterial chromosome replication. 275: 823
Kralisz, U. See Tandon, N. N.
Kraus-Friedmann, N. See Shoshan-Barmatz, V.
Kreizman, T. See Chain, D.
Krenitsky, T. A. See Guo, X.
Kresse, H. See Schmidt, G.
Krishna, P.
——; Morgan, A. R.; Van de Sande, J. H.
Interaction of recA protein with left-handed Z-DNA. 275: 711
Krishnan, S. See Bihoreau, N.
Kristiansen, K. See Hansen, H. O.; Mandrup, S.
Kroener, S. See Schmalzing, G.
Krueger, M. J. See Ramsay, R. R.
Kruijt, J. K. See Kamps, J. A. A. M.
Kubota, T. See Wrana, J. L.
Kucera, G. L. See King, W. G.
Kuczynski, B. See Smolen, J. E.
Kuehn, L. See Seelig, A.
Kuehn, M. See De Groot, R.
Kuhn, J. See David, M.
Kuiper, J. See Kamps, J. A. A. M.
Kuipers, F. See Oude Elferink, R. P. J.; Princen, H. M. G.; Verkade, H. J.
Kulanthaivel, P.
——; Cool, D. R.; Ramamoorthy, S.; Mahesh, V. B.; Leibach, F. H.; Ganapathy, V.
Transport of taurine and its regulation by protein kinase C in the JAR human placental choriocarcinoma cell line. 277: 53
Kuo, T. H. See Wang, K. K. W.
Kurlandzka, A.
——; Zoladek, T.; Rytka, J.; Labbe-Bois, R.
The alternative pathway of heme synthesis via dehydroisocoproporphyrinogen in mutants of Saccharomyces cerevisiae partially deficient in uroporphyrinogen decarboxylase activity. 273: 246
Kuroki, Y.
——; Shiratori, M.; Murata, Y.; Akino, T.
Surfactant protein D (SP-D) counteracts the inhibitory effect of surfactant protein A (SP-A) on phospholipid secretion by alveolar type II

cells. Interaction of native SP–D with SP–A. 279: 115
Kusche, M.
——; Hannesson, H. H.; Lindahl, U. Biosynthesis of heparin. Use of Escherichia coli K5 capsular polysaccharide as a model substrate in enzymic polymer–modification reactions. 275: 151
Kwakye, J. B.
——; Johnson, M. R.; Barnes, S.; Grizzle, W. E.; Diasio, R. B. Identification of bile acid–CoA:amino acid N–acyltransferase in rat kidney. 280: 821
Kwan, A. P. L. See Thomas, J. T.

Labarrere, C. A. See Vanderpuye, O. A.
Labbe, P. See Camadro, J. M.; Leseuisse, E.
Labbe–Bois, R. See Kurlandzka, A.
Lacoste, A. M. See Dumora, C.
Lageweg, W.
——; Tager, J. M.; Wanders, R. J. A. Topography of very–long–chain–fatty–acid–activating activity in peroxisomes from rat liver. 276: 53
Lai, D. S. Y. See Pallen, C. J.
Lai, Y. C. See Hsieh, J. C.
Laird, D. W.
——; Puranam, K. L.; Revel, J. P. Turnover and phosphorylation dynamics of connexin43 gap junction protein in cultured cardiac myocytes. 273: 67
Lake, B. D. See Hall, N. A.
Lamb, J. H. See Holley, A. E.
Lambert, D. G.
——; Challiss, R. A. J.; Nahorski, S. R. Accumulation and metabolism of Ins(1,4,5)P_3 and Ins(1,3,4,5)P_4 in muscarinic–receptor–stimulated SH–SY5Y neuroblastoma cells. 273: 791
Lamblin, G.
——; Rahmoune, H.; Wieruszeski, J. M.; Lhermitte, M.; Strecker,G.; Roussel, P. Structure of two sulfated oligosaccharides from respiratory mucins of a patient suffering from cystic fibrosis. A fast–atom–bombardment MS and proton NMR spectroscopic study. 275: 199
Lamotte–Brasseur, J.
——; Dive, G.; Dideberg, O.; Charlier, P.; Frere, J. M.; Ghuysen, J. M. Mechanism of acyl transfer by the class A serine β–lactamase of Streptomyces albus G. 279: 213
Lan, J.
——; Steiner, R. F. The interaction of troponin C with phosphofructokinase. Comparison with calmodulin. 274: 445
Lance, C. See Rustin, P.
Landau, B. R. See Chandramouli, V.
Lander, M.
——; Pitt, A. R.; Alefounder, P. R.; Bardy, D.; Abell, C.; Battersby, A. R. Studies on the mechanism of hydroxymethylbilane synthase concerning the role of arginine residues in substrate binding. 275: 447
Landers, J. P.
——; Bunce, N. J. The Ah receptor and the mechanism of dioxin toxicity. 276: 273
Lane, A. N. See Freemont, P. S. The solution conformations of a mutant trp operator determined by NMR spectroscopy. 273: 383
——; Jenkins, T. C.; Brown, D. J. S.; Brown, T. NMR determination of the solution conformation and dynamics of the A·G mismatch in the d(CGCAAATTGGCG)$_2$ dodecamer. 279: 269
Lang, C. H. See Spolarics, Z.
Lang, F. See Pfeilschifter, J.; Vom Dahl, S.
Lange, A. J.
——; Xu, L. Z.; Van Poelwijk, F.; Lin, K.; Granner, D. K.; Pilkis, S. J. Expression and site–directed mutagenesis of hepatic glucokinase. 277: 159
LaNoue, K. F. See Kaartinen, J. M.
Lanza–Jacoby, S. See Yoshida, S.
Lappin, D. F.
——; Whaley, K. Modulation of complement gene expression by glucocorticoids. 280: 117
Laprade, R. See Vachon, V.
Larisch, K. See Boehm, M.
Lash, T. D. Action of uroporphyrinogen decarboxylase on uroporphyrinogen–III: a reassessment of the clockwise decarboxylation hypothesis. 278: 901
Lasker, N. See Takaya, J.
Lassegue, B.
——; Alexander, R. W.; Clark, M.; Griendling, K. K. Angiotensin II–induced phosphatidylcholine hydrolysis in cultured vascular smooth–muscle cells. Regulation and localization. 276: 19
Latchman, D. S. See Dent, C. L.; Lea, I. The herpes simplex virus virion protein Vmw65 transcriptionally activates the gene encoding the U4 snRNA but not that encoding the U2 snRNA during lytic infection. 275: 369
Launay, J. M. See Finocchiaro, L. M. E.
Laurent, G. J. See Mays, P. K.
Laurenza, A. See Bonvini, E.
Lavan, B. E. See Bushfield, M.
Lavoinne, A. See Baquet, A.
Lawley, P. D. See Major, G. N.
Lawrence, W. D. See Davis, F. B.
Lawson, R. A. See Glew, R. H.
Laynez, J. See Martin Villacorta, J.
Le, K. H. D. See Carre–Eusebe, D.
Lea, I.
——; Moore, H. D. M.; Latchman, D. S. Differential expression of the mouse U1a and U1b SnRNA genes is not dependent on sequence differences in the octamer motif. 277: 719
LeBel, D. See Paul, E.
Leberman, R. See Bock–Moebius, I.
Leblond, F. A. See Paul, E.
Lebrun, M. See Dumas, R.
Lechner, J. H. See Sabsay, B.
Le Cras, T. See Gherardi, E.
Ledbetter, J. A. See Pollack, S.
Ledent, P. See Delaisse, J. M.
Lederer, F. See Carre–Eusebe, D.
Lee, A. G. See Tunwell, R. E. A.
Lee, C.
——; Zeikus, J. G. Purification and characterization of thermostable glucose isomerase from Clostridium thermosulfurogenes and Thermoanaerobacter strain B6A. 273: 565
Lee, C. L. See Lee, H.
Lee, C. M. See Watkinson, A.
Lee, C. W. See Sokoloski, J. A.
——; Sokoloski, J. A.; Sartorelli, A. C.; Handschumacher, R. E. Induction of the differentiation of HL–60 cells by phorbol 12–myristate 13–acetate activates a sodium–dependent uridine–transport system. Involvement of protein kinase C. 274: 85
Lee, H.
——; Chu, T. M.; Li, S. S. L.; Lee, C. L. Homodimer and heterodimer subunits of human prostate acid phosphatase. 277: 759
Lee, J. See Ahmed, S.; Romero–Chapman, N.
Lee, L. Y. See Chao, C. C. K.
Lee, T. D. See Tressel, T.
Leeb–Lundberg, L. M. F. See Mathis, S. A.
Le Gall, J. See Bray, R. C.
Legesse, K. See Tressel, T.
Legrand, D.
——; Mazurier, J.; Maes, P.; Rochard, E.; Montreuil, J.; Spik, G. Inhibition of the specific binding of human lactotransferrin to human peripheral–blood phytohemagglutinin–stimulated lymphocytes by fluorescein labeling and location of the binding site. 276: 733
Le Hir, M. See Piec, G. A soluble 5'–nucleotidase in rat kidney. Stimulation by decavanadate. 273: 795
Leibach, F. H. See Kulanthaivel, P.; Ramamoorthy, S.
Leiber, D. See Ransnaes, L. A.
Leighton, B. See Chantry, A.; Dimitriadis, G. D.
——; Cooper, G. J. S.; DaCosta, C.; Foot, E. A. Peroxovanadates have full insulin–like effects on glycogen synthesis in normal and insulin–resistant skeletal muscle. 276: 289
——; Parry–Billings, M.; Dimitriadis, G.; Bond, J.; Newsholme, E. A.; DaCosta, C.; Foot, E. A. Physiological glucocorticoid levels regulate glutamine and insulin–mediated glucose metabolism in skeletal muscle of the rat. Studies with RU 486 (mifeprostone). 274: 187
Leighton, J. See Pfeilschifter, J.
Leisinger, T. See Locher, H. H.
Lenz, D. See Schooltink, H.
Lenzen, S. See Tiedge, M.
Leonidas, D. D. See Papageorgiou, A. C.
Lerch, K. See Jackman, M. P.
Lermioglu, F.
——; Goyal, J.; Hassid, A. Cell density modulates the decrease of cytosolic free calcium induced by atrial natriuretic hormone, S–nitroso–N–acetylpenicillamine and 8–bromo cyclic GMP in cultured rat mesangial cells. 274: 323
Lessard, T. See Pusztai, M.
Lester, R. See Zimniak, P.
Lestingi, M. See Ciarrocchi, G.
Lesuisse, E.
——; Horion, B.; Labbe, P.; Hilger, F. The plasma membrane ferrireductase activity of Saccharomyces cerevisiae is partially controlled by cyclic AMP. 280: 545
Leturque, A. See Penicaud, L.
Leung, L. L. K. See Catimel, B.
Levade, T.
——; Gatt, S.; Salvayre, R. Uptake and degradation of several pyrenesphingomyelins by skin fibroblasts from control subjects and patients with Niemann–Pick disease. Effect of the structure of the fluorescent fatty acyl residue. 275: 211

LeVan, K. M.
——; Goldberg, E.
Properties of human testis-specific lactate dehydrogenase expressed from Escherichia coli. 273: 587
Leventhal, P. S. See Tanke, T.
Leverve, X. M. See Argaud, D.
Levesque, R. C. See Ambler, R. P.
Levine, M. J. See Bobek, L. A.; Ramasubbu, N.
Levkau, B. See Windler, E.
Levy-Toledano, S. See Darnanville, A.
Lewin, A. H. See Khan, W. A.
Lewis, J. E. See Martin, T. F. J.
Lewis, J. J. See Basson, M. D.
Leyh-Bouille, M. See Palomeque-Messia, P.
Leyland, D. M.
——; Beynon, R. J.
The expression of glycogen phosphorylase in normal and dystrophic muscle. 278: 113
Leyte, A.
——; Voorberg, J.; Van Schijndel, H. B.; Duim, B.; Pannekoek, H.; Van Mourik, J. A.
The pro-polypeptide of von Willebrand factor is required for the formation of a functional factor VIII-binding site on mature von Willebrand factor. 274: 257
Lhermitte, M. See Lamblin, G.
Li, J.
——; Schiff, J. A.
Purification and properties of adenosine 5'-phosphosulfate sulfotransferase from Euglena. 274: 355
Li, P. See Anderson, N. G.
Li, S. S. L. See Lee, H.
Li, Y. See Man, W. J.
Li, Y. K.
——; Boggaram, J.; Byers, L. D.
Alkylation of glyceraldehyde-3-phosphate dehydrogenase with haloacetylphosphonates. An unusual pH-dependence. 275: 767
Lichtler, A. See Ritzenthaler, J. D.
Liew, C. C. See Cowan, D. B.
Lim, C. K. See Luo, J.
Lim, H. M.
——; Iyer, R. K.; Pene, J. J.
Site-directed mutagenesis of carboxylic acids near the active site of Bacillus cereus 5/B/6 β-lactamase II. 276: 401
Lim, L. See Ahmed, S.; Manser, E.
Limatola, C. See Spinedi, A.
Lin, J. H. See Hu, M. C.
Lin, K. See Lange, A. J.
Lin, M. C. See Kiang, J. G.
Lin, S. H.
——; Culic, O.; Flanagan, D.; Hixson, D. C.
Immunochemical characterization of two isoforms of rat liver ecto-ATPase that show an immunological and structural identity with a glycoprotein cell-adhesion molecule with M_r 105,000. 278: 155
Lin-Chao, S. See Chao, C. C. K.
Lindahl, P.
——; Raub-Segall, E.; Olson, S. T.; Bjoerk, I.
Papain labeled with fluorescent thiol-specific reagents as a probe for characterization of interactions between cysteine proteinases and their protein inhibitors by competitive titrations. 276: 387
Lindahl, U. See Kusche, M.
Lindblom, A.
——; Bengtsson-Olivecrona, G.; Fransson, L-A.
Domain structure of endothelial heparan sulfate. 279: 821
Linder, D. See Wendorf, P.
Lindgren, H. See Thornton, D. J.
Lindley, P. F. See Garratt, R. C.
Lindsay, J. G. See Clarkson, G. H. D.; Neagle, J. C.
Lingappa, V. R. See Frey, B. M.
Linhardt, R. J. See Wang, H. M.
Linthorst, C. See Van Dijk, M. C. M.
Liscovitch, M.
——; Chalifa, V.; Danin, M.; Eli, Y.
Inhibition of neural phospholipase D activity by aminoglycoside antibiotics. 279: 319
Liu, C. See White, A. M.
Liu, C. C. See Liu, M. C.
Liu, G.
——; Bengtsson-Olivecrona, G.; Oestergaard, P.; Olivecrona, T.
Low-M_r heparin is as potent as conventional heparin in releasing lipoprotein lipase, but is less effective in preventing hepatic clearance of the enzyme. 273: 747
Liu, J. See Nguyen Quang
Liu, M. C. See Han, J. R.
——; Lu, R.; Han, J. R.; Tang, X.; Suiko, M.; Liu, C. C.
Identification of complexes between the tyrosine-O-sulfate-binding protein and tyrosine-sulfated proteins in bovine liver membrane lysates. 275: 259
Liu, Y. L. See Holness, M. J.
Lively, M. O. See Ramsamooj, P.
Llado, I. See Puigserver, P.
Llopis, J.
——; Chow, S. B.; Kass, G. E. N.; Gahm, A.; Orrenius, S.
Comparison between the effects of the microsomal calcium-translocase inhibitors thapsigargin and 2,5-di-(t-butyl)-1,4-benzohydroquinone on cellular calcium fluxes. 277: 553
Llorente, P. See Montero, C.
Lo, C. H. See Chiou, S. H.
Lo, T. C. Y. See Chen, X. Y.
Lobreaux, S.
——; Briat, J. F.
Ferritin accumulation and degradation in different organs of pea (Pisum sativum) during development. 274: 601
Locher, H. H.
——; Leisinger, T.; Cook, A. M.
4-Sulfobenzoate 3,4-dioxygenase. Purification and properties of a desulfonative two-component enzyme system from Comamonas testosteroni T-2. 274: 833
Lockwood, B. C.
——; Coombs, G. H.
Purification and characterization of methionine γ-lyase from Trichomonas vaginalis. 279: 675
Loessberg, P. See Muallem, S.
Loevhaug, D. See Gaustad, R.
Loew, H. See Chandramouli, V.
Loganathan, D. See Wang, H. M.
Long, W. F. See Grant, D.
Lonsdale-Eccles, J. D. See Aboagye-Kwarteng, T.
Loomis, C. R. See Borchardt, R. A.
Loomis-Husselbee, J. W.
——; Cullen, P. J.; Irvine, R. F.; Dawson, A. P.
Electroporation can cause artefacts due to solubilization of cations from the electrode plates. Aluminum ions enhance conversion of inositol 1,3,4,5-tetrakisphosphate into inositol 1,4,5-trisphosphate in electroporated L1210 cells. 277: 883
Lopez, M. M. See Calvete, J. J.
Lopez-Soriano, F. J.
——; Carbo, N.; Argiles, J. M.
Lipid metabolism in the obese Zucker rat. Disposal of an oral [^{14}C]triolein load and lipoprotein lipase activity. 274: 651
Lopez-Torres, M. See Barja de Quiroga, G.
Losada, S. See Benaim, G.
Louisot, P. See Ruggiero-Lopez, D.
Loveridge, N. See Hesketh, J.
Loviny-Anderton, T.
——; Shaw, P. C.; Shin, M. K.; Hartley, B. S.
D-Xylose (D-glucose) isomerase from Arthrobacter strain N.R.R.L. B3728. Gene cloning, sequence and expression. 277: 263
Low, M. See Polgar, L.
Low, M. G.
——; Huang, K. S.
Factors affecting the ability of glycosylphosphatidylinositol-specific phospholipase D to degrade the membrane anchors of cell surface proteins. 279: 483
Low, P. S. See Kannan, R.
Low, S. Y.
——; Taylor, P. M.; Ahmed, A.; Pogson, C. I.; Rennie, M. J.
Substrate-specificity of glutamine transporters in membrane vesicles from rat liver and skeletal muscle investigated using amino acid analogs. 278: 105
Lowe, C. R. See Bruce, N. C.
Lowe, D. J. See Fisher, K.
Lowe, G. See McPhee, F.; Radford, S. E.
Lowe, N. See Brady, H. J. M.
Lown, J. S. See Sasak, W. V.
Lozano, J. A. See Aroca, P.
Lozano, R. M. See Zurdo, J.
Lu, L.
——; Stanley, B. A.; Pegg, A. E.
Identification of residues in ornithine decarboxylase essential for enzymic activity and for rapid protein turnover. 277: 671
Lu, R. See Liu, M. C.
Lubinsky-Mink, S. See David, M.
Luengo, J. M. See Ferrero, M. A.
Luly, P. See Spinedi, A.
Luo, J.
——; Lim, C. K.
Action of uroporphyrinogen decarboxylase on uroporphyrinogen III. Comments. 278: 903
Luque, J. See Jimeno, P.
Luszniak, M. C. See Field, R. A.
Luthert, P. J. See Hanger, D. P.
Luzio, J. P. See Stein, J. M.
Lyon, M. See Nelson, S. R.
——; Gallagher, J. T.
Purification and partial characterization of the major cell-associated heparan sulfate proteoglycan of rat liver. 273: 415

Ma, Y.
——; Tsou, C.
Comparison of the activity and conformation changes of lactate dehydrogenase H_4 during denaturation by guanidinium chloride. 277: 207
Maatman, R. G. H. J.
——; Van Kuppevelt, T. H. M. S. M.; Veerkamp, J. H.
Two types of fatty acid-binding protein in human kidney. Isolation, characterization and localization. 273: 759
McAdam, D. P. See Wiley, J. S.
McAnulty, R. J. See Mays, P. K.
McArdle, A. See MacLennan, P. A.

McCann, P. P. See Byers, T. L.
McCapra, F. See Craig, F. F.
Maccario, J. See Feneant-Thibault, M.
Maccarrone, M. See Franceschini, N.
McCarthy, J. B. See Tressel, T.
McColl, S. R. See McDonald, P. P.
McConnell, F. M.
——; Stephens, L. R.; Shears, S. B.
Multiple isomers of inositol pentakisphosphate in Epstein-Barr-virus-transformed (T5-1) B-lymphocytes. Identification of inositol 1,3,4,5,6-pentakisphosphate, D-inositol 1,2,4,5,6-pentakisphosphate and L-inositol 1,2,4,5,6-pentakisphosphate. 280: 323
McCormick, C. C.
——; Salati, L. M.; Goodridge, A. G.
Abundance of hepatic metallothionein mRNA is increased by protein-synthesis inhibitors. Evidence for transcriptional activation and post-transcriptional regulation. 273: 185
McCourt, J. D. See Black-Schaefer, C. L.
McDonald, P. P.
——; McColl, S. R.; Naccache, P. H.; Borgeat, P.
Studies on the activation of human neutrophil 5-lipoxygenase induced by natural agonists and calcium ionophore A23187. 280: 379
MacDougald, O. A.
——; Jump, D. B.
Identification of functional cis-acting elements within the rat liver S14 promoter. 280: 761
McEwan, A. G.
——; Ferguson, S. J.; Jackson, J. B.
Purification and properties of dimethyl sulfoxide reductase from Rhodobacter capsulatus. A periplasmic molybdoenzyme. 274: 305
McGivan, J. D.
——; Boon, K.; Doyle, F. A.
Glucagon and ammonia influence the long-term regulation of phosphate-dependent glutaminase activity in primary cultures of rat hepatocytes. 274: 103
——; Doyle, F. A.; Boon, K.
Factors influencing the inactivation of phosphate-dependent glutaminase in the matrix fraction of rat liver mitochondria. 274: 109
MacGlashan, D. W. Jr. See Cluzel, M.
MacGregor, E. A. See Jespersen, H. M.
——; Ballance, G. M.
Possible secondary structure in plant and yeast β-glucanase. 274: 41
McGregor, J. L. See Catimel, B.
Mach, L.
——; Scherf, W.; Ammann, M.; Poetsch, J.; Bertsch, W.; Marz, L.; Gloessl, J.
Purification and partial characterization of a novel lectin from elder (Sambucus nigra L.) fruit. 278: 667
McIntyre, J. A. See Vanderpuye, O. A.
McKee, E. E. See Black-Schaefer, C. L.
McKenzie, F. R.
——; Milligan, G.
Cholera toxin impairment of opioid-mediated inhibition of adenylate cyclase in neuroblastoma × glioma hybrid cells is due to a toxin-induced decrease in opioid receptor levels. 275: 175
McKillop, D. F. A.
——; Geeves, M. A.
Regulation of the actomyosin subfragment 1 interaction by troponin/tropomyosin. Evidence for control of a specific isomerization between two actomyosin subfragment 1 states. 279: 711
McKinney, R. A. See Stauderman, K. A.
MacKintosh, C.
——; Coggins, J.; Cohen, P.
Plant protein phosphatases. Subcellular distribution, detection of protein phosphatase 2C and identification of protein phosphatase 2A as the major quinate dehydrogenase phosphatase. 273: 733
McLeish, K. R.
——; Klein, J. B.; Schepers, T.; Sonnenfeld, G.
Modulation of transmembrane signalling in HL-60 granulocytes by tumor necrosis factor-α. 279: 455
McLellan, L. I. See Hayes, J. D.
——; Kerr, L. A.; Cronshaw, A. D.; Hayes, J. D.
Regulation of mouse glutathione S-transferases by chemoprotectors. Molecular evidence for the existence of three distinct Alpha-class glutathione S-transferase subunits, Ya_1, Ya_2 and Ya_3, in mouse liver. 276: 461
MacLennan, P. A.
——; McArdle, A.; Edwards, R. H. T.
Acute effects of phorbol esters on the protein-synthetic rate and carbohydrate metabolism of normal and mdx mouse muscles. 275: 477
McMahon, R. F. See Young, P. R.
McNeil, M. See Rogers, J. E.
MacNulty, E. E. See Plevin, R.
McNurlan, M. A. See Ballmer, P. E.
McPhee, F.
——; Downes, C. P.; Lowe, G.
Studies of inositol analogs as inhibitors of the phosphoinositide pathway, and incorporation of 2-deoxy-2-fluoro-myo-inositol to give analogs of phosphatidylinositol intermediates. 277: 407
——; Lowe, G.; Vaziri, C.; Downes, C. P.
Phosphatidylinositol synthase and phosphatidylinositol/inositol exchange reactions in turkey erythrocyte membranes. 275: 187
McQuillan, D. J.
——; Findlay, D. M.; Hocking, A. M.; Yanagishita, M.; Midura, R. J.; Hascall, V. C.
Proteoglycans synthesized by an osteoblast-like cell line (UMR 106-01). 277: 199
Maeda, N. See Nakade, S.
Maerki, F. See Pfeilschifter, J.
Maes, P. See Legrand, D.
Magni, M.
——; Pandiella, A.; Helin, K.; Meldolesi, J.; Beguinot, L.
Transmembrane signaling at the epidermal growth factor receptor. Positive regulation by the C-terminal phosphotyrosine residues. 277: 305
Magnusson, S.
——; Berg, T.; Turpin, E.; Frenoy, J. P.
Interactions of ricin with sinusoidal endothelial rat liver cells. Different involvement of two distinct carbohydrate-specific mechanisms in surface binding and internalization. 277: 855
Mahesh, V. B. See Kulanthaivel, P.; Ramamoorthy, S.
Maines, M. D. See Trakshel, G. M.
Mainferme, F. See Burge, V.
Maisin, L. See Baquet, A.
Maisterrena, B. See Girard, A.
Major, G. N. See Garrett, M. D.
——; Gardner, E. J.; Lawley, P. D.
Direct assay for O^6-methylguanine-DNA methyltransferase and comparison of detection methods for the methylated enzyme in polyacrylamide gels and electroblots. 277: 89
Makuch, R.
——; Biryukov, K.; Shirinskii, V.; Dabrowska, R.
Functional interrelationship between calponin and caldesmon. 280: 33
Malaisse, W. J. See Rasschaert, J.
Malmstroem, A. See Coester, L.; Norman, M.
Malthouse, J. P. G. See Bailey, C. J.
——; Finucane, M. D.
A study of the relaxation parameters of a carbon-13-enriched methylene carbon and a carbon-13-enriched perdeuteromethylene carbon attached to chymotrypsin. 280: 649
——; Milne, J. J.; Gariani, L. S.
A comparative study of the kinetics and stereochemistry of the serine hydroxymethyltransferase- and tryptophan synthase-catalyzed exchange of the pro-2R and pro-2S protons of glycine. 274: 807
Malviya, A. N. See Nordmann, J. J.
Mamo, J. C. L. See Bowler, A.; Redgrave, T. G.
Man, W. J.
——; Li, Y.; O'Connor, C. D.; Wilton, D. C.
Conversion of citrate synthase into citryl-CoA lyase as a result of mutation of the active-site aspartic acid residue to glutamic acid. 280: 521
Mancinelli, G. See Ramsay, R. R.
Mandrup, S. See Hansen, H. O.
——; Hoejrup, P.; Kristiansen, K.; Knudsen, J.
Gene synthesis, expression in Escherichia coli, purification and characterization of the recombinant bovine acyl-CoA-binding protein. 276: 817
Mani, R. S. See Donato, H. Jr.
Mankowitz, L.
——; DePierre, J. W.; Mannervik, B.; Hansson, H. A.
Immunohistochemical distribution of isoenzymes of glutathione transferase in adult rat adrenal gland before and after hypophysectomy. 280: 399
Mann, D. J.
——; Bailey, E.
Pre-translational control of hepatic malic enzyme expression during the development of the rat. 279: 407
Mannervik, B. See Board, P. G.; Mankowitz, L.; Stenberg, G.; Widersten, M.
Mannhalter, C. See Parzer, S.
Mannock, D. A. See Glew, R. H.
Manos, P.
——; Nakayama, R.; Holten, D.
Regulation of glucose-6-phosphate dehydrogenase synthesis and mRNA abundance in cultured rat hepatocytes. 276: 245
Manser, E.
——; Fernandez, D.; Lim, L.
Processing and secretion of human carboxypeptidase E by C6 glioma cells. 280: 695
Mantle, M.
Effects of hydrogen peroxide, mild trypsin digestion and partial reduc-

tion on rat intestinal mucin and its disulfide-bound 118 kDa glycoprotein. 274: 679
Mantle, T. J. See Phillips, M. F.
Manuguerra, J. C. See Garcia-Sastre, A.
Marais, A. D. See Van der Westhuyzen, D. R.
Maras, B. See Cronin, V. B.
Marchand-Brynaert, J. See Varetto, L.
Marchesini, A. See Casella, L.
Marcote, M. J. See Gonzalez-Bosch, C.
Marette, A.
——; Bukowiecki, L. J.
Noradrenaline stimulates glucose transport in rat brown adipocytes by activating thermogenesis. Evidence that fatty acid activation of mitochondrial respiration enhances glucose transport. 277: 119
Margolis, B. L. See Hack, N.
Margolis, R. U. See Vogel, M.
Margreth, A. See Damiani, E.
Marklund, S. L. See Adachi, T.
Marliss, E. B. See Wu, G.
Marmor, S. See Hill, B. C.
Marriott, A. See Ayad, S.
Marsden, L. A. See Anderson, N. G.
Marsh, D. See Knowles, P. F.
Marshall, S. N. See Clark, A. G.
Marston, S. B. See Pritchard, K.
——; Redwood, C. S.
The molecular anatomy of caldesmon. 279: 1
Martin, A. See Ruggiero-Lopez, D.
Martin, B. R. See Wadman, I. A.
Martin, H.
——; Dean, M.
A proteolytic fragment from human link protein is taken up and processed by monocytes and B cells. 280: 679
Martin, J.
——; Slade, A.; Aitken, A.; Arche, R.; Virden, R.
Chemical modification of serine at the active site of penicillin acylase from Kluyvera citrophila. 280: 659
Martin, L. F. See Kaartinen, J. M.
Martin, S. R. See De Matteis, F.; Hubbard, J. A. M.; Radford, S. E.; Schilstra, M. J.
Martin, T. F. J.
——; Lewis, J. E.; Kowalchyk, J. A.
Phospholipase C-β_1 is regulated by a pertussis toxin-insensitive G-protein. 280: 753
Martin, T. J. See Schneider, H. G.; Sexton, P. M.
Martinez, P. A. See Pemrick, S. M.
Martin Villacorta, J.
——; Arriaga, P.; Laynez, J.; Menendez, M.
Interaction of β-lactamases I and II from Bacillus cereus with semisynthetic cephamycins. Kinetic studies. 279: 111
Marz, L. See Mach, L.
Mascarella, S. W. See Khan, W. A.
Maschio, A.
——; Brickell, P. M.; Kioussis, D.; Mellor, A. L.; Katz, D.; Craig, R. K.
Transgenic mice carrying the guinea pig α-lactalbumin gene transcribe milk protein genes in their sebaceous glands during lactation. 275: 459
Mason, R. M. See Thomas, G. J.
Mason, R. P. See Iwahashi, H.
Mason, R. W. See Abrahamson, M.
Masuno, H.
——; Schultz, C. J.; Park, J. W.; Blanchette-Mackie, E. J.; Mateo, C.; Scow, R. O.
Glycosylation, activity and secretion of lipoprotein lipase in cultured brown adipocytes of newborn mice. Effect of tunicamycin, monensin, 1-deoxymannojirimycin and swainsonine. 277: 801
Masuoka, N. See Kinuta, M.
Matagne, A. See Brannigan, J.
——; Joris, B.; Frere, J. M.
Anomalous behavior of a protein during SDS/PAGE corrected by chemical modification of carboxylic groups. 280: 553
——; Joris, B.; Van Beeumen, J.; Frere, J. M.
Ragged N-termini and other variants of class A β-lactamases analyzed by chromatofocusing. 273: 503
Mateo, C. See Masuno, H.
Mathews, A. J.
——; Brittain, T.
Some reactions of carbon monoxide and oxygen with carbodiimide-modified cytochrome c. 276: 121
Mathis, S. A.
——; Leeb-Lundberg, L. M. F.
Bradykinin recognizes different molecular forms of the B2 kinin receptor in the presence and absence of guanine nucleotides. 276: 141
Mato, J. M. See Alvarez, J. F.; Pajares, M. A.
Matringe, M. See Camadro, J. M.
Matsui, A. See Nakashima, S.
Matthaei, S. See Klein, H. H.
Matthews, I. See Tunwell, R. E. A.
Maurer-Fogy, I. See Adolf, G. R.
Mawal, M. R.
——; Mukhopadhyay, A.; Deshmukh, D. R.
Purification and properties of kynurenine aminotransferase from rat kidney. 279: 595
May, H. D.
——; Dean, D. R.; Newton, W. E.
Altered nitrogenase molybdenum-iron proteins from Azotobacter vinelandii. Analysis of molybdenum-iron proteins having amino acid substitutions for the conserved cysteine residues within the β-subunit. 277: 457
Mayer, H. See Soemjen, D.
Mayes, P. A. See Mindham, M. A.
Mayr, G. W. See Reiser, G.
——; Thieleczek, R.
Masses of inositol phosphates in resting and tetanically stimulated vertebrate skeletal muscles. 280: 631
Mays, P. K.
——; McAnulty, R. J.; Campa, J. S.; Laurent, G. J.
Age-related changes in collagen synthesis and degradation in rat tissues. Importance of degradation of newly synthesized collagen in regulating collagen production. 276: 307
Mazat, J. P. See Dumora, C.
Mazurier, J. See Legrand, D.
Mazurkiewicz, D. See Orford, M.
Mazzella, L. J.
——; Pazhanisamy, S.; Pratt, R. F.
Evidence from a mutant β-lactamase for the mechanism of β-lactamase-catalyzed depsipeptide aminolysis. 274: 855
Mecham, R. P. See Grosso, L. E.
Medh, R. D.
——; Saxena, M.; Singhal, S. S.; Ahmad, H.; Awasthi, Y. C.
Characterization of a novel glutathione S-transferase isoenzyme from mouse lung and liver having structural similarity to rat glutathione S-transferase 8-8. 278: 793
Medina, J. M. See Alonso de la Torre, S. R.
Medina, M. A.
——; Urdiales, J. L.; Nunez de Castro, I.; Sanchez-Jimenez, F.
Diamines interfere with the transport of L-ornithine in Ehrlich-cell plasma-membrane vesicles. 280: 825
Meier, B.
——; Cross, A. R.; Hancock, J. T.; Kaup, F. J.; Jones, O. T. G.
Identification of a superoxide-generating NADPH oxidase system in human fibroblasts. 275: 241
Meijer, G. W. See Tijburg, L. B. M.
Meijer, P. See Princen, H. M. G.; Ugele, B.
Mejia-Alvarez, R. See Fill, M.
Melde, K.
——; Jackson, S.; Bartlett, K.; Sherratt, H. S. A.; Ghisla, S.
Metabolic consequences of methylenecyclopropylglycine poisoning in rats. 274: 395
Meldolesi, J. See Magni, M.; Michelangeli, F.
Melendez-Hevia, E. See Torres, N. V.
Mellor, A. L. See Maschio, A.
Mellor, G. W. See Gallacher, G.
Mellor, S. J.
——; Atkins, G. L.; Hulmes, D. J. S.
Developmental changes in the type I procollagen processing pathway in chick embryo cornea. 276: 777
Menard, R. See Khouri, H. E.
Menasche, M. See Kern, P.
Mendelsohn, F. A. O. See Sexton, P. M.
Mendez, R. See Moreno, A.
Menendez, M. See Martin Villacorta, J.
Menniti, F. S.
——; Putney, J. W. Jr.
Inositol 1,4,5-trisphosphate 3-kinase activity in high-speed supernatants from rat pancreatoma cells, AR4-2J 274: 622
Menuelle, P.
——; Plas, C.
Variations in the antagonistic effects of insulin and glucagon on glycogen metabolism in cultured fetal hepatocytes. 277: 111
Merchie, B. See Girard, A.
Meredith, S. C. See Tonsgard, J. H.
Metcalfe, J. C. See Grainger, D. J.; Kemp, P. R.
Metso, J. See Jauhiainen, M.
Metz, J. See Vieira-Makings, E.
Meunier, J. C. See Chardot, T.
Meyer, C. See Truong, H. N.
Meyer, D. J. See Harris, J. M.
——; Coles, B.; Pemble, S. E.; Gilmore, K. S.; Fraser, G. M.; Ketterer, B.
Theta, a new class of glutathione transferases purified from rat and man. 274: 409
——; Gilmore, K. S.; Coles, B.; Dalton, K.; Hulbert, P. B.; Ketterer, B.
Structural distinction of rat GSH transferase subunit 10. 274: 619
Meyer, H. E. See Stoecker, G.
Meyer, T. E. See Ambler, R. P.
Meyerholz, H. H.
——; Gardemann, A.; Jungermann, K.
Control of glycogenolysis and blood flow by arterial and portal adrenaline in perfused liver. 275: 609
Michelangeli, F.
——; Di Virgilio, F.; Villa, A.; Podini, P.; Meldolesi, J.; Pozzan, T.

Identification, kinetic properties and intracellular localization of the calcium–magnesium ATPase from the intracellular stores of chicken cerebellum. 275: 555

Middleton, B. See Salter, A. M.

Midura, R. J. See McQuillan, D. J.

Midwinter, G. G. See Kitson, T. M.

Mieskes, G. See Takai, A.

Miglio, A. See Kivatinitz, S. C.

Mikoshiba, K. See Nakade, S.

Milek, R. L. B. See De Matteis, F.

Milic, M. R. See Munday, M. R.

Millan, J. L. See Hummer, C.

Millar, R. P. See Van der Merwe, P. A.

Miller, A. See Vuillard, L.

Miller, E. J. See Niemann, M. A.

Millican, P. E.
——; Kenny, A. J.; Turner, A. J.
Purification and properties of a neurotensin–degrading endopeptidase from pig brain. 276: 583

Milligan, G. See McKenzie, F. R.; Orford, M.; Strassheim, D.

Milne, J. J. See Malthouse, J. P. G.

Milzani, A. See Colombo, R.

Minardi, C. See Di Marzo, V.

Mindham, M. A.
——; Mayes, P. A.
Reverse cholesterol transport in the rat. Studies using the isolated perfused spleen in conjunction with the perfused liver. 279: 503

Mindroiu, T. See Berg, T.

Miras–Portugal, M. T. See Delicado, E. G.

Missiaen, L. See Cheek, T. R.; De Smedt, H.

Mistry, R.
——; Snashall, P. D.; Totty, N.; Guz, A.; Tetley, T. D.
Isolation and characterization of sheep α_1–proteinase inhibitor. 273: 685

Mistry, S. C.
——; Priestman, D. A.; Kerbey, A. L.; Randle, P. J.
Evidence that rat liver pyruvate dehydrogenase kinase activator protein is a pyruvate dehydrogenase kinase. 275: 775

Misumi, Y. See Ohkubo, K.

Mitani, K.
——; Fujita, H.; Sassa, S.; Kappas, A.
A heat–inducible nuclear factor that binds to the heat–shock element of the human heme oxygenase gene. 277: 895

Mitchell, J. R. D.
——; Saggerson, E. D.
Activities of enzymes of glycerolipid synthesis in brown adipose tissue after treatment of rats with the adrenergic agonists BRL 26830A and phenylephrine, after exposure to cold and in streptozotocin–diabetes. 277: 665

Miyake, N. See Hayashi, H.

Moatti, N. See Feneant–Thibault, M.

Modaressi, S. See Peters, C.

Modlin, I. M. See Basson, M. D.

Moeller, U. See Schwerdt, G.

Moffat, C. F. See Grant, D.

Mohr, J. See Tschank, G.

Mol, M. J. T. M.
——; Stalenhoef, A. F. H.; Demacker, P. N. M.; Van't Laar, A.
Alterations in the metabolism of very–low– and low–density lipoproteins after partial ileal–bypass surgery in the Watanabe heritable hyperlipidemic rabbit. 278: 651

Molina, E.
——; Plana, M.; Itarte, E.
Heterogeneity of rat liver cytosol casein kinase 2. Association between the α/α'–subunits of casein kinase 2 and the phosphorylatable protein pp49. 277: 811

Molino, M. See Romano, M.

Mollereau, C. See Gerard, C. M.

Mollinedo, F. See Garcia, M. d. C.
——; Vaquerizo, M. J.; Naranjo, J. R.
Expression of c–jun, jun B and jun D proto–oncogenes in human peripheral–blood granulocytes. 273: 477

Mollison, K. W. See Bohnsack, J. F.

Monaco, M. E.
——; Adelson, J. R.
Evidence for coupling of resynthesis to hydrolysis in the phosphoinositide cycle. 279: 337

Monfries, C. See Ahmed, S.

Monk, P. N. See Sheth, B.

Monks, T. J. See Van Ommen, B.

Monnaie, D. See Varetto, L.

Monstadt, G. M.
——; Holldorf, A. W.
Arginine deiminase from Halobacterium salinarium. Purification and properties. 273: 739

Montanaro, L. See Sperti, S.

Montecucco, A. See Ciarrocchi, G.

Montero, C.
——; Llorente, P.
Artemia purine phosphoribosyltransferases. Purification and characterization. 275: 327

Montero, M. See Alonso, M. T.; Alvarez, J.

——; Alvarez, J.; Garcia–Sancho, J.
Agonist–induced calcium influx in human neutrophils is secondary to the emptying of intracellular calcium stores. 277: 73

Montreuil, J. See Legrand, D.

Mookerjea, S. See Nadkarni, S.

Mooney, R. A.
——; Bordwell, K. L.
Counter–regulation by insulin and isoprenaline of a prominent fat–associated phosphoprotein doublet in rat adipocytes. 274: 433

Moore, G. R. See Fatemi, S. J. A.; Kadir, F. H. A.

Moore, H. D. M. See Lea, I.

Moore, S. See Watkinson, A.

Moore, T. See Stephens, L. R.

Moree, W. J. See Adang, A. E. P.

Morello, L. See Brambilla, R.

Moreno, A.
——; Mendez, R.; De Haro, C.
Characterization of cell–free protein–synthesis systems from undeveloped and developing Artemia embryos. 276: 809

Morgan, A. R. See Krishna, P.

Morgan, B. P. See Jones, J.

Morgan, H. W. See Hudson, R. C.

Morgan, W. T. See Smith, A.

Mori, Y. See Sato, T.

Morita, K. See Dohi, T.

Morris, C. J. See Rogers, K. R.

Morris, G. E.
——; Jackson, P. J.
Identification by protein microsequencing of a proteinase–V8–cleavage site in a folding intermediate of chick muscle creatine kinase. 280: 809

Morris, H. G. See Tai, G. H.

Morris, P. J. See Stephens, L. R.

Morrone, G. See Bond, H. M.

Mort, J. S. See Buttle, D. J.; Nguyen Quang

Mortensen, E. R.
——; Drachman, J. G.; Guidotti, G.
The $\alpha\beta$ monomer of the insulin receptor has hormone–responsive tyrosine kinase activity. 273: 49

Mortensen, K. See Sjoeberg, B.

Moseley, J. M. See Schneider, H. G.; Sexton, P. M.

Moshage, H. J. See Van Dijk, W.

Motion, R. L. See Hill, J. P.

Moura, J. J. G. See Bray, R. C.

Moustacas, A. M.
——; Nari, J.; Borel, M.; Noat, G.; Ricard, J.
Pectin methylesterase, metal ions and plant cell–wall extension. The role of metal ions in plant cell–wall extension. 279: 351

Mowbray, J. See Patel, B.

Moynagh, P. N.
——; Bailey, C. J.; Boyce, S. J.; Williams, D. C.
Immunological studies on the rat peripheral–type benzodiazepine acceptor. 275: 419

Muallem, S.
——; Loessberg, P.; Sachs, G.; Wheeler, L. A.
Agonist–sensitive and –insensitive intracellular calcium pools. Separate calcium–releasing mechanisms revealed by manoalide and benzohydroquinone. 279: 367

Mueller–Esterl, W. See Haasemann, M.

Mukhopadhyay, A. See Mawal, M. R.

Mukhopadhyay, G.
——; Ghosh, A.
Purification and properties of DNA gyrase from Vibrio cholerae. 280: 797

Mulder, G. J. See Adang, A. E. P.

Muller, A.
——; Van Hardeveld, C.; Simonides, W. S.; Van Rijn, J.
The elevation of sarcoplasmic reticulum calcium–ATPase levels by thyroid hormone in the L6 muscle cell line is potentiated by insulin–like growth factor–I. 275: 35

Mulligan, H. D.
——; Tisdale, M. J.
Metabolic substrate utilization by tumor and host tissues in cancer cachexia. 277: 321

Mulloy, B. See Challiss, R. A. J.

Munday, M. R.
——; Milic, M. R.; Takhar, S.; Holness, M. J.; Sugden, M. C.
The short–term regulation of hepatic acetyl–CoA carboxylase during starvation and re–feeding in the rat. 280: 733

Munoz, F. See Vazquez, M. A.

Murakami, K. See Fukamizu, A.; Hosoi, M.

Murata, Y. See Kuroki, Y.

Murawsky, M. M. See Stauderman, K. A.

Muriana, F. J. G.
——; Alvarez–Ossorio, M. C.; Relimpio, A. M.
Purification and characterization of aspartate aminotransferase from the halophile archaebacterium Haloferax mediterranei. 278: 149

Muriel, C. See Cava, F.

Murphy, C. T.
——; Elmore, M.; Kellie, S.; Westwick, J.
The relationship between cytosolic calcium, sn–1,2–diacylglycerol and inositol 1,4,5–trisphosphate elevation in platelet–activating–factor–stimulated rabbit platelets. Influence of protein kinase C on production of signal molecules. 278: 255

Murphy, G. See Hughes, C.; Koklitis, P. A.; Ward, R. V.

——; Cockett, M. I.; Ward, R. V.; Docherty, A. J. P.
Matrix metalloproteinase degradation of elastin, type IV collagen and proteoglycan. A quantitative comparison of the activities of 95 kDa and 72 kDa gelatinases, stromelysins–1 and –2 and punctuated metalloproteinase (PUMP). 277: 277
Murphy, J. P. See Goward, C. R.
Murray, B. P. See Edwards, R. J.
Murray, H. See Howell, S.
Murray, S. See Edwards, R. J.
Mushack, J. See Kellerer, M.; Vogt, B.
Muzykantov, V. R.
——; Smirnov, M. D.; Samokhin, G. P.
Avidin acylation prevents the complement–dependent lysis of avidin–carrying erythrocytes. 273: 393
Muzzin, P. See Revelli, J. P.

Naccache, P. H. See McDonald, P. P.
Nadkarni, S.
——; Hunt, D.; Ratnam, S.; Nagpurkar, A.; Mookerjea, S.
Heparin–binding serum protein(s) is required for the protection of sialyltransferase released during the incubation of rat jejunal slices. 280: 687
Naficy, S. See Pegg, A. E.
Naftalin, R. J. See Rist, R. J.
Nagarajan, S. See Pegg, A. E.
Nagase, H. See Sato, T.
Nagata, T.
——; Bellows, C. G.; Kasugai, S.; Butler, W. T.; Sodek, J.
Biosynthesis of bone proteins [SPP–1 (secreted phosphoprotein–1, osteopontin), BSP (bone sialoprotein) and SPARC (osteonectin)] in association with mineralized–tissue formation by fetal rat calvarial cells in culture. 274: 513
Naggert, J.
——; Witkowski, A.; Wessa, B.; Smith, S.
Expression in Escherichia coli, purification and characterization of two mammalian thioesterases involved in fatty acid synthesis. 273: 787
Nagpurkar, A. See Nadkarni, S.
Nahmod, V. E. See Finocchiaro, L. M. E.
Nahorski, S. R. See Challiss, R. A. J.; Chilvers, E. R.; Gawler, D. J.; Lambert, D. G.; Strupish, J.
Naiki, H. See Higuchi, K.
Nair, C. N. See Ramamoorthy, S.
Nakade, S.
——; Maeda, N.; Mikoshiba, K.
Involvement of the C–terminus of the inositol 1,4,5–trisphosphate receptor in calcium release analyzed using region–specific monoclonal antibodies. 277: 125
Nakamura, Y. See Hosoi, M.
Nakashima, S.
——; Suganuma, A.; Matsui, A.; Nozawa, Y.
Thrombin induces a biphasic 1,2–diacylglycerol production in human platelets. 275: 355
Nakasone, S.
——; Ohshita, T.; Iwamasa, T.
Heterogeneity of pig lysosomal acid α–glucosidase. Affinity to Sephacryl S–200 gel and tissue distribution. 279: 719
Nakayama, R. See Manos, P.
Nakayama, T. See Hara, A.; Kanazu, T.
Naor, Z. See Ben–Shlomo, H.
Naranjo, J. R. See Mollinedo, F.
Nari, J. See Moustacas, A. M.
——; Noat, G.; Ricard, J.
Pectin methylesterase, metal ions and plant cell–wall extension. Hydrolysis of pectin by plant cell–wall pectin methylesterase. 279: 343
Nave, J. F.
——; Jacobi, D.; Gaget, C.; Dulery, B.; Ducep, J. B.
Evaluation of 5– and 6–fluoro derivatives of arachidonic acid and 5,8,14–eicosatrienoic acid as substrates and inhibitors of 5–lipoxygenase. 278: 549
Nawratil, P. See Haasemann, M.
Naylor, S. See Holley, A. E.
Naziruddin, B. See Shankar, V.
Neagle, J. See Clarkson, G. H. D.
Neagle, J. C.
——; Lindsay, J. G.
Selective proteolysis of the protein X subunit of the bovine heart pyruvate dehydrogenase complex. Effects on dihydrolipoamide dehydrogenase (E3) affinity and enzymic properties of the complex. 278: 423
Neal, G. E. See Hayes, J. D.
Neer, E. J. See Denker, B. M.
Nehls–Sahabandu, M. See Reiser, G.
Nel, A. E. See Pollack, S.
Nelson, S. R.
——; Lyon, M.; Gallagher, J. T.; Johnson, E. A.; Pepys, M. B.
Isolation and characterization of the integral glycosaminoglycan constituents of human amyloid A and monoclonal light–chain amyloid fibrils. 275: 67
Nenseter, M. S. See Dueland, S.
Neuburger, M. See Verniquet, F.
——; Jourdain, A.; Douce, R.
Isolation of H–protein loaded with methylamine as a transient species in glycine decarboxylase reactions. 278: 765
Nevalainen, T. J. See Kortesuo, P. T.
Newbold, C. I. See Kirk, K.
Newby, A. C. See Blayney, L. M.
Newman, E. S. R. See Turner, J. J. O.
Newsholme, E. A. See Dimitriadis, G. D.; Leighton, B.; Parry–Billings, M.; Szondy, Z.
Newton, W. E. See May, H. D.
Nexoe, E. See Schohn, H.
Ngai, P. K.
——; Chang, J. Y.
A novel one–step purification of human α–thrombin after direct activation of crude prothrombin enriched from plasma. 280: 805
Nguyen–Disteche, M. See Palomeque–Messia, P.
Nguyen Quang
——; Liu, J.; Roughley, P. J.; Mort, J. S.
Link protein as a monitor in situ of endogenous proteolysis in adult human articular cartilage. 278: 143
Nick, H. S. See Wong, W. T.
Nicol, F. See Arthur, J. R.
Nicolai, H. See Thomas, J. T.
Nicolas, J. P. See Schohn, H.
Nieduszynski, I. A. See Dickenson, J. M.; Tai, G. H.
Nielsen, J. H. See Zhou, A.
Niemann, M. A.
——; Bhown, A. S.; Miller, E. J.
The principal site of glycation of human complement factor B. 274: 473
Nieuwenhuizen, W. See Schielen, W. J. G.
Nieuwkoop, N. J. See Van den Berghe, N.
Niki, I.
——; Welsh, M.; Berggren, P. O.; Hubbard, P.; Ashcroft, S. J. H.
Characterization of the solubilized glibenclamide receptor in a hamster pancreatic β–cell line, HIT T15. 277: 619
Nissim, I. See Nissim, I.
——; Wehrli, S.; States, B.; Nissim, I.; Yudkoff, M.
Analysis and physiological implications of renal 2–oxoglutaramate metabolism. 277: 33
Nissinen, M.
——; Vuolteenaho, R.; Boot–Handford, R.; Kallunki, P.; Tryggvason, K.
Primary structure of the human laminin A chain. Limited expression in human tissues. 276: 369
Noat, G. See Moustacas, A. M.; Nari, J.
Noel, J. See Capiod, T.
Nolte, C. See Sandberg, M.
Nomura, T. See Fukamizu, A.
Nordlund, S. See Brostedt, E.; Carlberg, I.
Nordmann, J. J.
——; Stuenkel, E. L.; Malviya, A. N.
Exocytosis in neurohypophysial nerve terminals is not coupled to protein kinase C translocation. 273: 493
Norman, M.
——; Ekman, G.; Ulmsten, U.; Barchan, K.; Malmstroem, A.
Proteoglycan metabolism in the connective tissue of pregnant and non–pregnant human cervix. An in vitro study. 275: 515
North, R. A. See Kavanaugh, M. P.
Nozawa, Y. See Nakashima, S.; Yada, Y.
Nugent, J. H. A. See Williams, H. D.
Nunez, D. J. R.
——; Taylor, E. A.; Oh, V. M. S.; Schofield, J. P.; Brown, M. J.
Endothelin–1 mRNA expression in the rat kidney. 275: 817
Nunez de Castro, I. See Medina, M. A.
Nunn, D. L. See Oldershaw, K. A.
Nyathi, C. B. See Houweling, M.; Tijburg, L. B. M.

Oberdisse, E. See Hoer, A.
Obermaier–Kusser, B. See Kellerer, M.
Obie, J. See Bird, G. S. J.
O'Brien, R. M.
——; Granner, D. K.
Regulation of gene expression by insulin. 278: 609
Ochoa, P. See Pajares, M. A.
O'Connor, C. D. See Man, W. J.
Oda, M. N. See Hardy, D. M.
Oda–Tamai, S.
——; Kato, S.; Akamatsu, N.
Postnatal changes in sialylation of glycoproteins in rat liver. 280: 179
Oeberg, C. See Welsh, N.
Oestenson, C. G. See Chandramouli, V.
Oestergaard, P. See Liu, G.
O'Fallon, J. V.
——; Wright, R. W. Jr.; Calza, R. E.
Glucose metabolic pathways in the anaerobic rumen fungus Neocallimastix frontalis EB188. 274: 595
O'Flaherty, J. T.
——; Rossi, A. G.; Jacobson, D. P.; Redman, J. F.
Roles of calcium in human neutrophil responses to receptor agonists. 277: 705

Ogata, F.
Heterogeneity of serum amyloid A with respect to molecular mass. 273: 245
Ogata, S. See Ohkubo, K.
Ogino, H. See Ishikawa, H.
Oh, V. M. S. See Nunez, D. J. R.
Oh, Y.
——; Beukers, M. W.; Pham, H. M.; Smanik, P. A.; Smith, M. C.; Rosenfeld, R. G.
Altered affinity of insulin-like growth factor II (IGF-II) for receptors and IGF-binding proteins, resulting from limited modifications of the IGF-II molecule. 278: 249
Ohisalo, J. J. See Kaartinen, J. M.
——; Vikman, H. L.; Ranta, S.
Untreated type 1 diabetes does not impair adenosine-mediated inhibition of lipolysis in human adipocytes. Comments. 278: 309
Ohkubo, K.
——; Ogata, S.; Misumi, Y.; Takami, N.; Sinohara, H.; Ikehara, Y.
Cloning, structure and expression of cDNA for mouse contrapsin and a related protein. 276: 337
Ohlsson, K. See Abrahamson, M.
Ohshita, T. See Nakasone, S.
Ohta, H. See Adachi, T.
Ohta, J. See Kinuta, M.
Oikonomakos, N. G. See Papageorgiou, A. C.
Okano, Y. See Yada, Y.
Oldershaw, K. A.
——; Nunn, D. L.; Taylor, C. W.
Quantal calcium mobilization stimulated by inositol 1,4,5-trisphosphate in permeabilized hepatocytes. 278: 705
O'Leary, V. See Jessup, W.
O'Leary, V. J. See Darley-Usmar, V. M.
Ole-Moiyoi, O. K. See Aboagye-Kwarteng, T.
Olivecrona, T. See Liu, G.
Oliver, J. See Taylor, J. B.
Oliver, K. G. See Bird, G. S. J.
Olson, J. A. See Barua, A. B.
Olson, S. T. See Lindahl, P.
Olsson, H. See Persson, A.
Omann, G. M. See Smolen, J. E.
Omay, H. See Schmalzing, G.
Ono, T. See Peeters, R. A.
Oosterlaken-Dijksterhuis, M. A.
——; Van Eijk, M.; Van Buel, B. L. M.; Van Golde, L. M. G.; Haagsman, H. P.
Surfactant protein composition of lamellar bodies isolated from rat lung. 274: 115
Opara, E. See Parry-Billings, M.
Oratore, A. See Franceschini, N.
O'Reilly, R. See Hallinan, T.
Orford, M.
——; Mazurkiewicz, D.; Milligan, G.; Saggerson, D.
Abundance of the α-subunits of $G_{i}1$, $G_{i}2$, and G_{o} in synaptosomal membranes from several regions of the rat brain is increased in hypothyroidism. 275: 183
Orgebin-Crist, M. C. See Skudlarek, M. D.
Orr, I. See Gechtman, Z.
——; Gechtman, Z.; Shoshan-Barmatz, V.
Characterization of calcium-dependent endogenous phosphorylation of 160,000- and 150,000-Dalton proteins of sarcoplasmic reticulum. 276: 89
Orrenius, S. See Llopis, J.
Osborne, P. B. See Kavanaugh, M. P.
Oshida, H. See Ishikawa, H.
Ottenhoff, R. See Oude Elferink, R. P. J.; Roelofsen, H.
Oude Elferink, R. P. J. See Roelofsen, H.
——; Ottenhoff, R.; Radominska, A.; Hofmann, A. F.; Kuipers, F.; Jansen, P. L. M.
Inhibition of glutathione-conjugate secretion from isolated hepatocytes by dipolar bile acids and other organic anions. 274: 281
Overall, C. M. See Wrana, J. L.
Overington, J. P. See Topham, C. M.
Owen, D. See Grand, R. J. A.
Owens, P. C. See Tomas, F. M.
Ozaki, S. See Hirata, M.

Pacini, L. See Spinedi, A.
Packman, L. C.
——; Green, B.; Perham, R. N.
Lipoylation of the E2 components of the 2-oxo acid dehydrogenase multienzyme complexes of Escherichia coli. 277: 153
Paddon, H. B. See Pelech, S. L.
Padfield, P. See Basson, M. D.
Pagano, R. E. See Futerman, A. H.
Page, L. See Arthur, G.
Page, R. A.
——; Kitson, K. E.; Hardman, M. J.
The importance of alcohol dehydrogenase in regulation of ethanol metabolism in rat liver cells. 278: 659
Paik, W. K. See Ghosh, S. K.
Pajares, M. A.
——; Corrales, F. J.; Ochoa, P.; Mato, J. M.
The role of cysteine-150 in the structure and activity of rat liver S-adenosyl-L-methionine synthetase. 274: 225
Pak, Y. See Weinhart, U.
Palfi, Z.
——; Suranyi, G.; Borbely, G.
Alterations in the accumulation of adenylylated nucleotides in heavy-metal-ion-stressed and heat-stressed Synechococcus sp. strain PCC 6301, a cyanobacterium, in light and dark. 276: 487
Pallardo, F. V.
——; Sastre, J.; Asensi, M.; Rodrigo, F.; Estrela, J. M.; Vina, J.
Physiological changes in glutathione metabolism in fetal and newborn rat liver. 274: 891
Pallen, C. J.
——; Lai, D. S. Y.; Chia, H. P.; Boulet, I.; Tong, P. H.
Purification and characterization of a higher-molecular-mass form of protein phosphotyrosine phosphatase (PTP 1B) from placental membranes. 276: 315
Palmer, S. See Plevin, R.
Palmer, T. See Strassheim, D.
Palomeque-Messia, P.
——; Englebert, S.; Leyh-Bouille, M.; Nguyen-Disteche, M.; Duez, C.; Houba, S.; Dideberg, O.; Van Beeumen, J.; Ghuysen, J. M.
Amino acid sequence of the penicillin-binding protein/DD-peptidase of Streptomyces K15. Predicted secondary structures of the low-M_r penicillin-binding proteins of class A. 279: 223
Palou, A. See Puigserver, P.
Pande, H. See Tressel, T.
Pandiella, A. See Casabiell, X.; Magni, M.
Pankovich, J. M.
——; Jimbow, K.
Tyrosine transport in a human melanoma cell line as a basis for selective transport of cytotoxic analogs. 280: 721
Pannekoek, H. See Leyte, A.
Panzica, M. See Thompson, N. L.
Paolantonacci, P. See Bihoreau, N.
Pap, S. See Sjoeberg, B.
Papageorgiou, A. C.
——; Oikonomakos, N. G.; Leonidas, D. D.; Bernet, B.; Beer, D.; Vasella, A.
The binding of D-gluconohydroximo-1,5-lactone to glycogen phosphorylase. Kinetic, ultracentrifugation and crystallographic studies. 274: 329
Pappin, D. See Coffer, A.
Paquet, M. R. See Trudel, S.
Parant, M. See Ancelin, M. L.
Parivar, F. See Farrow, N.
Park, J. W. See Masuno, H.
Parker, C. D. See ElDeib, M. M. R.
Parker, C. E. See Iwahashi, H.
Parker, I. See Ivorra, I.
Parker, P. J. See Pears, C.
Parkes, H. G. See Grootveld, M.
Parks, W. C. See Grosso, L. E.
Parmentier, M. See Gerard, C. M.
Parmentier, S. See Catimel, B.
Parry-Billings, M. See Dimitriadis, G. D.; Leighton, B.
——; Bevan, S. J.; Opara, E.; Newsholme, E. A.
Effects of changes in cell volume on the rates of glutamine and alanine release from rat skeletal muscle in vitro. 276: 559
——; Newsholme, E. A.
The possible role of glutamine substrate cycles in skeletal muscle. 279: 327
Parthasarathy, N.
——; Chandrasekaran, L.; Tanzer, M. L.
The major proteoglycan of adult rabbit skeletal muscle. Relationship to small proteoglycans of other tissues. 274: 219
Parys, J. B. See De Smedt, H.
Parzer, S.
——; Mannhalter, C.
A rapid method for the isolation of genomic DNA from citrated whole blood. 273: 229
Pascall, J. C. See Vaughan, T. J.
Pastor-Anglada, M. See Felipe, A.; Ruiz, B.
Patel, B.
——; Costi, A.; Hardy, D. L.; Mowbray, J.
The characterization of a new enzyme from rat liver mitochondria, oligophosphoglyceroyl-ATP 3'-phosphodiesterase. 274: 275
Patel, M. See Topham, C. M.
Patel, S.
——; Scrutton, M. C.
Calcium-driven [^{3}H]arachidonate release in electropermeabilized human platelets shows an absolute requirement for magnesium-ATP^{2-}. 273: 561
Paterson, A. R. P. See Wiley, J. S.
Patrick, A. D. See Hall, N. A.
Patterson, A.
——; Plevin, R.; Wakelam, M. J. O.
Accurate measurement of sn-1,2-diradylglycerol mass in cell lipid extracts. Comments. 280: 829
Paul, E.
——; Leblond, F. A.; LeBel, D.
In resting conditions, the pancreatic granule membrane protein GP-2 is

secreted by cleavage of its glycosyl=phosphatidylinositol anchor. 277: 879
Paulmichl, M. See Pfeilschifter, J.
Paulmichl, R. See Pfeilschifter, J.
Paxton, R.
——; Sievert, L. M.
An improved assay for pyruvate dehydrogenase in liver and heart. 277: 547
Pazhanisamy, S. See Mazzella, L. J.
Paz Nava, M. See Barja de Quiroga, G.
Peacock, S. D. See Hayes, J. D.
Peak, M. See Agius, L.
Pears, C.
——; Schaap, D.; Parker, P. J.
The regulatory domain of protein kinase C-ε restricts the catalytic domain specificity. 276: 257
Pearson, W. R. See Widersten, M.
Pecht, M. See Indig, F. E.
Peeters, R. A.
——; Ena, J. M.; Veerkamp, J. H.
Expression in Escherichia coli and characterization of the fatty-acid-binding protein from human muscle. 278: 361
——; Veerkamp, J. H.; Van Kessel, A. G.; Kanda, T.; Ono, T.
Cloning of the cDNA encoding human skeletal-muscle fatty-acid-binding protein, its peptide sequence and chromosomal localization. 276: 203
Pegg, A. E. See Lu, L.
——; Nagarajan, S.; Naficy, S.; Ganem, B.
Role of unsaturated derivatives of spermidine as substrates for spermine synthase and in supporting growth of SV-3T3 cells. 274: 167
Pelech, S. L.
——; Sanghera, J. S.; Paddon, H. B.; Quayle, K. A.; Brownsey, R. W.
Identification of a major maturation-activated acetyl-CoA carboxylase kinase in sea star oocytes as p44^{mpk}. 274: 759
Pellegrini, M. G. See Condo, S. G.
Pelosin, J. M.
——; Keramidas, M.; Chambaz, E. M.
Production of platelet-activating factor is a component of the angiotensin II-protein kinase C activation pathway in bovine adrenocortical cells. 278: 29
Peltonen, J. See Tan, E. M. L.
Peltonen, L. See Halila, R.
Pemble, S. E. See Meyer, D. J.; Taylor, J. B.
Pemrick, S. M.
——; Martinez, P. A.
ATP, uncomplexed by divalent cations, and the LC2 light chain are interdependent modifiers of the skeletal actomyosin magnesium-ATPase activity. 280: 39
Pene, J. J. See Lim, H. M.
Penicaud, L.
——; Ferre, P.; Assimacopoulos-Jeannet, F.; Perdereau, D.; Leturque, A.; Jeanrenaud, B.; Picon, L.; Girard, J.
Increased gene expression of lipogenic enzymes and glucose transporter in white adipose tissue of suckling and weaned obese Zucker rats. 279: 303
Penning, T. M. See Askonas, L. J.
Pennington, S. R. See Schoefl, C.
Pepys, M. B. See Nelson, S. R.
Percival, S. S.
——; Harris, E. D.
Regulation of copper-zinc superoxide dismutase with copper. Ceruloplasmin maintains levels of functional enzyme activity during differentiation of K562 cells. 274: 153
Perdereau, D. See Penicaud, L.
Pereira, B.
——; Sivakami, S.
A comparison of the active site of maltase-glucoamylase from the brush border of rabbit small intestine and kidney by chemical modification studies. 274: 349
Perera, S. Y.
——; Voith, D. M.; Curthoys, N. P.
Biosynthesis and processing of mitochondrial glutaminase in HTC hepatoma cells. 273: 265
Peres, A. See Brambilla, R.
Perez, J. A. See Frias, I.
Perez, L. B. See Ding, V. D. H.
Perez-Campo, R. See Barja de Quiroga, G.
Perham, R. N. See Packman, L. C.
Perilli, M. See Franceschini, N.
Perkins, J. A. See Jose, P. J.
Perkins, S. J. See Tysoe-Calnon, V. A.
Perret, J. See Takazawa, K.
Persson, A.
——; Johansson, B.; Olsson, H.; Jergil, B.
Purification of rat liver plasma membranes by wheat-germ-agglutinin affinity partitioning. 273: 173
Persson, J. O. See Ingelman-Sundberg, M.
Persson, M. A. A. See Williamson, R. A.
Pescini, R. See Revelli, J. P.
Peshavaria, M.
——; Day, I. N. M.
Molecular structure of the human muscle-specific enolase gene (ENO3). 275: 427
Petaja-Repo, U. E. See Remes, J. J.
Peters, C. See Rommerskirch, W.
——; Rommerskirch, W.; Modaressi, S.; Von Figura, K.
Restoration of arylsulfatase B activity in human mucopolysaccharidosis-type-VI fibroblasts by retroviral-vector-mediated gene transfer. 276: 499
Peters, L. See Van Steeg, H.
Peters, R. See Sauer, H.
Peterson, D. L. See Delos, S.
Petit-Glœtron, M. F. See Chambert, R.
Petrie, L.
——; Chesters, J. K.; Franklin, M.
Inhibition of myoblast differentiation by lack of zinc. 276: 109
Pettit, G. R. See Kiss, Z.
Petursson, S. See Butters, T. D.
Pfeilschifter, J. See Huwiler, A.
——; Leighton, J.; Pignat, W.; Maerki, F.; Vosbeck, K.
Cyclic AMP mimics, but does not mediate, interleukin-1- and tumor-necrosis-factor-stimulated phospholipase A_2 secretion from rat renal mesangial cells. 273: 199
——; Paulmichl, M.; Woell, E.; Paulmichl, R.; Lang, F.
Cellular mechanisms of adrenaline-induced hyperpolarization in renal epitheloid MDCK cells. 274: 243
Pham, H. M. See Oh, Y.
Philippot, J. R. See Ancelin, M. L.
Phillips, J. H. See Tugal, H. B.
Phillips, M. F.
——; Mantle, T. J.
The initial-rate kinetics of mouse glutathione S-transferase YfYf. Evidence for an allosteric site for ethacrynic acid. 275: 703
Pic, P. See El Battari, A.
Picon, L. See Penicaud, L.
Piec, G.
——; Le Hir, M.
The soluble 'low-K_m' 5'-nucleotidase of rat kidney represents solubilized ecto-5'-nucleotidase. 273: 409
Pieters, M. N.
——; Schouten, D.; Bakkeren, H. F.; Esbach, B.; Brouwer, A.; Knook, D. L.; Van Berkel, T. J. C.
Selective uptake of cholesteryl esters from apolipoprotein-E-free high-density lipoproteins by rat parenchymal cells in vivo is efficiently coupled to bile acid synthesis. 280: 359
Pignat, W. See Pfeilschifter, J.
Pignataro, O. P. See Docampo, R.
Pilkis, S. J. See Lange, A. J.
Pinilla, M. See Jimeno, P.
Piras, G. See Adam, M.; El Kharroubi, A.
Pirotton, S.
——; Verjans, B.; Boeynaems, J. M.; Erneux, C.
Metabolism of inositol phosphates in ATP-stimulated vascular endothelial cells. 277: 103
Pitt, A. R. See Lander, M.
Pittner, R. A.
——; Fain, J. N.
Activation of membrane protein kinase C by glucagon and calcium-mobilizing hormones in cultured rat hepatocytes. Role of phosphatidylinositol and phosphatidylcholine hydrolysis. 277: 371
Pizzo, P.
——; Zanovello, P.; Bronte, V.; Di Virgilio, F.
Extracellular ATP causes lysis of mouse thymocytes and activates a plasma membrane ion channel. 274: 139
Pizzo, S. V. See Edelberg, J. M.
Plana, M. See Molina, E.
Plas, C. See Bismut, H.; Menuelle, P.
Plaxton, W. C. See Podesta, F. E.
Plevin, R. See Patterson, A.
——; Cook, S. J.; Palmer, S.; Wakelam, M. J. O.
Multiple sources of sn-1,2-diacylglycerol in platelet derived growth factor-stimulated Swiss 3T3 fibroblasts. Evidence for activation of phosphoinositidase C and phosphatidylcholine-specific phospholipase D. 279: 559
——; MacNulty, E. E.; Palmer, S.; Wakelam, M. J. O.
Differences in the regulation of endothelin-1- and lysophosphatidic acid-stimulated Ins(1,4,5)P_3 formation in rat-1 fibroblasts. 280: 609
Pliska, V.
——; Kohlhauf Albertin, H.
Effect of magnesium on the binding of oxytocin to sheep myometrial cells. 277: 97
Ploemen, J. H. T. M. See Van Ommen, B.
Plopper, C. G. See Wu, R.
Plouffe, C. See Khouri, H. E.
Podesta, F. E.
——; Plaxton, W. C.
Kinetic and regulatory properties of cytosolic pyruvate kinase from germinating castor oil seeds. 279: 495
Podini, P. See Michelangeli, F.
Poetsch, J. See Mach, L.
Pogson, C. I. See Low, S. Y.
Polgar, L. See Rawlings, N. D.
——; Szigetvari, A.; Low, M.; Korodi, I.; Balla, E.
Metalloendopeptidase QG. Isolation from Escherichia coli and characterization. 273: 725

Poli, S. See Casella, L.
Pollack, S.
——; Ledbetter, J. A.; Katz, R.; Wil⊃
liams, K.; Akerley, B.; Franklin, K.;
Schieven, G.; Nel, A. E.
Evidence for involvement of glycopro⊃
tein–CD45 phosphatase in reversing
glycoprotein–CD3–induced microtu⊃
bule–associated protein–2 kinase
activity in Jurkat T–cells. 276: 481
Polli, J. W.
——; Billingsley, M. L.
Preparation, characterization and
biological properties of biotinylated
derivatives of calmodulin. 275: 733
Polverino, A. J.
——; Hughes, B. P.; Barritt, G. J.
Inhibition of calcium inflow causes
an abrupt cessation of growth fac⊃
tor–induced repetitive free calcium
transients in single NIH–3T3 cells.
278: 849
Ponpipom, M. M. See Ding, V. D. H.
Pontarelli, G. See Sanchez, M.
Poole, D. M.
——; Durrant, A. J.; Hazlewood, G. P.;
Gilbert, H. J.
Characterization of hybrid proteins
consisting of the catalytic domains
of Clostridium and Ruminococcus
endoglucanases, fused to Pseudomo⊃
nas non–catalytic cellulose–binding
domains. 279: 787
Poole, R. C.
——; Halestrap, A. P.
Reversible and irreversible inhibition,
by stilbenedisulfonates, of lactate
transport into rat erythrocytes.
Identification of some new high–af⊃
finity inhibitors. 275: 307
Poole, R. K. See Bolgiano, B.; Wil⊃
liams, H. D.
Porn, M. I.
——; Akerman, K. E. O.; Slotte, J. P.
High–density lipoproteins induce a
rapid and transient release of calcium
in cultured fibroblasts. 279: 29
Porter, A. G. See Kalwant, S.
Pos, O. See Van Dijk, W.
Poso, A. R.
——; Hirsimaki, P.
Inhibition of proteolysis in the liver
by chronic ethanol feeding.
273: 149
Postlind, H. See Bergman, T.
Potempa, J.
——; Wunderlich, J. K.; Travis, J.
Comparative properties of three
functionally different but structural⊃
ly related serpin variants from horse
plasma. 274: 465
Potier, M. See Turcotte, G.
Potter, B. V. L. See Challiss, R. A. J.;
Gawler, D. J.; Strupish, J.
Pottinger, J. D. D. See Hall, M. D.;
Ryba, N. J. P.
——; Ryba, N. J. P.; Keen, J. N.; Find⊃
lay, J. B. C.
The identification and purification of
the heterotrimeric GTP–binding
protein from squid (Loligo forbesi)
photoreceptors. 279: 323
Pou, S.
——; Pou, W. S.; Rosen, G. M.; El–Fak⊃
ahany, E. E.
N–Hydroxylamine is not an interme⊃
diate in the conversion of L–arginine
to an activator of soluble guanylate
cyclase in neuroblastoma N1E–115
cells. 273: 547
Pou, W. S. See Pou, S.
Poulter, C. D. See Ding, V. D. H.
Pourfarzam, M.
——; Bartlett, K.
Products and intermediates of the
β–oxidation of [U–^{14}C]hexadecane⊃
dionoyl–mono–CoA by rat liver
peroxisomes and mitochondria.
273: 205
Powell, G. M. See Hughes, H. M.
Powls, R. See Cusack, M.
Poyner, D. R. See Stephens, L. R.
Poyton, R. O. See Black–Schaefer, C.
L.
Pozzan, T. See Michelangeli, F.
Pradel, L. A. See Frappier, T.
Pradel, P. See Estival, A.
Pratsch, L. See Sauer, H.
Pratt, R. F. See Knap, A. K.; Mazzel⊃
la, L. J.; Rahil, J.
Pressley, T. A. See Shoshan–Barmatz,
V.
Prestwich, S. A.
——; Bolton, T. B.
Measurement of picomole amounts
of any inositol phosphate isomer
separable by HPLC by means of a
bioluminescence assay. 274: 663
Price, N. C. See Coussons, P. J.; Hub⊃
bard, J. A. M.; Kelly, S. M.; Ribas
de Pouplana, L.
Priestman, D. A. See Mistry, S. C.
Princen, H. M. G. See Kaptein, A.;
Ugele, B.
——; Meijer, P.; Wolthers, B. G.; Vonk,
R. J.; Kuipers, F.
Cyclosporin A blocks bile acid synthe⊃
sis in cultured hepatocytes by spe⊃
cific inhibition of chenodeoxycholic
acid synthesis. 275: 501
Prinsze, C.
——; Dubbelman, T. M. A. R.; Van
Steveninck, J.
Potentiation of thermal inactivation
of glyceraldehyde–3–phosphate
dehydrogenase by photodynamic
treatment. A possible model for
the synergistic interaction between
photodynamic therapy and hyperth⊃
ermia. 276: 357
——; Tijssen, K.; Dubbelman, T. M. A.
R.; Van Steveninck, J.
Potentiation of hyperthermia–induced
hemolysis of human erythrocytes
by photodynamic treatment. Evi⊃
dence for the involvement of the
anion transporter in this synergistic
interaction. 277: 183
Pritchard, K.
——; Marston, S. B.
Calcium–dependent regulation of
vascular smooth–muscle caldesmon
by S.100 and related smooth–muscle
proteins. 277: 819
Prockop, D. J. See Steinmann, B.
Proctor, R. A. See Tanke, T.
Proefrock, A. See Kellerer, M.
Proud, D. See Churchill, L.
Pryme, I. F. See Hesketh, J. E.
Puceat, M.
——; Clement, O.; Scamps, F.; Vassort,
G.
Extracellular ATP–induced acidifica⊃
tion leads to cytosolic calcium tran⊃
sient rise in single rat cardiac myo⊃
cytes. 274: 55
Puerta, M. L. See Barja de Quiroga,
G.
Puigserver, A. See Estival, A.
Puigserver, P.
——; Llado, I.; Palou, A.; Gianotti, M.
Evidence for masking of brown adi⊃
pose tissue mitochondrial GDP–⊃
binding sites in response to fasting
in rats made obese by dietary ma⊃
nipulation. Effects of reversion to
standard diet. 279: 575
Pujol, J. P. See Feneant–Thibault, M.
Puranam, K. L. See Laird, D. W.
Puschendorf, B. See Weiss, G.
Pusztai, M.
——; Fast, P.; Gringorten, L.; Kaplan,
H.; Lessard, T.; Carey, P. R.
The mechanism of sunlight–mediated
inactivation of Bacillus thuringiensis
crystals. 273: 43
Putney, J. W. Jr. See Bird, G. S. J.;
Menniti, F. S.; Rossier, M. F.

Quaroni, A. See Beaulieu, J. F.
Quayle, K. A. See Pelech, S. L.

Raben, D. M. See Borchardt, R. A.
Radford, S. E.
——; Woolfson, D. N.; Martin, S. R.;
Lowe, G.; Dobson, C. M.
A three–disulfide derivative of hen
lysozyme. Structure, dynamics and
stability. 273: 211
Rado, T. A. See Stowell, K. M.
Radominska, A. See Oude Elferink,
R. P. J.; Zimniak, P.
Radsak, K. See Gundlach, B.
Radziuk, J. See Zhang, Z.
Ragab–Thomas, J. M. F. See Vicen⊃
do, P.
Rahier, A. See Taton, M.
Rahil, J.
——; Pratt, R. F.
Phosphonate monoester inhibitors of
class A β–lactamases. 275: 793
Rahman, D. See Coffer, A.
Rahmo, A.
——; Raijman, L.
The N–acetylglutamate content and
N–acetylglutamate synthase activity
of human liver. Comments.
275: 821
Rahmoune, H. See Lamblin, G.
Raijman, L. See Rahmo, A.
Rajaniemi, H. J. See Remes, J. J.
Ramamoorthy, S. See Kulanthaivel,
P.
——; Tiruppathi, C.; Nair, C. N.; Ma⊃
hesh, V. B.; Leibach, F. H.; Ganapa⊃
thy, V.
Relative sensitivity to inhibition by
cimetidine and clonidine differenti⊃
ates between the two types of sodi⊃
um–hydrogen ion exchangers in
cultured cells. 280: 317
Ramasubbu, N.
——; Reddy, M. S.; Bergey, E. J.; Har⊃
aszthy, G.; Soni, S. D.; Levine, M.
J.
Large–scale purification and charac⊃
terization of the major phosphopro⊃
teins and mucins of human subman⊃
dibular–sublingual saliva. 280: 341
Ramer, J. K. See Borchardt, R. A.
Ramirez, J. M. See Zurdo, J.
Ramsamooj, P.
——; Lively, M. O.; Hantgan, R. R.
Evidence that the central region of
glycoprotein IIIa participates in
integrin receptor function. 276: 725
Ramsay, R. R. See Vessey, D. A.
——; Krueger, M. J.; Youngster, S. K.;
Singer, T. P.
Evidence that the inhibition sites of
the neurotoxic amine 1–methyl–4–⊃
phenylpyridinium (MPP+) and of
the respiratory chain inhibitor pieri⊃
cidin A are the same. 273: 481
——; Mancinelli, G.; Arduini, A.
Carnitine palmitoyltransferase in
human erythrocyte membrane.
Properties and malonyl–CoA sensi⊃
tivity. 275: 685
Ramshaw, J. A. M. See Werkmeister,
J. A.

Randall, D. D. See Kleczkowski, L. A.
Randle, P. J. See Mistry, S. C.
Rangarajan, M. See Smith, C. A.
Ransnaes, L. A.
——; Leiber, D.; Insel, P. A.
Inhibition of subunit dissociation and release of the stimulatory G-protein, G_s, by $\beta\gamma$-subunits and somatostatin in S49 lymphoma cell membranes. 280: 303
Ranta, S. See Kaartinen, J. M.; Ohisalo, J. J.
Rapp, U. R. See Davis, B. H.; Kiss, Z.
Rappocciolo, E. See Cairo, G.
Rash, B. See Thomas, J. T.
Rasmussen, H. See Zawalich, W. S.
Rasschaert, J.
——; Malaisse, W. J.
Hexose metabolism in pancreatic islets. Glucose-induced and calcium-dependent activation of FAD-glycerophosphate dehydrogenase. 278: 335
Rathinavelu, A.
——; Isom, G. E.
Differential internalization and processing of atrial-natriuretic-factor B and C receptors in PC12 cells. 276: 493
Ratnam, S. See Nadkarni, S.
Ratner, D. I. See Smith, S. S.
Raub-Segall, E. See Lindahl, P.
Rawal, N. See Ghosh, S. K.
Rawlings, N. D.
——; Barrett, A. J.
Homologues of insulinase, a new superfamily of metalloendopeptidases. 275: 389
——; Polgar, L.; Barrett, A. J.
A new family of serine-type peptidases related to prolyl oligopeptidase. 279: 907
Ray, M. See Ray, S.
Ray, S.
——; Sarkar, D.; Ray, M.
Aminoacetone synthase from goat liver. Involvement of arginine residue at the active site and on the stability of the enzyme. 275: 575
Read, L. C. See Tomas, F. M.
Reavis, S. C. See Vieira-Makings, E.
Reboul, A.
——; Arvieux, J.; Wright, J. F.; Colomb, M. G.
Proteolytic fragmentation of tetanus toxin by subcellular fractions of JY, a B lymphoblastoid cell line. 277: 47
Reddy, M. S. See Ramasubbu, N.
Redgrave, T. G. See Bowler, A.
——; Elsegood, C. L.; Mamo, J. C. L.; Callow, M. J.
Effects of hypothyroidism on the metabolism of lipid emulsion models of triacylglycerol-rich lipoproteins in rats. 273: 375
Redman, J. F. See O'Flaherty, J. T.
Redwood, C. S. See Marston, S. B.
Reed, C. J.
——; Douglas, K. T.
Chemical cleavage of plasmid DNA by glutathione in the presence of copper(II) ions. The copper(II)-thiol system for DNA strand scission. 275: 601
Reese, C. B. See White, A. M.
Regazzi, R.
——; Ullrich, S.; Kahn, R. A.; Wollheim, C. B.
Redistribution of ADP-ribosylation factor during stimulation of permeabilized cells with GTP analogs. 275: 639
Reginato, A. M.
——; Jimenez, S. A.
Biochemical characterization of the native tissue form of type X collagen from embryonic chick sternal cartilage and identification of a chymotrypsin-sensitive site within its triple-helical domain. 273: 333
Reglero, A. See Ferrero, M. A.
Rehemtulla, A. See Ruf, W.
Rehfeldt, W.
——; Hass, R.; Goppelt-Struebe, M.
Characterization of phospholipase A_2 in monocytic cell lines. Functional and biochemical aspects of membrane association. 276: 631
Reibnegger, G. See Werner, E. R.
Reichen, J. See Dueland, S.
Reid, K. B. M. See Sellar, G. C.
Reiser, G. See Donie, F.
——; Schaefer, R.; Donie, F.; Huelser, E.; Nehls-Sahabandu, M.; Mayr, G. W.
A high-affinity inositol 1,3,4,5-tetrakisphosphate receptor protein from brain is specifically labeled by a newly synthesized photoaffinity analog, N-(4-azidosalicyl)aminoethanol(1)-1-phospho-D-myo-inositol 3,4,5-trisphosphate. 280: 533
Reiss, C. See Schmitt, B.
Reiss, N. See Ben-Shlomo, H.
Relimpio, A. M. See Muriana, F. J. G.
Remes, J. J.
——; Petaja-Repo, U. E.; Rajaniemi, H. J.
Rat and human neutrophil N-formyl-peptide chemotactic receptors. Species difference in the glycosylation of similar 35-38 kDa polypeptide cores. 277: 67
Remesar, X. See Felipe, A.
Rennex, D. See Stone, S. R.
Rennie, M. J. See Low, S. Y.
Reutter, W. See Hildebrandt, M.
Revel, J. P. See Laird, D. W.
Revelli, J. P.
——; Pescini, R.; Muzzin, P.; Seydoux, J.; Fitzgerald, M. G.; Fraser, C. M.; Giacobino, J. P.
Changes in β_1- and β_2-adrenergic receptor mRNA levels in brown adipose tissue and heart of hypothyroid rats. 277: 625
Reynolds, J. J. See Ward, R. V.
Rhim, H. See Tanke, T.
Ribas de Pouplana, L.
——; Atrian, S.; Gonzalez-Duarte, R.; Fothergill-Gilmore, L. A.; Kelly, S. M.; Price, N. C.
Structural properties of long- and short-chain alcohol dehydrogenases. Contribution of NAD^+ to stability. 276: 433
Ricard, J. See Moustacas, A. M.; Nari, J.
Rice-Evans, C. A. See Hallinan, T.; Turner, J. J. O.
Richards, C. F. See Clark, C. C.
Richards, S. J. See Dimitriadis, G. D.
Richardson, P. J. See Gray, S. R.
Richardson, P. S. See Davies, J. R.
Ricigliano, J. W. See Askonas, L. J.
Riendeau, D.
——; Falgueyret, J. P.; Guay, J.; Ueda, N.; Yamamoto, S.
Pseudoperoxidase activity of 5-lipoxygenase stimulated by potent benzofuranol and N-hydroxyurea inhibitors of the lipoxygenase reaction. 274: 287
Ries, W. See Klein, H. H.
Rigby, S. See White, A. M.
Rinaldi, A. See Yesufu, H. M. I.
Rinehart, A. R. See Ying, Q. L.
Rist, R. J.
——; Jones, G. E.; Naftalin, R. J.
Effects of macrophage colony-stimulating factor and phorbol myristate acetate on 2-D-deoxyglucose transport and superoxide production in rat peritoneal macrophages. 278: 119
——; Naftalin, R. J.
Dexamethasone inhibits the hexose monophosphate shunt in activated rat peritoneal macrophages by reducing hexokinase-dependent sugar uptake. 278: 129
Risteli, J. See Jukkola, A.
Risteli, L. See Jukkola, A.
Rittenhouse, S. E. See King, W. G.
Ritzenthaler, J. D.
——; Goldstein, R. H.; Fine, A.; Lichtler, A.; Rowe, D. W.; Smith, B. D.
Transforming growth factor-β activation elements in the distal promoter regions of the rat α1 type I collagen gene. 280: 157
Rivas, G. A.
——; Gonzalez-Rodriguez, J.
Calcium binding to human platelet integrin GPIIb/IIIa and to its constituent glycoproteins. Effects of lipids and temperature. 276: 35
Rivett, A. J.
——; Sweeney, S. T.
Properties of subunits of the multicatalytic proteinase complex revealed by the use of subunit-specific antibodies. 278: 171
Rizzardini, M. See Cantoni, L.
Robert, L. See Kern, P.
Roberts, T. M. See Anderson, N. G.
Robertson, C. See Saxena, S. P.
Robey, F. A. See Tandon, N. N.
Robins, M. J. See Wiley, J. S.
Robinson, A. K.
——; Barnes, L. D.
Chemical modification of a functional arginine residue in diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A) phosphorylase I from Saccharomyces cerevisiae. 279: 135
Rochard, E. See Legrand, D.
Rodgers, M. W. See Bolwell, G. P.
Rodrigo, F. See Pallardo, F. V.
Rodriguez-Gil, J. E. See Gomez-Foix, A. M.
Roelofsen, H.
——; Ottenhoff, R.; Oude Elferink, R. P. J.; Jansen, P. L. M.
Hepatocanalicular organic-anion transport is regulated by protein kinase C. 278: 637
Roesch, P. See Bock-Moebius, I.
Rogers, J. E.
——; Duronio, V.; Wong, S. I.; McNeil, M.; Salari, H.
Solubilization of a functionally active platelet-activating factor receptor from rabbit platelets. 278: 405
Rogers, K. R.
——; Morris, C. J.; Blake, D. R.
Oxidation of thiol in the vimentin cytoskeleton. 275: 789
Rogers, M. See Darley-Usmar, V. M.
Rognstad, R.
Estimation of peroxisomal and mitochondrial fatty acid oxidation in rat hepatocytes using tritiated substrates. 279: 147
Estimation of gluconeogenesis and glycogenolysis in vivo using tritiated water. 279: 911
Rogozinski, J. See Hopper, D. J.
Rohde, C. A. See Cluzel, M.
Rohde, K. See Bork, P.
Romaniec, M. P. M. See Fauth, U.
Romano, M.
——; Molino, M.; Cerletti, C.
Endotoxic lipid A induces intracellular calcium increase in human platelets. 278: 75

Romero-Chapman, N.
——; Lee, J.; Tinker, D.; Uriu-Hare, J. Y.; Keen, C. L.; Rucker, R. R. Purification, properties and influence of dietary copper on accumulation and functional activity of lysyl oxidase in rat skin. 275: 657
Romet-Lemonne, J. L. See Bihoreau, N.
Rommerskirch, W. See Peters, C.
——; Fluharty, A. L.; Peters, C.; Von Figura, K.; Gieselmann, V. Restoration of arylsulfatase A activity in human-metachromatic-leukodystrophy fibroblasts via retroviral-vector-mediated gene transfer. 280: 459
Roodenburg, L. See Kaptein, A.
Rosa, J. L. See Ventura, F.
Rose-John, S. See Schooltink, H.
Rosen, G. M. See Pou, S.
Rosenberg-Hasson, Y.
——; Bercovich, Z.; Kahana, C. cis-Recognition and degradation of ornithine decarboxylase subunits in reticulocyte lysate. 277: 683
Rosenfeld, R. G. See Oh, Y.
Ross, B. D. See Farrow, N.
Rossi, A. G. See O'Flaherty, J. T.
Rossi, C. See Cantoni, L.
Rossi, J. P. F. C. See Donnet, C.
Rossier, M. F.
——; Bird, G. St. J.; Putney, J. W. Jr. Subcellular distribution of the calcium-storing inositol 1,4,5-trisphosphate-sensitive organelle in rat liver. Possible linkage to the plasma membrane through the actin microfilaments. 274: 643
Rotsaert, J. See Butters, T. D.
Roufogalis, B. D. See Wang, K. K. W.
Roughley, P. J. See Nguyen Quang
Rouot, B. See Sontag, J. M.
Roussel, P. See Lamblin, G.
Roustan, C. See Houmeida, A.
Rowe, D. W. See Ritzenthaler, J. D.
Rowlands, C. C. See Hughes, H. M.
Roy, A. B.
Aluminofluorides and beryllofluorides as inhibitors of sulfatases. Analogs of hydrogen sulfate? 279: 361
Royo, T.
——; Ayte, J.; Albericio, F.; Giralt, E.; Haro, D.; Hegardt, F. G. Diurnal rhythm of rat liver cytosolic 3-hydroxy-3-methylglutaryl-CoA synthase. 280: 61
Ruan, K. H.
——; Stiles, B. G.; Atassi, M. Z. The short-neurotoxin-binding regions on the α-chain of human and Torpedo californica acetylcholine receptors. 274: 849
Rubin, E. See Cardellach, F.
Rubinstein, S.
——; Breitbart, H. Role of spermine in mammalian sperm capacitation and acrosome reaction. 278: 25
Rucker, R. R. See Romero-Chapman, N.
Ruf, W.
——; Rehemtulla, A.; Edgington, T. S. Antibody mapping of tissue factor implicates two different exon-encoded regions in function. 278: 729
Ruggiero-Lopez, D.
——; Biol, M. C.; Louisot, P.; Martin, A. Participation of an endogenous inhibitor of fucosyltransferase activities in the developmental regulation of intestinal fucosylation processes. 279: 801
Ruiz, B.
——; Felipe, A.; Casado, J.; Pastor-Anglada, M. Amino acid uptake by liver of genetically obese Zucker rats. 280: 367
Rustin, P.
——; Lance, C. Succinate-driven reverse electron transport in the respiratory chain of plant mitochondria. The effects of rotenone and adenylates in relation to malate and oxaloacetate metabolism. 274: 249
Rutherford, N. G. See Guest, P. C.
Rutter, G. A.
——; Borthwick, A. C.; Denton, R. M. Effects of protein phosphatase inhibitors on the regulation of insulin-sensitive enzymes within rat epididymal fat-pads and cells. 276: 649
Ruttersmith, L. D.
——; Daniel, R. M. Thermostable cellobiohydrolase from the thermophilic eubacterium Thermotoga sp. strain FjSS3-B.1. Purification and properties. 277: 887
Ryan, A. J. Jr. See Davis, F. B.
Ryan, C. See Agell, N.
Ryan, G.
——; Ades, I. Z. On the mechanism of induction of chick embryo hepatic δ-aminolaevulinate synthase by translational blockers. 274: 619
Ryan, M. P. See Higgins, P. J.
Ryba, N. J. P. See Hall, M. D.; Pottinger, J. D. D.
——; Pottinger, J. D. D.; Keen, J. N.; Findlay, J. B. C. Sequence of the β-subunit of the phosphatidylinositol-specific phospholipase C-directed GTP-binding protein from squid (Loligo forbesi) photoreceptors. 273: 225
Rytka, J. See Kurlandzka, A.

Sabsay, B.
——; Stetler-Stevenson, W. G.; Lechner, J. H.; Veis, A. Domain structure and sequence distribution in dentin phosphophoryn. 276: 699
Sachdev, G. P. See Shankar, V.
Sachs, G. See Muallem, S.
Safrany, S. T. See Strupish, J.
Saggerson, D. See Orford, M.
Saggerson, E. D. See Ghadiminejad, I.; Mitchell, J. R. D.
Sagi-Eisenberg, R. See Traub, L. M.
Sagoo, J. K.
——; Bose, C.; Beeley, N. R. A.; Tendler, S. J. B. Structural studies on the [But-Cys^{18}](19-37)-fragment of human β-calcitonin-gene-related peptide. 280: 147
Saibil, H. R. See Hall, M. D.
Said, H. M.
Movement of biotin across the rat intestinal basolateral membrane. Studies with membrane vesicles. 279: 671
Sakai, S.
Effect of hormones on dissociation of prolactin from the rabbit mammary gland prolactin receptor. 279: 461
Saklatvala, J.
——; Kaur, P.; Guesdon, F. Phosphorylation of the small heat-shock protein is regulated by interleukin 1, tumor necrosis factor, growth factors, bradykinin and ATP. 277: 635
Sala-Newby, G. B.
——; Campbell, A. K. Engineering a bioluminescent indicator for cyclic AMP-dependent protein kinase. 279: 727
Salari, H. See Rogers, J. E.
Salati, L. M. See McCormick, C. C.
Sale, G. J. See King, M. J.; Tappia, P. S.
Salih, E. See Topham, C. M.
Salmon, I. See Bolgiano, B.
Salter, A. M.
——; Hayashi, R.; Al-Seeni, M.; Brown, N. F.; Bruce, J.; Sorensen, O.; Atkinson, E. A.; Middleton, B.; Bleackley, R. C.; Brindley, D. N. Effects of hypothyroidism and high-fat feeding on mRNA concentrations for the low-density-lipoprotein receptor and on acyl-CoA:cholesterol acyltransferase activities in rat liver. 276: 825
Salvayre, R. See Levade, T.
Samejima, T. See Chiou, S. H.
Samis, J. A.
——; Back, D. W.; Graham, E. J.; DeLuca, C. I.; Elce, J. S. Constitutive expression of calpain II in the rat uterus during pregnancy and involution. 276: 293
Samokhin, G. P. See Muzykantov, V. R.
Sanchez, A. See Alonso, M. T.
Sanchez, M.
——; Gionti, E.; Pontarelli, G.; Arcella, A.; De Lorenzo, F. Expression of type X collagen is transiently stimulated in redifferentiating chondrocytes pretreated with retinoic acid. 276: 183
Sanchez-Arias, J. A. See Alvarez, J. F.
Sanchez-Bueno, A. See Schoefl, C.
——; Sancho, M. J.; Cobbold, P. H. Progesterone and estradiol increase cytosolic calcium in single rat hepatocytes. 280: 273
Sanchez Crespo, M. See Garcia, M. d. C.
Sanchez-Jimenez, F. See Medina, M. A.
Sancho, M. J. See Sanchez-Bueno, A.
Sandberg, M.
——; Butt, E.; Nolte, C.; Fischer, L.; Halbruegge, M.; Beltman, J.; Jahnsen, T.; Genieser, H. G.; Jastorff, B.; Walter, U. Characterization of Sp-5,6-dichloro-1-β-D-ribofuranosyl-benzimidazole-3',5'-monophosphorothioate (Sp-5,6-DCl-cBiMPS) as a potent and specific activator of cyclic-AMP-dependent protein kinase in cell extracts and intact cells. 279: 521
Sanderson, M. R. See Freemont, P. S.
Sanghera, G. S. See Bagby, S.
Sanghera, J. S. See Pelech, S. L.
Sanna, M. T. See Condo, S. G.
Santa-Cecilia, A. See Alonso, J. M.
Santiapillai, N. F. See Gray, S. R.
Santucci, R.
——; Faraoni, A.; Campanella, L.; Tranchida, G.; Brunori, M. Use of 'solid-state' promoters in the electrochemistry of cytochrome c at a gold electrode. 273: 783
Sarkar, D. See Ray, S.
Sarra, R. See Garratt, R. C.
Sartorelli, A. C. See Lee, C. W.; Sokoloski, J. A.
Sasaguri, T. See Hirata, M.
Sasak, W. V.
——; Lown, J. S.; Colburn, K. A.

Human small-intestinal apolipoprotein B-48 oligosaccharide chains. 274: 159
Sassa, S. See Mitani, K.
Sastre, J. See Pallardo, F. V.
Sato, T.
——; Ito, A.; Mori, Y.; Yamashita, K.; Hayakawa, T.; Nagase, H.
Hormonal regulation of collagenolysis in uterine cervical fibroblasts. Modulation of synthesis of procollagenase, prostromelysin and tissue inhibitor of metalloproteinases (TIMP) by progesterone and 17β-estradiol. 275: 645
Sauer, H.
——; Pratsch, L.; Fritzsch, G.; Bhakdi, S.; Peters, R.
Complement pore genesis observed in erythrocyte membranes by fluorescence microscopic single-channel recording. 276: 395
Savage, A. V.
——; D'Arcy, S. M. T.; Donoghue, C. M.
Structural characterization of neutral oligosaccharides with blood-group A and H activity isolated from bovine submaxillary mucin. 279: 95
Sawada, H. See Hara, A.; Kanazu, T.
Sawyer, L. See Coussons, P. J.
Sawyer, W. H. See Wiley, J. S.
Saxena, M. See Medh, R. D.
Saxena, S. P.
——; Robertson, C.; Becker, A. B.; Gerrard, J. M.
Synthesis of intracellular histamine in platelets is associated with activation of protein kinase C, but not with mobilization of calcium. 273: 405
Scalia, R. See Camadro, J. M.
Scamps, F. See Puceat, M.
Schaap, D. See Pears, C.
Schaefer, K. P. See Keller, A.
Schaefer, R. See Reiser, G.
Schallig, H. D. F. H. See Hordijk, P. L.
Schepers, T. See McLeish, K. R.
Scherf, W. See Mach, L.
Scherphof, G. L. See Verkade, H. J.
Schiaffonati, L. See Cairo, G.
Schielen, W. J. G.
——; Adams, H. P. H. M.; Voskuilen, M.; Tesser, G. J.; Nieuwenhuizen, W.
Structural requirements of position Aα-157 in fibrinogen for the fibrin-induced rate enhancement of the activation of plasminogen by tissue-type plasminogen activator. 276: 655
Schieven, G. See Pollack, S.
Schiff, J. A. See Li, J.
Schilstra, M. J.
——; Bayley, P. M.; Martin, S. R.
The effect of solution composition on microtubule dynamic instability. 277: 839
Schleicher, E. See Kellerer, M.
Schlesinger, M. J. See Agell, N.
Schlessinger, J. See Hack, N.
Schlueter, K. D. See Soemjen, D.
Schmalzing, G.
——; Gloor, S.; Omay, H.; Kroener, S.; Appelhans, H.; Schwarz, W.
Up-regulation of sodium pump activity in Xenopus laevis oocytes by expression of heterologous β1 subunits of the sodium pump. 279: 329
Schmid, K. See Watzlawick, H.
Schmidt, G.
——; Hausser, H.; Kresse, H.
Interaction of the small proteoglycan decorin with fibronectin. Involvement of the sequence NKISK of the core protein. 280: 411
Schmitt, B.
——; Reiss, C.
Kinetics of the specific binding of a second RNA polymerase to the standard bacterial-transposon-Tn3 bla promoter complex. 277: 435
Schmitz, H. See Schooltink, H.
Schmitz-Peiffer, C. See Diggle, T. A.
Schneider, H. G. See Sexton, P. M.
——; Allan, E. H.; Moseley, J. M.; Martin, T. J.; Findlay, D. M.
Specific down-regulation of parathyroid hormone (PTH) receptors and responses to PTH by tumor necrosis factor α and retinoic acid in UMR 106-06 osteoblast-like osteosarcoma cells. 280: 451
Schoefl, C.
——; Cuthbertson, K. S. R.; Gallagher, J. A.; Pennington, S. R.; Cobbold, P. H.; Brabant, G.; Hesch, R. D.; Von zur Muehlen, A.
Measurement of intracellular calcium in single aequorin-injected and suspensions of fura-2-loaded ROS 17/2.8 cells and normal human osteoblasts. Effect of parathyroid hormone. 274: 15
——; Sanchez-Bueno, A.; Brabant, G.; Cobbold, P. H.; Cuthbertson, K. S. R.
Frequency and amplitude enhancement of calcium transients by cyclic AMP in hepatocytes. 273: 799
Schoenfeld, W. See Kasimir, S.
Schofield, J. P. See Nunez, D. J. R.
Schofield, L. R. See Hudson, R. C.
Schohn, H.
——; Gueant, J. L.; Girr, M.; Nexoe, E.; Baricault, L.; Zweibaum, A.; Nicolas, J. P.
Synthesis and secretion of a cobalamin-binding protein by HT 29 cell line. 280: 427
Schooltink, H.
——; Stoyan, T.; Lenz, D.; Schmitz, H.; Hirano, T.; Kishimoto, T.; Heinrich, P. C.; Rose-John, S.
Structural and functional studies on the human hepatic interleukin-6 receptor. Molecular cloning and overexpression in HepG2 cells. 277: 659
Schouten, D. See Pieters, M. N.
Schteingart, C. See Coquil, J. F.
Schuetz, W. See Freissmuth, M.
Schultz, C. J. See Masuno, H.
Schulz, A. R.
Algorithms for the derivation of flux and concentration control coefficients. 278: 299
Schwarz, W. See Schmalzing, G.
Schwarz-Ben Meir, N.
——; Glaser, T.; Kosower, N. S.
Band 3 protein degradation by calpain is enhanced in erythrocytes of old people. 275: 47
Schwerdt, G.
——; Moeller, U.; Huth, W.
Identification of the CoA-modified forms of mitochondrial acetyl-CoA acetyltransferase and of glutamate dehydrogenase as nearest-neighbor proteins. 280: 353
Schwick, H. G. See Watzlawick, H.
Scicli, A. G. See Berg, T.
Scicli, G. See Berg, T.
Scott, C. D.
——; Baxter, R. C.
Synthesis of the acid-labile subunit of the growth-hormone-dependent insulin-like-growth-factor-binding protein complex by rat hepatocytes in culture. 275: 441
Scott, C. S. See Howell, S.
Scott, H. See Waddell, I. D.
Scott, J. E.
Chondroitin sulfate and keratan sulfate are almost isosteric. 275: 267
——; Cummings, C.; Brass, A.; Chen, Y.
Secondary and tertiary structures of hyaluronan in aqueous solution, investigated by rotary shadowing-electron microscopy and computer simulation. Hyaluronan is a very efficient network-forming polymer. 274: 699
Scott, R. L.
——; Kheshti, A.; Heimberg, M.; Wilcox, H. G.; Stone, W. L.
The role of selenium in the secretion of very-low-density lipoprotein in the isolated perfused rat liver. 279: 741
Scow, R. O. See Masuno, H.
Scriba, P. C. See Klein, H. H.
Scrutton, M. C. See Patel, S.
Scudder, P. See Butters, T. D.
Seamon, K. See Bonvini, E.
Searcey, M. See Gallacher, G.
Seccia, M.
——; Brossa, O.; Gravela, E.; Slater, T. F.; Cheeseman, K. H.
Exposure of β_L-crystallin to oxidizing free radicals enhances its susceptibility to transglutaminase activity. 274: 869
Seeburg, P. H. See Kavanaugh, M. P.
Seelig, A.
——; Kloetzel, P. M.; Kuehn, L.; Dahlmann, B.
Molecular interaction of the proteasome (multicatalytic proteinase). Evidence that the proteasome is not a constituent of the '26S' multienzyme complex. 280: 225
Seffer, E. See Kellerer, M.; Vogt, B.
Sekar, M. C.
——; Uemura, N.; Coy, D. H.; Hirschowitz, B. I.; Dickinson, K. E. J.
Bombesin, neuromedin B and neuromedin C interact with a common rat pancreatic phosphoinositide-coupled receptor, but are differentially regulated by guanine nucleotides. 280: 163
Selak, M. A. See Ashby, B.
Selden, A. C. See Vesey, D. A.
Sellar, G. C.
——; Blake, D. J.; Reid, K. B. M.
Characterization and organization of the genes encoding the A-, B- and C-chains of human complement subcomponent C1q. The complete derived amino acid sequence of human C1q. 274: 481
Selzer, E. See Freissmuth, M.
Semensi, V. See Sugumaran, M.
Sen, A. K.
Quantitative analysis of metabolic regulation. A graph-theoretic approach using spanning trees. 275: 253
Calculation of control coefficients of metabolic pathways. A flux-oriented graph-theoretic approach. 279: 55
Sen, R. P. See Delicado, E. G.
Serrano, M. A. See Alonso de la Torre, S. R.
Sett, R. See Basu, N.
Severn, A. See Darley-Usmar, V. M.
Severson, D. L. See Zhao, D.
Sexton, P. M.
——; Schneider, H. G.; D'Santos, C. S.; Mendelsohn, F. A. O.; Kemp, B. E.;

Moseley, J. M.; Martin, T. J.; Findlay, D. M.
Reversible calcitonin binding to solubilized sheep brain binding sites. 273: 179
Seydoux, J. See Revelli, J. P.
Shai, E. See Traub, L. M.
Shaltiel, S. See Chain, D.
Shanahan, C. M. See Kemp, P. R.
Shankar, V.
——; Virmani, A. K.; Naziruddin, B.; Sachdev, G. P.
Macromolecular properties and polymeric structure of canine tracheal mucins. 276: 525
Sharma, R.
——; Gupta, S.; Singhal, S. S.; Ahmad, H.; Haque, A.; Awasthi, Y. C.
Independent segregation of glutathione S-transferase and fatty acid ethyl ester synthase from pancreas and other human tissues. 275: 507
Sharma, R. P. See King, M. J.; Tappia, P. S.
Shaw, A. See Grenfell, S.
Shaw, D. C. See Suzuki, T.
Shaw, E. See Anagli, J.; Stone, S. R.
Shaw, P. C. See Loviny-Anderton, T.
Sheares, B. T. See Ding, V. D. H.
Shears, S. B. See McConnell, F. M.
Shedlofsky, S. I. See De Beer, M. C.
Sheehan, J. K. See Davies, J. R.; Thornton, D. J.
——; Boot-Handford, R. P.; Chantler, E.; Carlstedt, I.; Thornton, D. J.
Evidence for shared epitopes within the 'naked' protein domains of human mucus glycoproteins. A study performed by using polyclonal antibodies and electron microscopy. 274: 293
Sheikh, M. I. See Jessen, H.
Shen, K. Z. See Kavanaugh, M. P.
Shephard, E. G.
——; Smith, P. J.; Coetzee, S.; Strachan, A. F.; De Beer, F. C.
Pentraxin binding to isolated rat liver nuclei. 279: 257
Sherratt, H. S. A. See Melde, K.
Sherrington, R. See Taylor, J. B.
Sheth, B.
——; Banks, P.; Burton, D. R.; Monk, P. N.
The regulation of actin polymerization in differentiating U937 cells correlates with increased membrane levels of the pertussis-toxin-sensitive G-protein G_i2. 275: 809
Sheu, J. R. See Huang, T. F.
Shiao, M. S. See Wang, C. N.
Shibasaki, F. See Hayashi, H.
Shigeoka, S.
——; Takeda, T.; Hanaoka, T.
Characterization and immunological properties of selenium-containing glutathione peroxidase induced by selenite in Chlamydomonas reinhardtii. 275: 623
Shimizu, N. See Jaeger, J. L.; Stuiver, I.
Shimizu, Y. See Stuiver, I.
Shimojo, N. See Kodama, H.
Shin, M. K. See Loviny-Anderton, T.
Shinoda, M. See Hara, A.; Kanazu, T.
Shinohara, H.
——; Goda, T.; Takase, S.
Degradation of sucrase-isomaltase in the ileum of jejunum-bypassed rats. 276: 563
Shiratori, M. See Kuroki, Y.
Shirazi-Beechey, S. See Vayro, S.
Shirinskii, V. See Makuch, R.
Shively, J. E. See Tressel, T.
Shoshan-Barmatz, V. See Gechtman, Z.; Orr, I.
——; Pressley, T. A.; Higham, S.; Kraus-Friedmann, N.
Characterization of high-affinity ryanodine-binding sites of rat liver endoplasmic reticulum. Differences between liver and skeletal muscle. 276: 41
Shuto, T. See Hirata, M.
Sicilia, J. See Torres, N. V.
Siddle, K. See Clark, S.
Sierks, M. R. See Jespersen, H. M.
Sies, H. See Wang, J. F.
Siess, W. See Gennity, J. M.
Sievert, L. M. See Paxton, R.
Sigmund, O. See Ben-Shlomo, H.
Silbert, J. E. See Sugumaran, G.
Sim, R. B. See Steinkasserer, A.
Simmonds, A. C. See Craig, F. F.
Simon, S. R. See Ying, Q. L.
Simonides, W. S. See Muller, A.
Simpkin, N. J.
——; Harding, S. E.; Tombs, M. P.
Solution behavior of Chromobacter viscosum and Pseudomonas sp. lipases. No evidence of self-association. 273: 611
Simpson, H. D.
——; Haufler, U. R.; Daniel, R. M.
An extremely thermostable xylanase from the thermophilic eubacterium Thermotoga. 277: 413
Sinervirta, R. See Halmekyto, M.
Singer, T. P. See Ramsay, R. R.
Singh, H. K. See Kadir, F. H. A.
Singhal, S. S. See Medh, R. D.; Sharma, R.
Singla, S. K.
Nomenclature errors. 279: 328
Singleton, A. M. See Edwards, R. J.
Sinnott, M. L. See Guo, X.; Konstantinidis, A.
Sinohara, H. See Ohkubo, K.
Sit, K. H. See Tan, T. M. C.
Sivakami, S. See Pereira, B.
Siverio, J. M. See Frias, I.
Sizonenko, S. V.
——; Halban, P. A.
Differential rates of conversion of rat proinsulins I and II. Evidence for slow cleavage at the B-chain/C-peptide junction of proinsulin II. 278: 621
Sjoeberg, B.
——; Pap, S.; Jaernberg, S. E.; Mortensen, K.
Kinetics of the urea-induced dissociation of human plasma α_2-macroglobulin as measured by small-angle neutron scattering. 278: 325
Sjoeholm, A.
——; Welsh, N.; Hoftiezer, V.; Bankston, P. W.; Hellerstroem, C.
Increased glucose oxidation and contents of insulin and ATP in polyamine-depleted rat insulinoma cells (RINm5F). 277: 533
Skehel, J. M. See Dupuis, A.; Fearnley, I. M.
Skorecki, K. L. See Hack, N.
Skudlarek, M. D.
——; Orgebin-Crist, M. C.; Tulsiani, D. R. P.
Asparagine-linked glycoprotein biosynthesis in rat epididymis. Presence of a mannosidase II-like enzyme. 277: 213
Slade, A. See Martin, J.
Slangen, C. J. See Exterkate, F. A.
Slatcher, G. See Wright, J. N.
Slater, T. F. See Seccia, M.
Slayter, H. S. See Watzlawick, H.
Sletten, K. See Berg, T.; Gaustad, R.
Slotte, J. P. See Porn, M. I.
Smanik, P. A. See Oh, Y.
Smiley, B. L. See Gruppuso, P. A.
Smirnov, M. D. See Muzykantov, V. R.
Smith, A. See Almond, M. K.
——; Farooqui, S. M.; Morgan, W. T.
The murine hemopexin receptor. Evidence that the hemopexin-binding site resides on a 20 kDa subunit and that receptor recycling is regulated by protein kinase C. 276: 417
Smith, A. L. See De Groot, R.
Smith, B. See Coussons, P. J.
Smith, B. D. See Ritzenthaler, J. D.
Smith, C. A.
——; Rangarajan, M.; Hartley, B. S.
D-Xylose (D-glucose) isomerase from Arthrobacter strain N.R.R.L. B3728. Purification and properties. 277: 255
Smith, D. R. See Hardy, L.
Smith, G. A. See Dixon, H. B. F.; Stein, J. M.
Smith, M. A. See Bafor, M.
Smith, M. C. See Oh, Y.
Smith, P. J. See Shephard, E. G.
Smith, R. C.
——; Fry, S. C.
Endotransglycosylation of xyloglucans in plant cell suspension cultures. 279: 529
Smith, S. See Naggert, J.
Smith, S. S.
——; Ratner, D. I.
Lack of 5-methylcytosine in Dictyostelium discoideum DNA. 277: 273
Smith, T. F. See Guigo, R.
Smith, T. J. See Davis, F. B.
Smithers, N. See Grenfell, S.
Smolen, J. E.
——; Stoehr, S. J.; Kuczynski, B.; Koh, E. K.; Omann, G. M.
Dual effects of guanosine 5'-[γ-thio]triphosphate on secretion by electroporated human neutrophils. 279: 657
Snashall, P. D. See Mistry, R.
Snook, M. B. See Wiley, J. S.
Sodano, G. See Di Marzo, V.
Sodek, J. See Nagata, T.; Wrana, J. L.
Soemjen, D.
——; Schlueter, K. D.; Wingender, E.; Mayer, H.; Kaye, A. M.
Stimulation of cell proliferation in skeletal tissues of the rat by defined parathyroid hormone fragments. 277: 863
Sokoloski, J. A. See Lee, C. W.
——; Sartorelli, A. C.; Handschumacher, R. E.; Lee, C. W.
Inhibition by pertussis toxin of the activation of sodium-dependent uridine transport in dimethyl sulfoxide-induced HL-60 leukemia cells. 280: 515
Solano, F. See Aroca, P.
Solari, R. See Grenfell, S.
Solomon, E. See Thomas, J. T.
Solomonson, L. P. See Cannons, A. C.
Soni, S. D. See Ramasubbu, N.
Sonnenfeld, G. See McLeish, K. R.
Sontag, J. M.
——; Thierse, D.; Rouot, B.; Aunis, D.; Bader, M. F.
A pertussis-toxin-sensitive protein controls exocytosis in chromaffin cells at a step distal to the generation of second messengers. 274: 339
Sorensen, O. See Salter, A. M.
Sorisky, A. See King, W. G.
Southorn, B. G. See Ballmer, P. E.
Sowden, J. C. See Brady, H. J. M.

Spadari, S. See Ciarrocchi, G.
Sparkes, M. J.
——; Dixon, H. B. F.
The preparation and properties of bromoacetylphosphonic acid. 275: 772
Sparrow, J. C. See Drummond, D. R.
Spat, A. See Balla, T.
Spencer, S. R.
——; Xue, L.; Klenz, E. M.; Talalay, P.
The potency of inducers of NAD(P)H:(quinone–acceptor) oxidoreductase parallels their efficiency as substrates for glutathione transferases. Structural and electronic correlations. 273: 711
Sperti, S.
——; Brigotti, M.; Zamboni, M.; Carnicelli, D.; Montanaro, L.
Requirements for the inactivation of ribosomes by gelonin. 277: 281
Spik, G. See Legrand, D.
Spinedi, A.
——; Pacini, L.; Limatola, C.; Luly, P.; Farias, R. N.
A study of human erythrocyte acetylcholinesterase inhibition by chlorpromazine. 278: 461
Spinella, A. See Di Marzo, V.
Spitzer, J. J. See Spolarics, Z.
Spolarics, Z.
——; Bagby, G. J.; Lang, C. H.; Spitzer, J. J.
Up–regulation of glucose metabolism in Kupffer cells following infusion of tumor necrosis factor. 278: 515
Spragg, J. H. See Brown, J. C.
Spratt, B. G. See Adam, M.; Brannigan, J.
Srai, S. K. S. See Bingle, C. D.
Srinivas, P. R. See Wang, Q.
Stabel, S. See Ben–Shlomo, H.
Stacpoole, P. W. See Henry, A.
Stalenhoef, A. F. H. See Mol, M. J. T. M.
Stalmans, W. See Uyttenhove, K.; Vanstapel, F.
Stanley, A. F. See Stephens, L. R.
Stanley, B. A. See Lu, L.
Stanley, R. See Hallinan, T.
Stanton, C.
——; Taylor, R.; Wallin, R.
Processing of prothrombin in the secretory pathway. 277: 59
States, B. See Nissim, I.
Stauderman, K. A.
——; McKinney, R. A.; Murawsky, M. M.
The role of caffeine–sensitive calcium stores in agonist– and inositol 1,4,5–trisphosphate–induced calcium release from bovine adrenal chromaffin cells. 278: 643
Steel, D. M.
——; Whitehead, A. S.
Heterogeneous modulation of acute–phase–reactant mRNA levels by interleukin–1β and interleukin–6 in the human hepatoma cell line PLC/PRF/5. 277: 477
Steen, V. M. See Tysnes, O. B.
Stefani, E. See Fill, M.
Stein, J. M.
——; Luzio, J. P.
Ectocytosis caused by sublytic autologous complement attack on human neutrophils. The sorting of endogenous plasma–membrane proteins and lipids into shed vesicles. 274: 381
——; Smith, G. A.; Luzio, J. P.
An acetylation method for the quantification of membrane lipids, including phospholipids, polyphosphoinositides and cholesterol. 274: 375
Stein, M. L. See Van der Westhuyzen, D. R.
Stein, T. P. See Yoshida, S.
Steiner, H. See Andersons, D.
Steiner, R. F. See Lan, J.
Steinkasserer, A.
——; Estaller, C.; Weiss, E. H.; Sim, R. B.; Day, A. J.
Complete nucleotide and deduced amino acid sequence of human β_2–glycoprotein I. 277: 387
Steinmann, B.
——; Westerhausen, A.; Constantinou, C. D.; Superti–Furga, A.; Prockop, D. J.
Substitution of cysteine for glycine–α1–691 in the proα1(I) chain of type I procollagen in a proband with lethal osteogenesis imperfecta destabilizes the triple helix at a site C–terminal to the substitution. 279: 747
Stenberg, G.
——; Board, P. G.; Carlberg, I.; Mannervik, B.
Effects of directed mutagenesis on conserved arginine residues in a human Class Alpha glutathione transferase. 274: 549
Stephen, A. G. See Cusack, M.
Stephens, L. D. G. See Bruce, N. C.
Stephens, L. R. See McConnell, F. M.
——; Hawkins, P. T.; Stanley, A. F.; Moore, T.; Poyner, D. R.; Morris, P. J.; Hanley, M. R.; Kay, R. R.; Irvine, R. F.
myo–Inositol pentakisphosphates. Structure, biological occurrence and phosphorylation to myo–inositol hexakisphosphate. 275: 485
Stetler–Stevenson, W. G. See Ailenberg, M.; Sabsay, B.
Stetzkowski–Marden, F. See Frappier, T.
Stewart, J. M.
Fatty acid–binding protein and facilitated diffusion of fatty acids. Reply to comments. 280: 835
——; Driedzic, W. R.; Berkelaar, J. A. M.
Fatty–acid–binding protein facilitates the diffusion of oleate in a model cytosol system. 275: 569
Stiles, B. G. See Ruan, K. H.
Stobart, K. See Bafor, M.
Stoecker, G.
——; Meyer, H. E.; Wagener, C.; Greiling, H.
Purification and N–terminal amino acid sequence of chondroitin sulfate/dermatan sulfate proteoglycan isolated from intima/media preparations of human aorta. 274: 415
Stoehr, S. J. See Smolen, J. E.
Stone, D. See Hardy, L.
Stone, S. R. See Betz, A.; Hofsteenge, J.
——; Rennex, D.; Wikstrom, P.; Shaw, E.; Hofsteenge, J.
Inactivation of prolyl endopeptidase by a peptidylchloromethane. Kinetics of inactivation and identification of sites of modification. 276: 837
Stone, W. L. See Scott, R. L.
Storer, A. C. See Khouri, H. E.
Storey, K. B. See Brooks, S. P. J.
Stowell, K. M.
——; Rado, T. A.; Funk, W. D.; Tweedie, J. W.
Expression of cloned human lactoferrin in baby hamster kidney cells. 276: 349
Stoyan, T. See Schooltink, H.
Strachan, A. F. See Shephard, E. G.
Strain, A. J. See Howl, J.
Strassheim, D.
——; Palmer, T.; Milligan, G.; Houslay, M. D.
Alterations in G–protein expression and the hormonal regulation of adenylate cyclase in the adipocytes of obese (fa/fa) Zucker rats. 276: 197
Strecker,G. See Lamblin, G.
Strous, G. J. See Dekker, J.
Strupish, J.
——; Wojcikiewicz, R. J. H.; Challiss, R. A. J.; Safrany, S. T.; Willcocks, A. L.; Potter, B. V. L.; Nahorski, S. R.
Is decavanadate a specific inositol 1,4,5–trisphosphate receptor antagonist? 277: 294
Stubbs, C. D. See Cardellach, F.
Studer, M. See Gianni, M.
Stuenkel, E. L. See Nordmann, J. J.
Stuiver, I.
——; Shimizu, Y.; Shimizu, N.
Phorbol–ester–mediated expression of the collagen type I pro–α2 gene in mouse 3T3–L1 cells and its absence in a phorbol 12–myristate 13–acetate–non–responsive variant. 278: 369
Sturani, E. See Brambilla, R.
Sturgill, T. W. See Anderson, N. G.
Stymne, S. See Bafor, M.
Suedi, J.
How to draw kinetic barrier diagrams for enzyme–catalyzed reactions. 276: 265
Suganuma, A. See Nakashima, S.
Sugden, M. C. See Holness, M. J.; Munday, M. R.
Sugden, P. H. See Fuller, S. J.
——; Fuller, S. J.
Regulation of protein turnover in skeletal and cardiac muscle. 273: 21
Correlations between cardiac protein synthesis rates, intracellular pH and the concentrations of creatine metabolites. 273: 339
Sugimura, M. See Fukamizu, A.
Sugumaran, G.
——; Silbert, J. E.
Formation of two species of nascent proteochondroitin in separate loci of a microsomal preparation from chick–embryo epiphyseal cartilage. 277: 787
Sugumaran, M.
——; Dali, H.; Semensi, V.
The mechanism of tyrosinase–catalyzed oxidative decarboxylation of α–(3,4–dihydroxyphenyl)–lactic acid. 277: 849
Suiko, M. See Liu, M. C.
Suissa, M. See David, M.
Superti–Furga, A. See Steinmann, B.
Suranyi, G. See Palfi, Z.
Sutherland, L. See Wooster, R.
Sutton, C. See Koklitis, P. A.
Suzuki, F. See Hosoi, M.
Suzuki, K. T. See Kodama, H.
Suzuki, T.
——; Shaw, D. C.; Board, P. G.
Purification and characterization of acidic glutathione S–transferase 6 from human brain. 274: 405
Svensson, B. See Jespersen, H. M.
Swallow, D. M. See Yonezawa, S.
Swarts, H. G. P. See Van Uem, T. J. F.
Sweeney, S. T. See Rivett, A. J.
Syed, S. K. See Ghosh, S. K.

Symmons, M. F.
——; Burns, R. G.
Assembly of chick brain MAP2–tubulin microtubule protein. Analysis of tubulin subunit flux rates by immunofluorescence microscopy. 277: 245
Synder, W. R. See Young, P. R.
Szedlacsek, S. E.
——; Duggleby, R. G.; Vlad, M. O.
Enzyme catalysis as a chain reaction. 279: 855
Sziegoleit, A. See Wendorf, P.
Szigetvari, A. See Polgar, L.
Szondy, Z.
——; Newsholme, E. A.
The effect of time of addition of glutamine or nucleosides on proliferation of rat cervical lymph–node T–lymphocytes after stimulation by concanavalin A. 278: 471

Tacchini, L. See Cairo, G.
Tager, J. M. See Lageweg, W.
Tai, G. H.
——; Brown, G. M.; Morris, H. G.; Huckerby, T. N.; Nieduszynski, I. A.
Fucose content of keratan sulfates from bovine articular cartilage. 273: 307
Tai, H. H. See Xun, C. Q.
Takahashi, A. See Hosoi, M.
Takai, A.
——; Mieskes, G.
Inhibitory effect of okadaic acid on the p–nitrophenyl phosphate phosphatase activity of protein phosphatases. 275: 233
Takami, N. See Ohkubo, K.
Takase, S. See Shinohara, H.
Takata, Y.
——; Date, T.; Fujioka, M.
Rat liver guanidinoacetate methyltransferase. Proximity of cysteine residues at positions 15, 90 and 219 as revealed by site–directed mutagenesis and chemical modification. 277: 399
Takaya, J.
——; Kimura, M.; Lasker, N.; Aviv, A.
Phorbol 12,13–dibutyrate binding to intact human platelets. The role of cytosolic free calcium. 278: 411
Takazawa, K.
——; Erneux, C.
Identification of residues essential for catalysis and binding of calmodulin in rat brain inositol 1,4,5–trisphosphate 3–kinase. 280: 125
——; Perret, J.; Dumont, J. E.; Erneux, C.
Molecular cloning and expression of a new putative inositol 1,4,5–trisphosphate 3–kinase isoenzyme. 278: 883
Takeda, T. See Higuchi, K.; Shigeoka, S.
Takenawa, T. See Hayashi, H.
Takhar, S. See Munday, M. R.
Talalay, P. See Spencer, S. R.
Talasz, H. See Weiss, G.
Tam, M. F. See Hsieh, J. C.
Tamarappoo, B. K.
——; Kilberg, M. S.
Functional reconstitution of the hepatic System N amino acid transport activity. 274: 97
Tamarit–Rodriguez, J. See Vara, E.
Tan, E. M. L.
——; Peltonen, J.
Endothelial cell growth factor and heparin regulate collagen gene expression in keloid fibroblasts. 278: 863
Tan, T. M. C.
——; Wong, K. P.; Sit, K. H.
Expression of a high–affinity form of UDP–glucuronosyltransferase in human fetal liver cells in culture on exposure to mercuric chloride. 278: 99
Tandon, N. N.
——; Holland, E. A.; Kralisz, U.; Kleinman, H. K.; Robey, F. A.; Jamieson, G. A.
Interaction of human platelets with laminin and identification of the 67 kDa laminin receptor on platelets. 274: 535
Tang, L. H. See Basson, M. D.
Tang, X. See Liu, M. C.
Tanke, T.
——; Van de Loo, J. W.; Rhim, H.; Leventhal, P. S.; Proctor, R. A.; Bertics, P. J.
Bacterial lipopolysaccharide–stimulated GTPase activity in RAW 264.7 macrophage membranes. 277: 379
Tanzer, M. L. See Parthasarathy, N.
Taplits, M. S. See Bonvini, E.
Tappia, P. S.
——; Sharma, R. P.; Sale, G. J.
Dephosphorylation of autophosphorylated insulin and epidermal–growth–factor receptors by two major subtypes of protein–tyrosine–phosphatase from human placenta. 278: 69
Taraschi, T. F. See Cardellach, F.; Hsiao, L. L.
Taton, M.
——; Rahier, A.
Properties and structural requirements for substrate specificity of cytochrome P–450–dependent obtusifoliol 14α–demethylase from maize (Zea mays) seedlings. 277: 483
Taubman, M. B. See Berk, B. C.
Tavare, J. M. See Issad, T.
——; Dickens, M.
Changes in insulin–receptor tyrosine, serine and threonine phosphorylation as a result of substitution of tyrosine–1162 with phenylalanine. 274: 173
Taylor, C. W. See Dasso, L. L. T.; Oldershaw, K. A.
Taylor, E. A. See Nunez, D. J. R.
Taylor, J. A.
——; Gibson, G. J.; Brooks, D. A.; Hopwood, J. J.
α–L–Iduronidase in normal and mucopolysaccharidosis–type–I human skin fibroblasts. 274: 263
Taylor, J. B.
——; Oliver, J.; Sherrington, R.; Pemble, S. E.
Structure of human glutathione S–transferase class Mu genes. 274: 587
Taylor, M. E.
——; Drickamer, K.
Carbohydrate–recognition domains as tools for rapid purification of recombinant eukaryotic proteins. 274: 575
Taylor, P. M. See Low, S. Y.
Taylor, P. W. See Brown, J. C.
Taylor, R. See Stanton, C.
Tempst, P. See Denker, B. M.
Tendler, S. J. B. See Sagoo, J. K.
Teng, C. M. See Huang, T. F.
Terao, M. See Gianni, M.
Teraoka, T. See Kinuta, M.
Terelius, Y. See Ingelman–Sundberg, M.
Tesser, G. J. See Schielen, W. J. G.
Testa, B. See Urien, S.
Tetley, T. D. See Mistry, R.
Thaw, C. N. See Cubitt, A. B.
Thieleczek, R. See Mayr, G. W.
Thierse, D. See Sontag, J. M.
Thole, H. H.
——; Jungblut, P. W.; Jakob, F.
The proton–driven dissociation of estradiol–receptor dimers as a preparative tool. Isolation of a 32 kDa fragment from porcine uteri and assignment of C–terminal origin by partial sequencing. 276: 709
Thomas, A. A. M. See Van Steeg, H.
Thomas, E. W. See Topham, C. M.
Thomas, G. J.
——; Mason, R. M.; Davies, M.
Characterization of proteoglycans synthesized by human adult glomerular mesangial cells in culture. 277: 81
Thomas, J. R. See Weinhart, U.
Thomas, J. T.
——; Cresswell, C. J.; Rash, B.; Nicolai, H.; Jones, T.; Solomon, E.; Grant, M. E.; Boot–Handford, R. P.
The human collagen X gene. Complete primary translated sequence and chromosomal localization. 280: 617
——; Kwan, A. P. L.; Grant, M. E.; Boot–Handford, R. P.
Isolation of cDNAs encoding the complete sequence of bovine type X collagen. Evidence for the condensed nature of mammalian type X collagen genes. 273: 141
Thomas, M. See Topham, C. M.
Thompson, G. A. Jr. See Weinhart, U.
Thompson, J. R. See Wu, G.
Thompson, N. L.
——; Hixson, D. C.; Callanan, H.; Panzica, M.; Flanagan, D.; Faris, R. A.; Hong, W.; Hartel–Schenk, S.; Doyle, D.
A Fischer rat substrain deficient in dipeptidyl peptidase IV activity makes normal steady–state RNA levels and an altered protein. Use as a liver–cell transplantation model. 273: 497
Thorn, N. A. See Zhou, A.
Thornalley, P. K.
Esterification of reduced glutathione. 275: 535
Thorneley, R. N. F. See Bagby, S.; Fisher, K.
——; Ashby, G. A.; Julius, C.; Hunter, J. L.; Webb, M. R.
Nitrogenase of Klebsiella pneumoniae. Reversibility of the reductant–independent magnesium–ATP–cleavage reaction is shown by magnesium–ADP–catalyzed phosphate/water oxygen exchange. 277: 735
Thornton, D. J. See Sheehan, J. K.
——; Sheehan, J. K.; Carlstedt, I.
Heterogeneity of mucus glycoproteins from cystic fibrotic sputum. Are there different families of mucins? 276: 677
——; Sheehan, J. K.; Lindgren, H.; Carlstedt, I.
Mucus glycoproteins from cystic fibrotic sputum. Macromolecular properties and structural 'architecture'. 276: 667
Thuet, M. J. See Ancelin, M. L.
Tian, Z. G. See Xun, C. Q.
Tiedge, M.
——; Lenzen, S.
Regulation of glucokinase and GLUT–2 glucose–transporter gene expression in pancreatic B–cells. 279: 899

Tijburg, L. B. M. See Houweling, M.
——; Nyathi, C. B.; Meijer, G. W.; Geelen, M. J. H.
Biosynthesis and secretion of triacylglycerol in rat liver after partial hepatectomy. 277: 723
Tijssen, K. See Prinsze, C.
Tillement, J. P. See Urien, S.
Tinker, D. See Romero-Chapman, N.
Tiraby, G. See Ambler, R. P.
Tiruppathi, C. See Ramamoorthy, S.
Tisdale, M. J. See Mulligan, H. D.
Toczko, M. See Hopper, D. J.
Tomas, F. M.
——; Knowles, S. E.; Owens, P. C.; Read, L. C.; Chandler, C. S.; Gargosky, S. E.; Ballard, F. J.
Increased weight gain, nitrogen retention and muscle protein synthesis following treatment of diabetic rats with insulin-like growth factor (IGF)-I and des(1-3)IGF-I. 276: 547
Tombs, M. P. See Simpkin, N. J.
Tome, M. E. See Carper, S. W.
Tomer, K. B. See Iwahashi, H.
Tong, P. H. See Pallen, C. J.
Tonsgard, J. H.
——; Meredith, S. C.
Characterization of the binding sites for dicarboxylic acids on bovine serum albumin. 276: 569
Topham, C. M. See Gallacher, G.
——; Salih, E.; Frazao, C.; Kowlessur, D.; Overington, J. P.; Thomas, M.; Brocklehurst, S. M.; Patel, M.; Thomas, E. W.; Brocklehurst, K.
Structure-function relationships in the cysteine proteinases actinidin, papain and papaya proteinase Ω. Three-dimensional structure of papaya proteinase Ω deduced by knowledge-based modeling and active-center characteristics determined by two-hydronic-state reactivity probe kinetics and kinetics of catalysis. 280: 79
Torres, N. V.
——; Sicilia, J.; Melendez-Hevia, E.
Analysis and characterization of transition states in metabolic systems. Transition times and the passivity of the output flux. 276: 231
Totty, N. See Garrett, M. D.; Mistry, R.
Totty, N. F. See Jose, P. J.
Tou, J. S.
——; Jeter, J. R. Jr.; Dola, C. P.; Venkatesh, S.
Accumulation of phosphatidic acid mass and increased de novo synthesis of glycerolipids in platelet-activating-factor-activated human neutrophils. 280: 625
Trachsel, H. See Frey, B. M.
Trainin, N. See Indig, F. E.
Trakshel, G. M.
——; Ewing, J. F.; Maines, M. D.
Heterogeneity of heme oxygenase 1 and 2 isoenzymes. Rat and primate transcripts for isoenzyme 2 differ in number and size. 275: 159
Tranchida, G. See Santucci, R.
Trapman, J. See Faber, P. W.
Traub, L. M.
——; Shai, E.; Sagi-Eisenberg, R.
Characterization of the interaction between p100, a novel G-protein-related protein, and rat liver endosomes. 280: 171
Travis, J. See Potempa, J.
Tremblay, L. See Dallaire, L.
Tressel, T.
——; McCarthy, J. B.; Calaycay, J.; Lee, T. D.; Legesse, K.; Shively, J. E.; Pande, H.
Human plasma fibronectin. Demonstration of structural differences between the A- and B-chains in the III CS region. 274: 731
Trudel, S.
——; Paquet, M. R.; Grinstein, S.
Mechanism of vanadate-induced activation of tyrosine phosphorylation and of the respiratory burst in HL60 cells. Role of reduced oxygen metabolites. 276: 611
Trujillo, J. M. See Frias, I.
Truong, H. N.
——; Meyer, C.; Daniel-Vedele, F.
Characteristics of Nicotiana tabacum nitrate reductase protein produced in Saccharomyces cerevisiae. 278: 393
Tryggvason, K. See Nissinen, M.
Tschank, G.
——; Brocks, D. G.; Engelbart, K.; Mohr, J.; Baader, E.; Guenzler, V.; Hanauske-Abel, H. M.
Inhibition of prolyl hydroxylation and procollagen processing in chick-embryo calvaria by a derivative of pyridine-2,4-dicarboxylate. Characterization of the diethyl ester as a proinhibitor. 275: 469
Tschopp, J. See Jenne, D. E.
Tse, C. M.
——; Fincham, D. A.; Ellory, J. C.; Young, J. D.
Use of membrane vesicles to estimate the numbers of system y^+ and system L amino acid transporters in human erythrocytes. 277: 565
Tsou, C. See Ma, Y.
Tsujimoto, A. See Dohi, T.
Tsurumi, T.
Primer terminus recognition and highly processive replication by Epstein-Barr virus DNA polymerase. 280: 703
Tuchman, M.
——; Holzknecht, R. A.
The N-acetylglutamate content and N-acetylglutamate synthase activity of human liver: a reply. 275: 822
Tudela, J. See Varon, R.
Tugal, H. B.
——; Van Leeuwen, F.; Apps, D. K.; Haywood, J.; Phillips, J. H.
Glycosylation and transmembrane topography of bovine chromaffin granule p65. 279: 699
Tulsiani, D. R. P. See Skudlarek, M. D.
Tunwell, R. E. A.
——; Conlan, J. W.; Matthews, I.; East, J. M.; Lee, A. G.
Definition of surface-exposed epitopes on the calcium-magnesium ATPase of sarcoplasmic reticulum. 279: 203
Turcatti, G. See Baker, B. C.
Turcotte, G.
——; Beauregard, G.; Potier, M.; Chevalier, S.
Radiation-inactivation size of transformed and non-transformed androgen receptors. 275: 41
Turnbull, J. E.
——; Gallagher, J. T.
Distribution of iduronate 2-sulfate residues in heparan sulfate. Evidence for an ordered polymeric structure. 273: 553
Sequence analysis of heparan sulfate indicates defined location of N-sulfated glucosamine and iduronate 2-sulfate residues proximal to the protein-linkage region. 277: 297
Turner, A. J. See Hooper, N. M.; Howell, S.; Millican, P. E.
Turner, J. J. O.
——; Rice-Evans, C. A.; Davies, M. J.; Newman, E. S. R.
The formation of free radicals by cardiac myocytes under oxidative stress and the effects of electron-donating drugs. 277: 833
Turner, N. A. See Bray, R. C.
Turpin, E. See Magnusson, S.
Tweedie, J. W. See Stowell, K. M.
Tysnes, O. B.
——; Johanessen, E.; Steen, V. M.
Neomycin does not interfere with the inositol phospholipid metabolism, but blocks binding of α-thrombin to intact human platelets. 273: 241
Tysoe-Calnon, V. A.
——; Grundy, J. E.; Perkins, S. J.
Molecular comparisons of the β_2-microglobulin-binding site in class I major-histocompatibility-complex α-chains and proteins of related sequences. 277: 359

Ubuka, T. See Kinuta, M.
Ueda, N. See Riendeau, D.
Uemura, N. See Sekar, M. C.
Ugele, B.
——; Kempen, H. J. M.; Gebhardt, R.; Meijer, P.; Burger, H. J.; Princen, H. M. G.
Heterogeneity of rat liver parenchyma in cholesterol 7α-hydroxylase and bile acid synthesis. 276: 73
Ulitzur, S. See David, M.
Ullrich, A. See Hack, N.
Ullrich, S. See Regazzi, R.
Ulmsten, U. See Norman, M.
Umezurike, G. M.
The octameric structure of β-glucosidase from Botryodiplodia theobromae Pat. 275: 721
Undem, B. J. See Cluzel, M.
Urdiales, J. L. See Medina, M. A.
Urien, S.
——; Bree, F.; Testa, B.; Tillement, J. P.
pH-dependency of basic ligand binding to α_1-acid glycoprotein (orosomucoid). 280: 277
Uriu-Hare, J. Y. See Romero-Chapman, N.
Uwajima, T. See Aisaka, K.
Uyttenhove, K.
——; Bollen, M.; Stalmans, W.
An optimized assay of phosphorylase kinase in crude liver preparations. 278: 899

Vaandrager, A. B. See Van den Berghe, N.
Vaartjes, W. J. See Houweling, M.
Vachon, V.
——; Delisle, M. C.; Laprade, R.; Beliveau, R.
Reconstitution of the renal brush-border membrane sodium/phosphate co-transporter. 278: 543
Vaes, G. See Delaisse, J. M.
Vaillancourt, J. P.
——; Cates, G. A.
Purification and reconstitution of a collagen-binding heat-shock glycoprotein from L6 myoblasts. 274: 793
Valero, E.
——; Varon, R.; Garcia-Carmona, F.
A kinetic study of irreversible enzyme inhibition by an inhibitor that is rendered unstable by enzymic cata-

lysis. The inhibition of polyphenol oxidase by L-cysteine. 277: 869
Van Bastelaere, P.
——; Vangrysperre, W.; Kersters-Hild⊃erson, H.
Kinetic studies of magnesium(2+)-, cobalt(2+)-, and manganese(2+)-ac⊃tivated D-xylose isomerases. 278: 285
Van Beeumen, J. See El Kharroubi, A.; Franceschini, N.; Matagne, A.; Palomeque-Messia, P.
Van Berkel, T. J. C. See Kamps, J. A. A. M.; Pieters, M. N.; Van Dijk, M. C. M.
Van Bladeren, P. J. See Van Ommen, B.
Van Buel, B. L. M. See Haagsman, H. P.; Oosterlaken-Dijksterhuis, M. A.
Vance, D. E. See Houweling, M.
Van de Loo, J. W. See Tanke, T.
Van den Berghe, N.
——; Nieuwkoop, N. J.; Vaandrager, A. B.; De Jonge, H. R.
Asymmetrical distribution of G-pro⊃teins among the apical and basola⊃teral membranes of rat enterocytes. 278: 565
Van der Ende, A. See Dekker, J.
Van der Gen, A. See Adang, A. E. P.
Van der Merwe, P. A.
——; Millar, R. P.; Wakefield, I. K.; Davidson, J. S.
Inhibition of luteinizing-hormone exocytosis by guanosine 5'-[γ-thio]⊃triphosphate reveals involvement of a GTP-binding protein distal to sec⊃ond-messenger generation. 275: 399
Vanderpuye, O. A.
——; Labarrere, C. A.; McIntyre, J. A.
A vitronectin receptor-related mole⊃cule in human placental brush bor⊃der membranes. 280: 9
Van der Stelt, M. E. See Van Dijk, W.
Van der Vusse, G. J. See Vork, M. M.
Van der Westhuyzen, D. R.
——; Stein, M. L.; Henderson, H. E.; Marais, A. D.; Fourie, A. M.; Coet⊃zee, G. A.
Deletion of two growth-factor repeats from the low-density-lipoprotein receptor accelerates its degradation. 277: 677
Van de Sande, J. H. See Krishna, P.
Van Dijk, M. C. M.
——; Ziere, G. J.; Boers, W.; Linthorst, C.; Bijsterbosch, M. K.; Van Berkel, T. J. C.
Recognition of chylomicron remnants and β-migrating very-low-density lipoproteins by the remnant recep⊃tor of parenchymal liver cells is distinct from the liver α_2-macroglo⊃bulin-recognition site. 279: 863
Van Dijk, W.
——; Pos, O.; Van der Stelt, M. E.; Moshage, H. J.; Yap, S. H.; Dente, L.; Baumann, P.; Eap, C. B.
Inflammation-induced changes in expression and glycosylation of genetic variants of α_1-acid glycopro⊃tein. Studies with human sera, primary cultures of human hepato⊃cytes and transgenic mice. 276: 343
Van Eijk, M. See Oosterlaken-Dijkst⊃erhuis, M. A.
Van Golde, L. M. G. See Houweling, M.; Oosterlaken-Dijksterhuis, M. A.
Vangrysperre, W. See Van Baste⊃laere, P.
Van Hardeveld, C. See Muller, A.
Van Hecke, P. See Vanstapel, F.
Van Kessel, A. G. See Peeters, R. A.
Van Kuppevelt, T. H. M. S. M. See Maatman, R. G. H. J.
Van Leeuwen, F. See Tugal, H. B.
Van Mourik, J. A. See Leyte, A.
Vanni, P. See Giachetti, E.
Van Obberghen, E. See Hainaut, P.
Van Ommen, B.
——; Ploemen, J. H. T. M.; Bogaards, J. J. P.; Monks, T. J.; Gau, S. S.; Van Bladeren, P. J.
Irreversible inhibition of rat gluta⊃thione S-transferase 1-1 by qui⊃nones and their glutathione conju⊃gates. Structure-activity relation⊃ship and mechanism. 276: 661
Van Oostrom, C. T. M. See Van Steeg, H.
Van Poelwijk, F. See Lange, A. J.
Van Rijn, J. See Muller, A.
Van Rooij, H. C. J. See Faber, P. W.
Van Schijndel, H. B. See Leyte, A.
Vanstapel, F.
——; Waebens, M.; Van Hecke, P.; Decanniere, C.; Stalmans, W.
Modulation of maximal glycogenolysis in perfused rat liver by adenosine and ATP. 277: 597
Van Steeg, H.
——; Van Oostrom, C. T. M.; Hode⊃maekers, H. M.; Peters, L.; Thomas, A. A. M.
The translation in vitro of rat ornith⊃ine decarboxylase mRNA is blocked by its 5' untranslated region in a polyamine-independent way. 274: 521
Van Steveninck, J. See Prinsze, C.
Van't Laar, A. See Mol, M. J. T. M.
Van Uem, T. J. F.
——; Swarts, H. G. P.; De Pont, J. J. H. H. M.
Determination of the epitope for the inhibitory monoclonal antibody 5-B6 on the catalytic subunit of gastric magnesium-dependent hy⊃drogen ion-transporting and potas⊃sium-stimulated ATPase. 280: 243
Van Veldhoven, P. P. See Borchardt, R. A.
Van Willigen, G.
——; Akkerman, J. W. N.
Protein kinase C and cyclic AMP regulate reversible exposure of bind⊃ing sites for fibrinogen on the glyco⊃protein IIB-IIIA complex of human platelets. 273: 115
Vaquerizo, M. J. See Mollinedo, F.
Vara, E.
——; Tamarit-Rodriguez, J.
Does cyclic guanosine monophosphate mediate noradrenaline-induced inhibition of islet insulin secretion stimulated by glucose and palmi⊃tate? 278: 243
Varela, I. See Alvarez, J. F.
Varetto, L.
——; De Meester, F.; Monnaie, D.; Marchand-Brynaert, J.; Dive, G.; Jacob, F.; Frere, J. M.
The importance of the negative charge of β-lactam compounds in the interactions with active-site serine DD-peptidases and β-lacta⊃mases. 278: 801
Varnai, P. See Balla, T.
Varney, M. A. See White, A. M.
Varon, R. See Valero, E.
——; Havsteen, B. H.; Garcia, M.; Gar⊃cia-Canovas, F.; Tudela, J.
Computer program for the kinetic equations of enzyme reactions. The case in which more than one enzyme species is present at the onset of the reaction. 278: 91
Vasella, A. See Papageorgiou, A. C.
Vassart, G. See Gerard, C. M.
Vassort, G. See Puceat, M.
Vaughan, T. J.
——; Pascall, J. C.; James, P. S.; Brown, K. D.
Expression of epidermal growth factor and its mRNA in pig kidney, pan⊃creas and other tissues. 279: 315
Vayro, S.
——; Kemp, R.; Beechey, R. B.; Shira⊃zi-Beechey, S.
Preparation and characterization of basolateral plasma-membrane vesi⊃cles from sheep parotid glands. Mechanisms of phosphate and D-⊃glucose transport. 279: 843
Vaysse, N. See Estival, A.
Vaziri, C. See McPhee, F.
Vazquez, M. A.
——; Munoz, F.; Donoso, J.; Garcia Blanco, F.
Spectroscopic study of the Schiff bases of dodecylamine with pyridox⊃al 5'-phosphate and 5'-deoxypyri⊃doxal. A model for the Schiff bases of pyridoxal 5'-phosphate in biologi⊃cal systems. 279: 759
Veerkamp, J. H. See Maatman, R. G. H. J.; Peeters, R. A.
Veis, A. See Sabsay, B.
Venkatesh, S. See Tou, J. S.
Ventura, F.
——; Rosa, J. L.; Ambrosio, S.; Gil, J.; Bartrons, R.
6-Phosphofructo-2-kinase/fructose-⊃2,6-bisphosphatase in rat brain. 276: 455
Venuta, S. See Bond, H. M.
Verjans, B. See Hollande, F.; Pirot⊃ton, S.
Verkade, H. J.
——; Derksen, J. T. P.; Gerding, A.; Scherphof, G. L.; Vonk, R. J.; Kui⊃pers, F.
Differential hepatic processing and biliary secretion of head-group and acyl chains of liposomal phosphati⊃dylcholines. 275: 139
Verly, W. G. See Bricteux-Gregoire, S.
Verniquet, F.
——; Gaillard, J.; Neuburger, M.; Douce, R.
Rapid inactivation of plant aconitase by hydrogen peroxide. 276: 643
Vernon, R. G. See Watt, P. W.
——; Barber, M. C.; Finley, E.
Modulation of the activity of acetyl-⊃CoA carboxylase and other lipogenic enzymes by growth hormone, insulin and dexamethasone in sheep adipose tissue and relationship to adapta⊃tions to lactation. 274: 543
Vesey, D. A.
——; Cunningham, J. M.; Selden, A. C.; Woodman, A. C.; Hodgson, H. J. F.
Dimethyl sulfoxide induces a reduced growth rate, altered cell morphology and increased epidermal growth factor binding in Hep G2 cells. 277: 773
Vessey, D. A.
——; Chen, W.; Ramsay, R. R.
Effect of carboxylic acid xenobiotics and their metabolites on the activity of carnitine acyltransferases. 279: 895
Vial, H. J. See Ancelin, M. L.
Vicendo, P.
——; Fauvel, J.; Ragab-Thomas, J. M. F.; Chap, H.
Identification, characterization and

purification to near-homogeneity of a novel 67 kDa phosphotyrosyl protein phosphatase associated with pig lung annexin extract. 278: 435
Vieira-Makings, E.
——; Chetty, N.; Reavis, S. C.; Metz, J. Methylmalonic acid metabolism and nervous system fatty acids in cobalamin-deficient fruit bats receiving supplements of methionine, valine and isoleucine. 275: 585
Vikman, H. L. See Ohisalo, J. J.
Vilim, V.
——; Krajickova, J. Proteoglycans of human articular cartilage. Identification of several populations of large and small proteoglycans and of hyaluronic acid-binding proteins in successive cartilage extracts. 273: 579
Villa, A. See Michelangeli, F.
Villar, E. See Garcia-Sastre, A.
Villar, M. T. See Delos, S.
Vina, J. See Pallardo, F. V.
Vincent, J. P. See Dauch, P.
Vincentini, A. See Hofsteenge, J.
Vinogradov, A. D. See Bulygin, V. V.
Virden, R. See Martin, J.
Virmani, A. K. See Shankar, V.
Vlad, M. O. See Szedlacsek, S. E.
Vogel, M.
——; Kowalewski, H. J.; Zimmermann, H.; Janetzko, A.; Margolis, R. U.; Wollny, H. E. Association of the HNK-1 epitope with 5'-nucleotidase from Torpedo marmorata (electric ray) electric organ. 278: 199
Vogt, B.
——; Mushack, J.; Seffer, E.; Haering, H. U. The translocation of the glucose transporter sub-types GLUT1 and GLUT4 in isolated fat cells is differently regulated by phorbol esters. 275: 597
Voith, D. M. See Perera, S. Y.
Volpe, P. See Fill, M.
Vom Dahl, S.
——; Hallbrucker, C.; Lang, F.; Gerok, W.; Haussinger, D. Regulation of liver cell volume and proteolysis by glucagon and insulin. 278: 771
——; Hallbrucker, C.; Lang, F.; Haeussinger, D. Regulation of cell volume in the perfused rat liver by hormones. 280: 105
Von Figura, K. See Peters, C.; Rommerskirch, W.
Von Heijne, G. See Wilson, I. B. H.
Vonk, R. J. See Princen, H. M. G.; Verkade, H. J.
Von zur Muehlen, A. See Schoefl, C.
Voorberg, J. See Leyte, A.
Voorhout, W. F. See Haagsman, H. P.
Vork, M. M.
——; Glatz, J. F. C.; Van der Vusse, G. J. Does fatty acid-binding protein facilitate the diffusion of oleic acid? Comments. 280: 835
Vorotnikov, A. V.
——; Gusev, N. B. Some properties of duck gizzard caldesmon. 273: 161
Vosbeck, K. See Pfeilschifter, J.
Voskuilen, M. See Schielen, W. J. G.
Voss, T. See Keller, A.
Vuillard, L.
——; Clezardin, P.; Miller, A. Models of human platelet thrombospondin in solution. A dynamic light-scattering study. 275: 263
Vuolteenaho, R. See Nissinen, M.

Wachter, H. See Werner, E. R.
Waddell, I. D.
——; Burchell, A. Transverse topology of glucose-6-phosphatase in rat hepatic endoplasmic reticulum. 275: 133
——; Scott, H.; Grant, A.; Burchell, A. Identification and characterization of a hepatic microsomal glucose transport protein. T_3 of the glucose-6-phosphatase system? 275: 363
Wadman, I. A.
——; Farndale, R. W.; Martin, B. R. Evidence for regulation of human platelet adenylate cyclase by phosphorylation. Inhibition by ATP and guanosine 5'-[β-thio]diphosphate occur by distinct mechanisms. 276: 621
Waebens, M. See Vanstapel, F.
Wagener, C. See Stoecker, G.
Wahlfors, J. See Halmekyto, M. Certain changes in ornithine decarboxylase gene methylation accompany gene amplification. 279: 435
Wake, R. G. See Kralicek, A. V.
Wakefield, I. K. See Van der Merwe, P. A.
Wakelam, M. J. O. See Cook, S. J.; Patterson, A.; Plevin, R.
Waley, S. G. See Ambler, R. P. The kinetics of substrate-induced inactivation. 279: 87
Walker, C. J.
——; Castelfranco, P. A.; Whyte, B. J. Synthesis of divinyl protochlorophyllide. Enzymological properties of the magnesium-protoporphyrin IX monomethyl ester oxidative cyclase system. 276: 691
Walker, J. E. See Dupuis, A.; Fearnley, I. M.
Walker, M. R. See Day, P. J. R.
Wallace, C. J. A. See Craig, D. B.
Wallace, H. M. See Brunton, V. G.
Wallace, J. C. See Chapman-Smith, A.
Wallin, R. See Stanton, C.
Walsh, M. T. See Watzlawick, H.
Walter, U. See Sandberg, M.
Walz, A. See Car, B. D.
Wanders, R. J. A. See Lageweg, W.
Wang, C. N.
——; Chen, J. C.; Shiao, M. S.; Wang, C. T. The inhibition of human platelet function by ganodermic acid S. 277: 189
Wang, C. S. Acyl-chain specificity of human milk bile-salt-activated lipase. 279: 297
Wang, C. T. See Wang, C. N.
Wang, H. M.
——; Loganathan, D.; Linhardt, R. J. Determination of the pK_a of glucuronic acid and the carboxy groups of heparin by carbon-13 nuclear magnetic resonance spectroscopy. 278: 689
Wang, J.
——; Chao, J.; Chao, L. Purification and characterization of recombinant tissue kallikrein from Escherichia coli and yeast. 276: 63
Wang, J. F.
——; Komarov, P.; Sies, H.; De Groot, H. Contribution of nitric oxide synthase to luminol-dependent chemiluminescence generated by phorbol-ester-activated Kupffer cells. 279: 311
Wang, K. K. W.
——; Roufogalis, B. D.; Kuo, T. H. Structure-function relationship of the human erythrocyte plasma membrane calcium-ATPase revealed by V8 protease treatment. 279: 537
Wang, Q.
——; Srinivas, P. R.; Harrison, M. L.; Geahlen, R. L. Partial purification and characterization of the lck protein-tyrosine kinase from bovine thymus. 279: 567
Wang, T. W. M. See Byrne, C. D.
Warburton, M. J. See Hayman, A. R.
Ward, J. G. See White, A. M.
Ward, R. V. See Murphy, G.
——; Hembry, R. M.; Reynolds, J. J.; Murphy, G. The purification of tissue inhibitor of metalloproteinases-2 from its 72 kDa progelatinase complex. Demonstration of the biochemical similarities of tissue inhibitor of metalloproteinases-2 and tissue inhibitor of metalloproteinases-1. 278: 179
Warren, C. D. See Al Daher, S.
Wasada, T. See Ikejiri, K.
Wassdal, I. See Berg, T.
Watanabe, T. See Hosoi, M.
Watanabe, Y. See Hirata, M.
Waterfield, M. D. See Jose, P. J.
Watkinson, A.
——; Joensson, A. C.; Davison, M.; Young, J.; Lee, C. M.; Moore, S.; Dockray, G. J. Heterogeneity of chromogranin A-derived peptides in bovine gut, pancreas and adrenal medulla. 276: 471
Watmore, D. See Craig, F. F.
Watson, S. P. See White, A. M.
Watt, P. W.
——; Finley, E.; Cork, S.; Clegg, R. A.; Vernon, R. G. Chronic control of the β- and α_2-adrenergic systems of sheep adipose tissue by growth hormone and insulin. 273: 39
Wattiaux, R. See Burge, V.
Watzlawick, H.
——; Walsh, M. T.; Ehrhard, I.; Slayter, H. S.; Haupt, H.; Schwick, H. G.; Jourdian, G. W.; Hase, S.; Schmid, K.; Brossmer, R. The effect of the carbohydrate moiety upon the size and conformation of human plasma galactoglycoprotein as judged by electron microscopy and circular dichroism. Structural studies of a glycoprotein after stepwise enzymic carbohydrate removal. 277: 753
Waxman, D. J. See Zimniak, P.
Waxman, L. See Fagan, J. M.
Weaver, T. E.
——; Whitsett, J. A. Function and regulation of expression of pulmonary surfactant-associated proteins. 273: 249
Webb, M. R. See Thorneley, R. N. F.
Wehrli, S. See Nissim, I.
Weiland, K. L.
——; Dooley, T. P. Molecular cloning, sequencing and characterization of cDNA to rat liver rhodanese, a thiosulfate sulfurtransferase. 275: 227
Weinhart, U.
——; Thomas, J. R.; Pak, Y.; Thompson, G. A. Jr.; Ferguson, M. A. J. Structural characterization of a novel glycosyl-phosphatidylinositol from the protozoan Tetrahymena mimbres. 279: 605

Weisbeek, P. J. See Fillat, M. F.
Weiss, E. H. See Steinkasserer, A.
Weiss, G.
——; Talasz, H.; Puschendorf, B.
Possible role of histone acetylation and histone H1° replacement for the initiation of replication in regenerating rat liver. 280: 777
Weissberg, P. L. See Grainger, D. J.; Kemp, P. R.
Weissler, M. See Edelberg, J. M.
Weitkamp, E. L. C.
——; Dixon, H. B. F.; Khomutov, A. R.; Khomutov, R. M.
Effect of magnesium ions on the inhibition of S-adenosylmethionine decarboxylase from Escherichia coli by [2-(amino-oxy)ethyl](5'-deoxyadenosin-5'-yl)(methyl)sulfonium. 277: 643
Welsh, G. I. See Diggle, T. A.
Welsh, M. See Niki, I.; Welsh, N.
Welsh, N. See Sjoeholm, A.
——; Oeberg, C.; Welsh, M.
GTP-binding proteins may stimulate insulin biosynthesis in rat pancreatic islets by enhancing the signal-recognition-particle-dependent translocation of the insulin mRNA poly-/=mono-some complex to the endoplasmic reticulum. 275: 23
Wendorf, P.
——; Linder, D.; Sziegoleit, A.; Geyer, R.
Carbohydrate structure of human pancreatic elastase 1. 278: 505
Werkmeister, J. A.
——; Ramshaw, J. A. M.
Multiple antigenic determinants on type III collagen. 274: 895
Werner, E. R.
——; Werner-Felmayer, G.; Fuchs, D.; Hausen, A.; Reibnegger, G.; Yim, J. J.; Wachter, H.
Impact of tumor necrosis factor-α and interferon-γ on tetrahydrobiopterin synthesis in murine fibroblasts and macrophages. 280: 709
Werner-Felmayer, G. See Werner, E. R.
Wernick, E. See Ashby, B.
Wessa, B. See Naggert, J.
Westerhausen, A. See Steinmann, B.
Westwick, J. See Murphy, C. T.
Wetterberg, L. L. See Danielsen, E. M.
Wey, T. T. See Huang, L.
Whaley, K. See Lappin, D. F.
Wheatley, M. See Howl, J.
Wheeler, L. A. See Muallem, S.
White, A. A. See ElDeib, M. M. R.
White, A. M.
——; Varney, M. A.; Watson, S. P.; Rigby, S.; Liu, C.; Ward, J. G.; Reese, C. B.; Graham, H. C.; Williams, R. J. P.
Influence of magnesium and pH on NMR spectra and radioligand binding of inositol 1,4,5-trisphosphate. 278: 759
White, M. R. H. See Craig, F. F.
White, R. H. See Zhou, D.
Whitehead, A. S. See Steel, D. M.
Whitelaw, P. F. See Hesketh, J. E.
Whitsett, J. A. See Weaver, T. E.
Whittaker, J. See Conlon, J. M.
Whorton, A. R. See Buckley, B. J.
Whyte, B. J. See Walker, C. J.
Wicker-Planquart, C. See Estival, A.
Widersten, M.
——; Pearson, W. R.; Engstroem, A.; Mannervik, B.
Heterologous expression of the allelic variant Mu-class glutathione transferases μ and ψ. 276: 519
Wiegandt, H. See Gundlach, B.
Wieruszeski, J. M. See Lamblin, G.
Wikstrom, P. See Stone, S. R.
Wilchek, M. See Hiller, Y.
Wilcox, H. G. See Scott, R. L.
Wilde, S. W.
——; Kilberg, M. S.
Glutamine transport by basolateral plasma membrane vesicles prepared from rabbit intestine. 277: 687
Wiley, J. S.
——; Brocklebank, A. M.; Snook, M. B.; Jamieson, G. P.; Sawyer, W. H.; Craik, J. D.; Cass, C. E.; Robins, M. J.; McAdam, D. P.; Paterson, A. R. P.
A new fluorescent probe for the equilibrative inhibitor-sensitive nucleoside transporter. 5'-S-(2-Aminoethyl)-N^6-(4-nitrobenzyl)-5'-thioadenosine (SAENTA)-x_2-fluorescein 273: 667
Willcocks, A. L. See Challiss, R. A. J.; Strupish, J.
Willenbrock, F. W. See Butters, T. D.
Williams, D. C. See Moynagh, P. N.
Williams, H. D.
——; Hubbard, J. A. M.; Nugent, J. H. A.; Poole, R. K.
Functional size measurements of the ubiquinol oxidase activity of the cytochrome o terminal oxidase complex of Escherichia coli. 276: 555
Williams, K. See Pollack, S.
Williams, N. See Anderson, N. G.
Williams, P. See Gledhill, L.
Williams, R. J. P. See White, A. M.
Williams, T. C.
——; Jarvis, S. M.
Multiple sodium-dependent nucleoside transport systems in bovine renal brush-border membrane vesicles. 274: 27
Williams, T. J. See Jose, P. J.
Williamson, D. H. See Evans, R. D.
Williamson, F. B. See Grant, D.
Williamson, R. A.
——; Persson, M. A. A.; Burton, D. R.
Expression of a human monoclonal anti-(rhesus D) Fab fragment in Escherichia coli with the use of bacteriophage λ vectors. 277: 561
Wilmot, C. J. See Bruce, N. C.
Wilson, I. B. H.
——; Gavel, Y.; Von Heijne, G.
Amino acid distributions around O-linked glycosylation sites. 275: 529
Wilson, M. T. See Kadir, F. H. A.
Wilton, D. C. See Kinkaid, A.; Man, W. J.; Worrall, A. F.
A continuous fluorescence-displacement assay for triacylglycerol lipase and phospholipase C that also allows the measurement of acylglycerols. 276: 129
Winchester, B. See Al Daher, S.
Windler, E.
——; Greeve, J.; Levkau, B.; Kolb-Bachofen, V.; Daerr, W.; Greten, H.
The human asialoglycoprotein receptor is a possible binding site for low-density lipoproteins and chylomicron remnants. 276: 79
Wing, S. S.
——; Chiang, H. L.; Goldberg, A. L.; Dice, J. F.
Proteins containing peptide sequences related to Lys-Phe-Glu-Arg-Gln are selectively depleted in liver and heart, but not skeletal muscle, of fasted rats. 275: 165
Wingender, E. See Soemjen, D.
Witham, S. See Grenfell, S.
Withers, K. W. See Brand, M. D.
Witkowski, A. See Naggert, J.
Wittinghofer, A. See Bock-Moebius, I.
Woell, E. See Pfeilschifter, J.
Wojcikiewicz, R. J. H. See Strupish, J.
Wolf, C. R. See Henderson, C. J.
Wolfe, S. See Xiao, X.
Wolffe, A. P.
Xenopus transcription factors: key molecules in the developmental regulation of differential gene expression. 278: 313
Wollheim, C. B. See Regazzi, R.
Wollny, H. E. See Vogel, M.
Wolthers, B. G. See Princen, H. M. G.
Wong, H. Y. See Kirk, K.
Wong, K. P. See Tan, T. M. C.
Wong, S. I. See Rogers, J. E.
Wong, W. T.
——; Frost, S. C.; Nick, H. S.
Protein synthesis-dependent induction of annexin I by glucocorticoid. 275: 313
Woodard, S. I. See Conder, L. H.
Woodcock, S. C. See Jordan, P. M.
Woodman, A. C. See Vesey, D. A.
Woolfson, D. N. See Radford, S. E.
Wooster, R.
——; Sutherland, L.; Ebner, T.; Clarke, D.; Da Cruz e Silva, O.; Burchell, B.
Cloning and stable expression of a new member of the human liver phenol/bilirubin: UDP-glucuronosyltransferase cDNA family. 278: 465
Worrall, A. F.
——; Evans, C.; Wilton, D. C.
Synthesis of a gene for rat liver fatty acid binding protein and its expression in Escherichia coli. 278: 365
Wrana, J. L.
——; Kubota, T.; Zhang, Q.; Overall, C. M.; Aubin, J. E.; Butler, W. T.; Sodek, J.
Regulation of transformation-sensitive secreted phosphoprotein (SPPI/osteopontin) expression by transforming growth factor-β. Comparisons with expression of SPARC (secreted acidic cysteine-rich protein). 273: 523
Wright, J. F. See Reboul, A.
Wright, J. N.
——; Slatcher, G.; Akhtar, M.
'Slow-binding' sixth-ligand inhibitors of cytochrome P-450 aromatase. Studies with 19-thiomethyl- and 19-azido-androstenedione. 273: 533
Wright, R. D. See Fernley, R. T.
Wright, R. W. Jr. See O'Fallon, J. V.
Wu, G.
——; Field, C. J.; Marliss, E. B.
Elevated glutamine metabolism in splenocytes from spontaneously diabetic BB rats. 274: 49
——; Thompson, J. R.; Baracos, V. E.
Glutamine metabolism in skeletal muscles from the broiler chick (Gallus domesticus) and the laboratory rat (Rattus norvegicus). 274: 769
Wu, L. See Grosso, L. E.
Wu, R.
——; Plopper, C. G.; Cheng, P. W.
Mucin-like glycoprotein secreted by cultured hamster tracheal epithelial cells. Biochemical and immunological characterization. 277: 713
Wu, Y. N. See Kavanaugh, M. P.
Wu, Y. Y. See Kiang, J. G.

Wunderlich, J. K. See Potempa, J.
Wyrick, C. D. See Khan, W. A.

Xiao, X.
——; Wolfe, S.; Demain, A. L.
Purification and characterization of cephalosporin 7α–hydroxylase from Streptomyces clavuligerus. 280: 471
Xie, M.
——; Dubyak, G. R.
Guanine–nucleotide– and adenine–nucleotide–dependent regulation of phospholipase D in electropermeabilized HL–60 granulocytes. 278: 81
Xu, L. Z. See Lange, A. J.
Xue, L. See Spencer, S. R.
Xun, C. Q.
——; Tian, Z. G.; Tai, H. H.
Stimulation of synthesis de novo of NAD^+–dependent 15–hydroxyprostaglandin dehydrogenase in human promyelocytic leukemia (HL–60) cells by phorbol ester. 279: 553

Yada, Y.
——; Okano, Y.; Nozawa, Y.
Ganglioside G_{D1b}–induced terminal differentiation in cultured mouse keratinocytes. Phosphoinositide turnover forms the onset signal. 279: 665
Yamaguchi, K. See Aisaka, K.
Yamamoto, K. See Hosoi, M.
Yamamoto, M. See Ikejiri, K.
Yamamoto, S. See Riendeau, D.
Yamashita, K. See Sato, T.
Yamauchi, T. See Hosoi, M.
Yanaga, F. See Hirata, M.
Yanagishita, M. See McQuillan, D. J.
Yang, C. C.
——; Chang, L. S.
Dissociation of lethal toxicity and enzymic activity of notexin from Notechis scutatus scutatus (Australian–tiger–snake) venom by modification of tyrosine residues. 280: 739
Yao, K. See Kinuta, M.
Yap, S. H. See Van Dijk, W.
Yeaman, S. J. See Jones, B. S.
Yesufu, H. M. I.
——; Hanley, A.; Rinaldi, A.; Adams, R. L. P.
DNA methylase from Pisum sativum 273: 469
Yim, J. J. See Werner, E. R.
Ying, Q. L.
——; Rinehart, A. R.; Simon, S. R.; Cheronis, J. C.
Inhibition of human leukocyte elastase by ursolic acid. Evidence for a binding site for pentacyclic triterpenes. 277: 521
Yokoyama, M. See Fukamizu, A.
Yon, J. See Bihoreau, N.
Yonezawa, S.
——; Byrd, J. C.; Dahiya, R.; Ho, J. J. L.; Gum, J. R.; Griffiths, B.; Swallow, D. M.; Kim, Y. S.
Differential mucin gene expression in human pancreatic and colon cancer cells. 276: 599
Yoo, S. H.
Inositol 1,3,4,5–tetrakisphosphate–induced calcium sequestration into bovine adrenal–medullary secretory vesicles. 278: 381
Yoshida, S.
——; Lanza–Jacoby, S.; Stein, T. P.
Leucine and glutamine metabolism in septic rats. 276: 405
Young, J. See Watkinson, A.
Young, J. D. See Tse, C. M.
Young, P. R.
——; Synder, W. R.; McMahon, R. F.
Kinetic mechanism of Clostridium perfringens phospholipase. Hydrolysis of a thiophosphate analog of lysophosphatidylcholine. 280: 407
Young, S. See Coffer, A.
Youngster, S. K. See Ramsay, R. R.
Youson, J. H. See Conlon, J. M.
Yuan, J. See Kannan, R.
Yudkoff, M. See Nissim, I.

Zagalsky, P. F.
——; Eliopoulos, E. E.; Findlay, J. B. C.
The lobster carapace carotenoprotein, α–crustacyanin. A possible role for tryptophan in the bathochromic spectral shift of protein–bound astaxanthin. 274: 79
Zamboni, M. See Sperti, S.
Zammit, V. A. See Emmison, N.
——; Caldwell, A. M.
The roles of different protein kinases and of calmodulin in the effects of calcium mobilization on 3–hydroxy–3–methylglutaryl–CoA reductase activity in isolated rat hepatocytes. 273: 485
——; Caldwell, A. M.; Kolodziej, M. P.
Rapid decrease in the expression of 3–hydroxy–3–methylglutaryl–CoA reductase protein owing to inhibition of its rate of synthesis after calcium mobilization in rat hepatocytes. Inability of taurolithocholate to mimic the effect. 279: 377
Zanovello, P. See Pizzo, P.
Zawalich, K. C. See Zawalich, W. S.
Zawalich, W. S.
——; Zawalich, K. C.; Ganesan, S.; Calle, R.; Rasmussen, H.
Effects of the phorbol ester phorbol 12–myristate 13–acetate (PMA) on islet–cell responsiveness. 278: 49
Influence of staurosporine on glucose–mediated and glucose–conditioned insulin secretion. 279: 807
Zeikus, J. G. See Lee, C.
Zhang, J. See King, W. G.
Zhang, Q. See Wrana, J. L.
Zhang, Z.
——; Radziuk, J.
Effects of lactate on pathways of glycogen formation in the perfused rat liver. 280: 415
Zhao, D.
——; Hollenberg, M. D.; Severson, D. L.
Calmodulin inhibits the protein kinase C–catalyzed phosphorylation of an endogenous protein in A10 smooth–muscle cells. 277: 445
Zhou, A.
——; Nielsen, J. H.; Farver, O.; Thorn, N. A.
Transport of ascorbic acid and dehydroascorbic acid by pancreatic islet cells from neonatal rats. 274: 739
Zhou, D.
——; White, R. H.
Early steps of isoprenoid biosynthesis in Escherichia coli. 273: 627
Ziere, G. J. See Van Dijk, M. C. M.
Zimmermann, H. See Bock–Moebius, I.; Vogel, M.
Zimmermann, S. See Bock–Moebius, I.
Zimniak, P.
——; Holsztynska, E. J.; Radominska, A.; Iscan, M.; Lester, R.; Waxman, D. J.
Distinct forms of cytochrome P–450 are responsible for 6β–hydroxylation of bile acids and of neutral steroids. 275: 105
Zippel, R. See Brambilla, R.
Zoladek, T. See Kurlandzka, A.
Zorzato, F. See Fill, M.
Zorzi, W. See Adam, M.
Zurdo, J.
——; Lozano, R. M.; Fernandez–Cabrera, C.; Ramirez, J. M.
Dimeric carotenoid interaction in the light–harvesting antenna of purple phototrophic bacteria. 274: 881
Zweibaum, A. See Schohn, H.

Keyword Index

VOLUMES 273–280 (1991)

Absorption
biotin intestine ileum jejunum 279: 671
Acclimation
lipid peroxidn brown adipose 277: 289
Acetobacter
methanol dehydrogenase interaction cytochrome cL 280: 139
Acetohydroxy
acid reductoisomerase cDNA spinach sequence 277: 469
Acetyl
CoA acetyltransferase modified glutamate dehydrogenase 280: 353
CoA carboxylase adipose lactation hormone 274: 543
CoA carboxylase hepatocyte swelling 278: 887
CoA carboxylase kinase p44mpk oocyte 274: 759
CoA pyruvate carboxylase phosphate transfer 273: 443
CoA site pyruvate carboxylase lysine 276: 759
contg compd acetylesterase specificity virus 273: 435
Acetylation
ADP ribosylation core histone 277: 607
methylation histone erythrocyte 273: 753
radioassay membrane lipid detn 274: 375
Acetylcholine
platelet activating factor submandibular 276: 175
receptor neurotoxin binding region 274: 849
Acetylcholinesterase
inhibition chlorpromazine erythrocyte 278: 461
inhibition progress curve systematic error 274: 181
AcetylCoA
carboxylase adipose insulin phosphatase 276: 649
carboxylase liver starvation refeeding 280: 733
Acetylcysteine
desferrioxamine mercaptopropionylglycine antioxidant coronary disease 277: 833
Acetylesterase
virus specificity acetyl contg compd 273: 435
Acetylgalactosamine
sulfatase liver human 279: 515
Acetylglutamate
liver polemic 275: 821 275: 822
Acetylneuraminate
lyase crystn Escherichia 276: 541
Acetyltransferase
acetyl CoA modified glutamate dehydrogenase 280: 353
dihydrolipoyl lipoylation Escherichia 277: 153
histone DNA formation liver 280: 777
lipoate assocn E3 protein X 278: 423
platelet activating factor adrenal cortex 278: 29
Acid
alpha glucosidase heterogeneity lysosome 279: 719
glycoprotein alpha1 drug binding pH 280: 277
glycoprotein glycosylation hepatocyte inflammation 276: 343
phosphatase isoenzyme subunit structure prostate 277: 759
phosphatase tartrate resistant structure mRNA 277: 631
Acidification
heart myocyte ATP calcium 274: 55
Acidity
carboxy group heparin glucuronate NMR 278: 689
Acidosis
liver glutamic formation 278: 709
Acinar
pancreas inositol triphosphate kinase 274: 622
Acinetobacter
benzyl alc benzaldehyde dehydrogenase sequence 273: 99
Acinus
liver cytochrome P 450 TCDD 277: 577
Aconitase
inactivation hydrogen peroxide plant 276: 643
Acrosome
reaction sperm spermine 278: 25
sperm protein enzyme 275: 759
Actin
gelsolin interaction calcium 274: 753
interaction calponin caldesmon 280: 33
kidney transformation revertant gene vras 279: 883
mutant stability Drosophila 274: 301
myosin crossbridge muscle contraction review 274: 1
plasma liver vitamin D protein 274: 237
polymn lithium magnesium 274: 421
polymn monocyte G protein 275: 809
Actinidin
interaction cystatin titrn 276: 387
Actinomadura
lactamase gel electrophoresis 280: 553
Active
site arginine diadenosine tetraphosphate phosphorylase 279: 135
site aspartate glucokinase liver 277: 159
site Bacillus levansucrase polymerase hydrolase 279: 35
site beta lactamase serine mechanism 274: 855
site cysteine glutathione transferase inhibitor 278: 63
site dehydroquinase sequence Escherichia Neurospora 275: 1
site lactamase cysteine iodoacetate pH 273: 85
site maltase glucoamylase 274: 349
site papaya proteinase omega 280: 79
site penicillin acylase Kluyvera 280: 659
site protein disulfide isomerase 275: 341
site protein disulfide isomerase dithiol 275: 335
site serine beta lactamase 277: 647
site tyrosinase residue function Streptomyces 274: 707
Actomyosin
ATPase interaction calponin caldesmon 280: 33
ATPase regulation ATP light chain 280: 39
isomerization interaction troponin tropomyosin 279: 711
Acute
inflammation liver contrapsin sequence mouse 276: 337
lymphoblastic leukemia antigen detn immunoassay 278: 417
phase interleukin 1beta 279: 683
phase protein mRNA hepatocyte 277: 477
Acyl
chain specificity taurocholate activated lipase 279: 297
CoA binding protein insulin adipocyte 277: 341
CoA cholesterol acyltransferase liver hypothyroidism 276: 825
CoA oxidase hepatocyte peroxisome proliferator 280: 249
CoA oxidase liver 275: 247
enzyme thioester substrate peptidase lactamase 280: 499
transfer mechanism beta lactamase Streptomyces 279: 213
Acylase
penicillin active site serine Kluyvera 280: 659
Acylation
avidin complement hemolysis 273: 393
AcylCoA
binding protein cattle cloning Escherichia 276: 817
Acylglycerol
detn fluorometry 276: 129
Acylglycerophosphoethanolamine
hydrolyzing lysophospholipase A2 heart microsome 275: 393
Acyltransferase
acyl CoA cholesterol liver hypothyroidism 276: 825
bile acid kidney 280: 821
carnitine carboxylate xenobiotic 279: 895
high mol wt PBP protein 279: 601
Adaptation
seasonal lobster hemocyanin subunit compn 277: 419
Adduct
tertbutylnitrophenylnitrone bile halothane anesthesia 277: 795
Adenine
guanine mismatch conformation DNA 279: 269
guanine nucleotide phospholipase D granulocyte 278: 81
nucleotide metab carcinoma hepatoma 273: 277
phosphoribosyltransferase Artemia 275: 327
Adenosine
deaminase kinetics equation progress curve 274: 509
lipolysis diabetes adipocyte 278: 309
liver glycogen metab 277: 597
phosphosulfate sulfotransferase Euglena 274: 355
receptor adipocyte adenylate cyclase obesity 279: 17
receptor brain solubilization reconstitution 275: 651
Adenosylmethionine
decarboxylase inhibition product analog magnesium 277: 643
synthetase ATP site essential cysteine 274: 225
Trypanosoma polyamine biosynthesis inhibitor 274: 527
Adenovirus
human oncoprotein review 275: 281

Adenylate
cyclase adipocyte adenosine receptor obesity 279: 17
cyclase adipocyte G protein obesity 276: 197
cyclase cholera toxin opioid receptor 275: 175
cyclase inhibition calcium review 278: 903
cyclase inhibition diabetes polemic 278: 310
cyclase regulation mechanism platelet 276: 621
electron transport respiration plant 274: 249
kinase aliph amino acid NMR 273: 311
kinase deuteration NMR Escherichia 273: 311
Adipocyte
adenosine receptor adenylate cyclase obesity 279: 17
adenylate cyclase G protein obesity 276: 197
brown lipoprotein lipase secretion 277: 801
casein kinase insulin 279: 545
glucose transport noradrenaline 277: 119
glucose transporter translocation insulin 275: 597
glucose uptake insulin 274: 787
hexose transport insulin PMA 275: 145
insulin acyl CoA binding protein 277: 341
lipolysis adenosine diabetes 278: 309
phosphoprotein insulin isoprenaline 274: 433
protein GLUT4 mRNA obesity 279: 303
Adipokinetic
hormone peptide sequence Melolontha 275: 671
Adipose
acetyl CoA carboxylase lactation hormone 274: 543
adrenergic receptor somatotropin insulin 273: 39
brown glucose utilization starvation refeeding 273: 233
brown lipid peroxidn cold 277: 289
brown lipoprotein lipase glycosidation 277: 801
brown mitochondria GDP binding diet 279: 575
enzyme insulin phosphatase inhibitor 276: 649
G protein insulin 276: 103
glucose transporter insulin 278: 235
glycerolipid forming enzyme cold 277: 665
tissue glucose transport protein kinase 275: 597
ADP
ATPase calcium transport sarcoplasmic reticulum 274: 427
phosphorylation carbamoyl phosphate pyruvate carboxylase 273: 443
ribosylation acetylation core histone 277: 607
ribosylation factor GTP analog 275: 639
ribosylation Gi protein detn 277: 223
Adrenal
chromaffin calcium release 278: 643
cortex platelet activating factor acetyltyltransferase 278: 29
cortex platelet activating factor angiotensin 278: 29
glomerulosa calcium signal angiotensin 273: 399
glutathione transferase pituitary hormone 280: 399
inositol phosphate calcium ATP GTP 279: 447
medulla calcium inositol triphosphate 275: 697
medulla calcium sequestration inositol tetrakisphosphate 278: 381
Adrenaline
glycogenolysis liver administration route 275: 609
kidney epithelium hyperpolarization 274: 243
protein synthesis heart 273: 347
Adrenergic
adipose glycerolipid forming enzyme 277: 665
receptor adipose somatotropin insulin 273: 39
receptor cAMP calcium hepatocyte 273: 799
receptor mRNA tissue thyroid hormone 277: 625
Adrenoceptor
G protein uncoupling heparin 280: 791
Adrenocortical
platelet activating factor protein kinase 278: 29
Affinity
liq chromatog calmodulin protein 275: 733
partition plasma membrane purifn 273: 173
Aflatoxin
B1 glutathione transferase expression 279: 385
Agglutinin
SNA III elder fruit 278: 667
wheat germ plasma membrane 273: 173
Aging
erythrocyte glycolysis enzyme 279: 237
erythrocyte membrane globin IgG 278: 57
Agonist
calcium influx neutrophil intracellular store 277: 73
Ah
receptor TCDD DNA binding 274: 401
receptor TCDD toxicity review 276: 273
Alanine
ammonia metab polemic 276: 271 276: 272
release muscle cell vol 276: 559
Albumin
aluminum binding serum transferrin 280: 527
dicarboxylate binding site 276: 569
octanoate diazepam tryptophan site 273: 641
Alc
dehydrogenase chain reaction kinetics 279: 855
dehydrogenase conformation NAD 276: 433
dehydrogenase liver 278: 659
disulfiram thiocarbamate aldehyde dehydrogenase 278: 189
liver proteolysis inhibition 273: 149
sarcoplasmic reticulum 274: 565
Aldehyde
dehydrogenase esterase activity essential nucleophile 275: 207
dehydrogenase kinetics pyrophosphate liver 273: 691
dehydrogenase thiocarbamate compd 278: 189
deoxyglucosone reductase identity liver 279: 903
oxidoreductase iron sulfur center Desulfovibrio 280: 817
Algorithm
flux conc control coeff 278: 299
Aliph
amino acid adenylate kinase NMR 273: 311
Alk
phosphatase gene retinoic acid 274: 673
phosphatase inhibition leucine 274: 91
Alkylating
agent bromoacetylphosphonic acid 275: 772
Alkylation
thiol bromoacetylphosphonate chloroacetylphosphonate dehydrogenase 275: 767
Allele
glutathione transferase gene cloning expression 276: 519
Allosteric
regulation butylphosphonate phosphonoacetaldehyde hydrolase Pseudomonas 280: 557
site glutathione transferase YfYf ethacrynate 275: 703
AlphaS1
casein fragment proteinase specificity Lactococcus 273: 135
Alpha1
acid glycoprotein drug binding pH 280: 277
Aluminofluoride
hydrogen sulfate analog sulfatase 279: 361
Aluminum
binding serum transferrin 280: 527
inositol tetrakisphosphate conversion 277: 883
Alzheimer
brain A68 protein tau factor 279: 831
brain neurofibrillary tangle tau factor 273: 127
disease protein tau brain phosphorylation 275: 99
Amia
insulin sequence 276: 261
Amidophosphoribosyltransferase
nomenclature error 279: 328
Amine
metab rodent cell neoplasm 280: 289
oxidase spermine animal cell 280: 193
Amino
acid aliph adenylate kinase NMR 273: 311
acid analog glutamine transport specificity 278: 105
acid distribution glycoprotein glycosylation site 275: 529
acid essential ornithine decarboxylase turnover 277: 671
acid fruit bat cobalamine deficiency 275: 585
acid hepatocyte metab 273: 57
acid transport system N liver 274: 97
acid transporter erythrocyte 277: 565
acid uptake liver obesity 280: 367
Aminoacetone
synthase essential histidine liver 275: 575
Aminoglycoside
nerve phospholipase D inhibition 279: 319
Aminolevulinate
synthase mRNA degrdn hepatocyte protein 274: 619
Aminolysis
lactamase active site serine mechanism 274: 855
Aminomethoxycoumarylpropionate
prepn 274: 45
Aminopropionate
fluorescent deriv prepn 274: 45

Aminotransferase
aspartate Haloferax 278: 149
aspartate pyridoxal phosphate ioniza⊃ tion review 280: 832
aspartate sequence Saccharomyces 277: 335
kynurenine kidney 279: 595
Ammonia
alanine metab polemic 276: 271 276: 272
brain glucose glutamine hepatic ence⊃ phalopathy 277: 697
brain glucose metab liver failure 277: 693
glucagon glutaminase liver 274: 103
phenylalanine lyase multiple forms Phaseolus 279: 231
Amplification
methylation ornithine decarboxylase gene human 279: 435
Amylase
alpha domain organization 280: 51
pancreas caerulein dexamethasone glucose 279: 197
Amylin
calcitonin gene related peptide recep⊃ tor 277: 139
conformation 275: 785
glycogen metab liver insulin 276: 607
Amyloid
A protein serum sequence mouse 280: 45
fibril glycosaminoglycan 275: 67
P component cell nucleus binding 279: 257
serum A protein isoform inflammation 273: 245
Amyloidosis
senile apolipoprotein polymorphism sequence 279: 427
Anabaena
ferredoxin NADP redn light 274: 781
Anchor
cell surface protein phospholipase D 279: 483
Androgen
receptor gene mouse sequence expres⊃ sion 278: 269
receptor kidney monooxygenase sex 278: 499
receptor transformed radiation inacti⊃ vation size 275: 41
Androstenedione
lithocholate hydroxylase cytochrome P 450 275: 105
Anesthesia
halothane liver toxicity free radical 277: 795
Angiotensin
adrenal chromaffin calcium release 278: 643
calcium signal adrenal glomerulosa 273: 399
II forming chymase I sequence 276: 567
kidney mesangium protein kinase 279: 441
phosphatidylcholine hydrolysis blood vessel 276: 19
platelet activating factor adrenal cortex 278: 29
receptor brain liver pituitary 277: 729
Anhydrase
carbonic I gene promoter human 277: 903
carbonic isoenzyme IV RIA 274: 313
Animal
cell spermine amine oxidase 280: 193
Anion
exchange HPLC oligosialic acid 280: 575
inorg inhibition glutathione transfer⊃ ase isoenzyme 278: 193
neurotransmitter transport synaptic vesicle 276: 363
transport hepatocyte protein kinase 278: 637
transport system liver 274: 281
transporter microsome dipeptidase kidney 280: 71
Annexin
gene expression glucocorticosteroid 275: 313
VI phosphotyrosyl protein phospha⊃ tase lung 278: 435
Anthracycline
structure DNA ligase inhibition 279: 141
Antibiotic
aminoglycoside nerve phospholipase D inhibition 279: 319
beta lactam structure substrate lacta⊃ mase 279: 111
Antibody
activation myosin light chain kinase 275: 679
binding chondroitin sulfate proteogly⊃ can sulfation 273: 237
catalytic polyclonal 279: 871
glycosyl phosphatidylinositol mem⊃ brane anchor 273: 301
indolylacetylglucose synthase purifn corn 279: 509
inhibitory epitope location ATPase stomach 280: 243
monoclonal glycoprotein IIIa 274: 457
monoclonal glycoprotein platelet 279: 419
monoclonal human rhesus D Escher⊃ ichia 277: 561
monoclonal phosphatidylinositol kinase II 273: 63
monoclonal receptor 280: 1
ryanodine receptor calcium channel transport 273: 449
Anticholesterolemic
ursodeoxycholate LDL degrdn hepa⊃ tocyte 280: 589
Antigen
acute lymphoblastic leukemia detn immunoassay 278: 417
CD45 phosphatase MAP2 kinase lymphocyte 276: 481
collagen type III 274: 895
gamma T kininogenase submandibu⊃ lar 280: 19
hepatitis B surface preS domain 276: 411
histocompatibility class I structure function 277: 359
histocompatibility valyl tRNA synthetase gene 278: 809
Antioxidant
enzyme brown adipose cold 277: 289
mercaptopropionylglycine acetylcy⊃ steine desferrioxamine coronary disease 277: 833
Antiplasmin
alpha2 plasmin fibrin 275: 53
Antiserum
benzodiazepine receptor 275: 419
Antithrombin
heparin site formation 275: 151
receptor heparin sulfate proteoglycan brain 280: 393
Antitrypanosomal
polyamine biosynthesis inhibitor 274: 527
Antitumor
sulfur homolog tyrosine transport melanoma 280: 721
Aorta
calcium channel cGMP protein kinase 273: 803
chondroitin dermatan sulfate proteo⊃ glycan sequence 274: 415
endothelium calcium ATP bradykinin 278: 697
endothelium G protein arachidonate bradykinin 280: 281
inositol phosphate metab ATP 277: 103
Apical
membrane trophoblast vitronectin receptor 280: 9
Apoenzyme
pyruvate decarboxylase reactivation cofactor Zymomonas 276: 439
Apolipoprotein
B48 oligosaccharide small intestine 274: 159
polymorphism sequence senile amy⊃ loidosis 279: 427
secretion liver butyrate 278: 557
Apoprotein
chylomicron binding liver membrane 279: 769
Apurinic
apurinic apyrimidinic detn thiolgly⊃ collate 273: 777
Apyrimidinic
apurinic apurinic detn thiolglycollate 273: 777
Arabaena
flavodoxin gene cloning sequence 280: 187
Arachidonate
calcium vascular endothelium bradyk⊃ inin 280: 281
exocytosis neutrophil calcium G pro⊃ tein 275: 127
fluoro deriv lipoxygenase substrate 278: 549
lipoxygenase activation neutrophil 280: 379
mobilization platelet protein kinase 280: 93
release platelet calcium ATP 273: 561
Arachidonoyl
palmitoyl CoA synthetase identity platelet 274: 145
Argine
methanol dehydrogenase interaction cytochrome cL 280: 139
Arginine
active site diadenosine tetraphosphate phosphorylase 279: 135
conserved glutathione transferase isoenzyme 274: 549
deiminase Halobacterium 273: 739
function catalytic cleft porphobilino⊃ gen deaminase 280: 445
function tyrosinase Streptomyces 274: 707
hydroxymethylbilane synthase mech⊃ anism Escherichia 275: 447
nitric oxide formation hydroxylamine 273: 547
Arginosuccinate
lyase crystallin ostrich eye 273: 295
Arom
disulfide activation guanylate cyclase 275: 29
Aromatase
inhibition thiomethylandrostenedione azidoandrostenedione 273: 533
Artemia
embryo cell free protein formation 276: 809
purine phosphoribosyltransferase 275: 327
reticulocyte ribosome gelonin 277: 281
Artery
hepatic adrenaline glycogenolysis liver 275: 609
muscle protein calcium caldesmon 277: 819

Arthritis
exercise synovial fluid NMR hyaluronate 273: 459
link protein articular cartilage 278: 143
Arthrobacter
xylose isomerase 277: 255
xylose isomerase gene cloning sequence 277: 263
Arthropod
seasonal adaptation hemocyanin subunit compn 277: 419
Articular
cartilage proteoglycan 273: 579
cartilage proteolysis link protein 278: 143
cartilage serine proteinase inhibitor 274: 269
Aryl
hydrocarbon hydroxylase conserved domain liver 278: 749
hydrocarbon receptor quaternary structure RNase 279: 689
xylosidase Caldocellum 273: 645
Arylsulfatase
A gene metachromatic leukodystrophy retrovirus 280: 459
gene transduction human mucopolysaccharidosis fibroblast 276: 499
AR4
2J cell inositol trisphosphate kinase 274: 622
Ascites
fluid phospholipase A2 278: 263
Ascorbate
dihydrodiol dehydrogenase inhibition eye lens 275: 121
transport pancreas development 274: 739
Asialoglycoprotein
receptor chylomicron remnant liver 276: 79
Asparagine
linked glycoprotein epididymis 277: 213
Aspartate
aminotransferase Haloferax 278: 149
aminotransferase pyridoxal phosphate ionization review 280: 832
aminotransferase sequence Saccharomyces 277: 335
conversion glutamate citrate synthase 280: 521
glucokinase active site liver 277: 159
Aspartylglucosaminidase
subunit leukocyte 276: 251
Astaxanthin
crustacyanin carotenoprotein tryptophan carapace lobster 274: 79
Astroglia
GABA transport phorbol ester 275: 435
Atherosclerosis
oxidized lipoprotein macrophage glutathione 278: 429
ATP
adenylate cyclase regulation platelet 276: 621
binding cytochrome c 279: 781
bradykinin hsp27 phosphorylation 277: 635
calcium aorta endothelium 278: 697
calcium transient fibroblast 278: 849
formation mitochondria heart review 280: 561
glucagon degrdn liver endosome 280: 211
inositol phosphate adrenal 279: 447
inositol phosphate metab aorta 277: 103
liver glycogen metab 277: 597
magnesium cleavage reversibility nitrogenase Klebsiella 277: 735
modulation phospholipase A2 heart 280: 581
platelet arachidonate release calcium 273: 561
regulation ATPase actomyosin 280: 39
site adenosylmethionine synthetase essential cysteine 274: 225
synthase mitochondria magnesium 276: 149
synthase subunit lysosome Batten disease 275: 269
thymocyte lysis cation transport 274: 139
ATPase
actomyosin interaction calponin caldesmon 280: 33
actomyosin regulation ATP light chain 280: 39
ADP calcium transport sarcoplasmic reticulum 274: 427
beta subunit expression 279: 329
calcium brain chicken 275: 555
calcium conformation erythrocyte lysine reactivity 279: 121
calcium inhibitor hepatocyte T lymphocyte 277: 553
calcium retinoid 277: 603
domain structure erythrocyte cell membrane 279: 537
ecto cell CAM 105 liver 278: 155
F0F1 magnesium inactivation 276: 149
glycosylation multiple subunit muscle 278: 375
inhibitory antibody epitope location stomach 280: 243
reticulocyte thyroxine retinoate sex 273: 489
surface epitope sarcoplasmic reticulum 279: 203
synaptic vesicle neurotransmitter transport 276: 363
thyroid hormone sarcoplasmic reticulum 275: 35
Trypanosoma membrane calmodulin calcium transport 280: 715
Atrial
natriuretic peptide receptor transport 276: 493
Atriopeptin
calcium cytoplasm mesangium cGMP 274: 323
receptor subtype blood platelet 278: 211
receptor subtype internalization recycling 276: 493
Avidin
biotin binding site 278: 573
biotinyl erythrocyte 273: 393
Azidoandrostenedione
inhibition aromatase 273: 533
Azidosalicylaminoethanolphosphomyoinositol
trisphosphate prepn 280: 533
Azoferredoxin
molybdoferredoxin partial reaction nitrogenase Klebsiella 279: 81
Azotobacter
flavodoxin multiple form electrochem 277: 313
nitrogenase molybdenum iron protein cysteine 277: 457
vanadium nitrogenase hydrazine formation 277: 465
A68
protein tau factor brain Alzheimer 279: 831
B
lymphoblast tetanus toxin proteolysis 277: 47
lymphocyte inositol pentakisphosphate isomer 280: 323
lymphocyte proteoglycan link protein processing 280: 679
Bacillus
beta lactamase interaction cephamycin structure 279: 111
delta endotoxin photostability 273: 43
lactamase II active site 276: 401
levansucrase polymerase hydrolase active site 279: 35
protein DnaB RTP sequence similarity 275: 823
Bacteria
benzyl alc benzaldehyde dehydrogenase sequence 273: 99
thermophilic PS3 inorg phosphatase histidine 278: 595
Band
3 protein erythrocyte senescence 275: 47
Barium
phosphoserine protein sequence detn 280: 261
Barrier
blood brain capillary purifn characterization 276: 745
diagram construction enzyme kinetics 276: 265
Basic
fibroblast growth factor chondrocyte kinase 276: 157
fibroblast growth factor release retina 276: 113
myelin protein methylase I brain 275: 381
Basolateral
membrane intestine glutamine transport 277: 687
membrane prepn parotid gland 279: 843
Batten
disease ATP synthase subunit lysosome 275: 269
BC3H1
cell differentiation calcium mobilization 273: 219
Bean
mung inositol pentakisphosphate 275: 485
Bee
venom phospholipase A2 pancreas comparison 278: 843
Beetle
neuropeptide corpus cardiacum 275: 671
Benzaldehyde
dehydrogenase sequence bacteria 273: 99
Benzodiazepine
receptor protein isolation 275: 419
site albumin octanoate 273: 641
Benzofuranol
deriv lipoxygenase pseudoperoxidase stimulation 274: 287
Benzohydroquinone
calcium cytosol pool manoalide 279: 367
Benzoquinone
conjugate glutathione transferase inactivation 276: 661
Benzyl
alc dehydrogenase sequence bacteria 273: 99
Beryllofluoride
hydrogen sulfate analog sulfatase 279: 361
Beta
adrenergic receptor heart thyroid hormone 277: 625
alanine electrolyte cotransport kidney 277: 891
cell pancreas insulin formation polyamine 277: 533
crystallin transglutaminase oxygen radical 274: 869
lactam antibiotic structure substrate lactamase 279: 111
lactamase Bacillus interaction cephamycin structure 279: 111

oxidn hexadecanedionoyl mono CoA liver 273: 205
Beta2
microglobulin oxygen radical 277: 175
BHA
induction glutathione transferase subunit 277: 501
BHK
cell cathepsin D human 273: 355
cell recombinant human lactoferrin 276: 349
cell spermine toxicity 280: 193
Bilayer
lipid phase transition daunomycin verapamil 279: 413
Bile
acid acyltransferase kidney 280: 821
acid formation liver cyclosporine 275: 501
acid hepatocyte cholesterol hydroxylase 276: 73
acid liver cholesterol ester lipoprotein 280: 359
acid sequestration cholesterol lipoprotein hyperlipidemia 278: 651
acid steroid hydroxylase isoenzyme specificity 275: 105
lipid enzyme secretion mechanism cefmetazole 275: 591
obstruction cholesterol bile acid metab 280: 373
salt activated lipase substrate specificity 279: 297
secretion processing liver phosphatidylcholine 275: 139
tertbutylnitrophenylnitrone adduct halothane anesthesia 277: 795
Bilirubin
UDP glucuronosyltransferase human liver 278: 465
Binding
protein fatty acid liver LY171883 280: 387
protein insulinlike growth factor analog 278: 249
Bioluminescence
detn inositol phosphate 274: 663
Bioluminescent
substrate cAMP protein kinase 279: 727
Biotin
absorption intestine ileum jejunum 279: 671
binding site avidin streptavidin 278: 573
deriv calmodulin prepn biol 275: 733
pyruvate carboxylase phosphate transfer reaction 273: 443
Biotinyl
erythrocyte avidin 273: 393
Bird
erythrocyte membrane phosphatidylinositol synthase 275: 187
Bisphosphatase
fructose redn activation thioredoxin dithiothreitol 278: 787
Blood
brain barrier capillary purifn characterization 276: 745
coagulation factor complement C4bp review 277: 581
factor VII tissue factor 278: 729
factor VIII deleted mutant 277: 23
genome DNA isolation rapid method 273: 229
glycoprotein synovial fluid irradn arthritis 273: 459
group neutral oligosaccharide submaxillary mucin 279: 95
liver lipid lipoprotein metab hypothyroidism 273: 375
macroglobulin alpha2 dissocn kinetics 278: 325
plasma alpha1 proteinase inhibitor sheep 273: 685
plasma thrombin purifn human 280: 805
platelet activating factor protein kinase 278: 255
platelet activating factor receptor solubilization 278: 405
platelet aggregation inhibition triflavin venom 277: 351
platelet arachidonate mobilization protein kinase 280: 93
platelet arachidonate release calcium ATP 273: 561
platelet atriopeptin receptor subtype 278: 211
platelet calcium influx translocation agonist 280: 783
platelet calcium protein kinase 278: 411
platelet calpain inhibitor 274: 497
platelet fibrinogen protein kinase cAMP 273: 115
platelet Gi protein thrombin 279: 643
platelet glycoprotein detection 279: 419
platelet laminin receptor 274: 535
platelet phosphoinositide protein kinase 278: 475
platelet protein kinase erythrosphingosine 278: 387
platelet thrombospondin soln property 275: 263
platelet transforming growth factor glioblastoma 277: 165
retinoic acid metab glucuronide 277: 527
vessel cell cycle Id gene 277: 285
vessel endothelium thrombomodulin tissue factor 273: 679
vessel inositol phosphate metab 277: 103
vessel phosphatidylcholine hydrolysis angiotensin 276: 19
vessel smooth muscle myosin 277: 145
vessel smooth muscle thrombin 274: 799
Body
wt growth factor diabetes 276: 547
Bombesin
calcium transient fibroblast 278: 849
phospholipase diradylglycerol formation PMA 280: 431
receptor pancreas guanine nucleotide 280: 163
Bone
alk phosphatase gene retinoate 274: 673
cathepsin B L 279: 167
osteoblast proteoglycan 277: 199
osteopontin transforming growth factor 273: 523
parathormone receptor cytokine retinoate 280: 451
procollagen prolyl hydroxylase inhibitor 275: 469
proliferation parathormone fragment 277: 863
protein formation fetus mineralization 274: 513
Botryodiplodia
glucosidase multiple form 275: 721
Bowfin
insulin sequence 276: 261
Bradykinin
B2 kinin receptor mol form 276: 141
calcium aorta endothelium 278: 697
calcium arachidonate vascular endothelium 280: 281
hsp27 phosphorylation 277: 635
Brain
adenosine receptor solubilization reconstitution 275: 651
angiotensin receptor 277:.729
A68 protein tau factor Alzheimer 279: 831
blood barrier capillary purifn characterization 276: 745
calcitonin receptor 273: 179
calcium ATPase chicken 275: 555
calcium channel inositol trisphosphate receptor 277: 125
endooligopeptidase A metalloendopeptidase polemic 277: 294
glucose metab glutamine formation hyperammonemia 277: 697
glucose metab hyperammonemia hepatic encephalopathy 277: 693
glutathione transferase isoenzyme 6 274: 405
heparin sulfate proteoglycan antithrombin receptor 280: 393
inositol phosphate phosphatase inhibitor 278: 219
inositol tetrakisphosphate receptor labeling 280: 533
inositol tetrakisphosphate receptor purifn 275: 453
inositol trisphosphate kinase calmodulin site 280: 125
inositol trisphosphate phosphatase isoform regeneration 277: 293
mastoparan stimulated nucleotidase 278: 341
microtubule assembly GTP hydrolysis 277: 239
myelin basic protein methylase I 275: 381
neurofibrillary tangle tau factor Alzheimer 273: 127
neurotensin endopeptidase 276: 583
phosphofructokinase fructose diphosphatase 276: 455
prolyl endopeptidase 276: 237
protein tau Alzheimer Down phosphorylation 275: 99
S 100b protein cadmium 276: 13
spectrin neurofilament light chain domain 275: 521
synaptosome G protein hypothyroidism 275: 183
testis cannabinoid receptor transcription mammal 279: 129
Branched
enzyme pathway substrate inactivation kinetics 279: 87
Bromoacetylphosphonate
alkylation thiol dehydrogenase 275: 767
Bromoacetylphosphonic
acid alkylating agent 275: 772
Brown
adipose glucose utilization starvation refeeding 273: 233
adipose lipid peroxidn cold 277: 289
adipose lipoprotein lipase glycosidation 277: 801
adipose mitochondria GDP binding diet 279: 575
adipose tissue adrenergic receptor thyroid 277: 625
Brush
border guanylate cyclase activation disulfide 275: 29
border kidney membrane protein 278: 543
border lactate transport placenta 278: 535
border placenta vitronectin receptor 280: 9
border sodium nucleoside transport kidney 274: 27
Bryostatin
phosphatidylethanolamine hydrolysis oncogene transformation PMA 276: 505
Bungarotoxin
beta1 calcium site phospholipase A2 278: 481

Bupleurum
caffeate peroxidase lignan formation 273: 109
Butylphosphonate
allosteric regulation phosphonoacetaldehyde hydrolase Pseudomonas 280: 557
Butyrate
apolipoprotein secretion liver 278: 557
B2
kinin receptor mol form bradykinin 276: 141
C
reactive protein cell nucleus binding 279: 257
Cachexia
glucose utilization neoplasm animal tissue 277: 321
Cadmium
S 100b protein brain 276: 13
Caerulein
pancreas enzyme glucose 279: 197
Caffeate
peroxidase Bupleurum lignan formation 273: 109
Caffeine
adrenal chromaffin calcium release 278: 643
Calcitonin
gene related peptide analog conformation 275: 785
gene related peptide fragment structure 280: 147
gene related peptide glycogen insulin 276: 607
gene related peptide receptor amylin 277: 139
receptor brain 273: 179
Calcium
adrenaline hyperpolarization kidney 274: 243
aorta endothelium ATP bradykinin 278: 697
arachidonate vascular endothelium bradykinin 280: 281
ATPase brain chicken 275: 555
ATPase conformation erythrocyte lysine reactivity 279: 121
ATPase inhibitor hepatocyte T lymphocyte 277: 553
ATPase retinoid 277: 603
caldesmon S100 protein 277: 819
channel inhibition protein kinase microsome 273: 803
channel sequence homol Willebrand factor 279: 908
chromaffin cell inositol triphosphate 275: 697
current oocyte inositol tetrakisphosphate 273: 317
cytoplasm mesangium atriopeptin cGMP 274: 323
cytosol platelet phorbol dibutyrate 278: 411
cytosol pool manoalide benzohydroquinone 279: 367
efflux protein phosphorylation sarcoplasmic reticulum 276: 97
EGF receptor phosphorylation 275: 563
fibroblast high density lipoprotein 279: 29
G protein arachidonate exocytosis neutrophil 275: 127
gelsolin actin interaction 274: 753
glucose pancreatic islet glycolysis 278: 335
glucose phosphatase regulation liver microsome 275: 805
heart myocyte ATP acidification 274: 55
hepatocyte cAMP adrenergic receptor 273: 799
hepatocyte estradiol progesterone 280: 273
hepatocyte hydroxymethylglutaryl CoA reductase 273: 485
influx neutrophil agonist intracellular store 277: 73
influx translocation platelet agonist 280: 783
inhibition adenylate cyclase review 278: 903
inositol phosphate adrenal 279: 447
inositol trisphosphate substance P 273: 541
integrin GPIIb GPIIIa lipid temp 276: 35
keratinocyte differentiation ganglioside 279: 665
low density lipoprotein binding protein 277: 825
metab EGF receptor fatty acid 278: 679
mitochondria cyclosporin peptidylprolyl isomerase 274: 611
mitochondria pore hydrogen ion injury 278: 715
mobilization BC3H1 cell differentiation 273: 219
mobilization hepatocyte inositol trisphosphate 278: 705
mobilization hydroxymethylglutaryl CoA reductase liver 279: 377
mobilizing hormone liver cell 280: 105
mobilizing hormone protein kinase 277: 371
neuroblastoma muscarinoceptor inositol trisphosphate 273: 791
neutrophil signal transduction receptor 277: 705
oscillation liver cAMP isoprenaline 275: 277
osteoblast parathormone 274: 15
permeability membrane cytochrome 450 274: 193
platelet activating factor 278: 255
platelet activating factor submandibular 276: 175
platelet arachidonate release ATP 273: 561
platelet intracellular lipid A 278: 75
protein kinase C histamine platelet 273: 405
protein phosphorylation sarcoplasmic reticulum 276: 89
pump cyclic nucleotide tissue 277: 345
release adrenal chromaffin 278: 643
release channel endoplasmic reticulum 276: 41
release inositol trisphosphate receptor cerebellum 277: 125
release nerve platelet taurolithocholate 273: 153
sequestration adrenal medulla inositol tetrakisphosphate 278: 381
signal adrenal glomerulosa angiotensin 273: 399
site beta1 bungarotoxin phospholipase A2 278: 481
storing organelle inositol trisphosphate liver 274: 643
thyroid hormone sarcoplasmic reticulum 275: 35
transient fibroblast growth factor 278: 849
transport ATPase sarcoplasmic reticulum 274: 427
transport nerve inositol trisphosphate 276: 163
transport regulation phosphoprotein membrane platelet 273: 429
transport sarcoplasmic reticulum ryanodine receptor 273: 449
transport Trypanosoma membrane ATPase calmodulin 280: 715
Caldesmon
calcium S100 protein 277: 819
calponin interaction actomyosin ATPase 280: 33
domain structure duck 273: 161
structure function review 279: 1
Caldocellum
aryl xylosidase 273: 645
CALLA
detn ELISA 278: 417
Calmodulin
binding phosphofructokinase troponin C 274: 445
biotin deriv prepn biol 275: 733
calcium transport Trypanosoma membrane ATPase 280: 715
domain antibody activation myosin kinase 275: 679
inositol trisphosphate kinase site brain 280: 125
interaction synapsin 1 domain nerve 275: 93
liver hydroxymethylglutaryl CoA reductase 273: 485
membrane retinoid 277: 603
protein kinase C smooth muscle 277: 445
Calpactin
phosphorylation platelet derived growth factor 278: 447
Calpain
inhibitor platelet 274: 497
uterus pregnancy puerperium 276: 293
Calponin
caldesmon interaction actomyosin ATPase 280: 33
cAMP
adipocyte glucose transport 277: 119
adrenergic receptor calcium hepatocyte 273: 799
analog activation protein kinase platelet 279: 521
cell heat shock 276: 683
hepatocyte lipid metab 279: 705
liver calcium oscillation 275: 277
membrane ferrireductase Saccharomyces 280: 545
metab erythrocyte prostaglandin Gi protein 280: 801
monokine phospholipase A2 secretion mesangium 273: 199
osteoblast calcium parathormone 274: 15
phosphodiesterase forskolin 279: 23
platelet fibrinogen 273: 115
protein kinase bioluminescent substrate 279: 727
Cancer
colon decorin gene hypomethylation 276: 301
pancreas mucin gene expression differentiation 276: 599
Cannabinoid
receptor cDNA human sequence cloning 279: 129
Capacitation
sperm spermine 278: 25
Capillary
purifn characterization blood brain barrier 276: 745
Capsular
polysaccharide epimerization sulfation Escherichia 275: 151
Carapace
lobster carotenoprotein crustacyanin astaxanthin tryptophan 274: 79
Carbachol
inositol phospholipid metab trachea 275: 373
Carbamoyl
phosphate ADP phosphorylation pyruvate carboxylase 273: 443
Carbodiimide
cytochrome c carbon monoxide oxygen 276: 121

Carbohydrate
galactoglycoprotein conformation size plasma 277: 753
malic enzyme mRNA liver 279: 407
metab muscle muscular dystrophy 275: 477
structure elastase 1 pancreas 278: 505
VIP receptor structure activity 278: 527
Carbon
monoxide carbodiimide cytochrome c 276: 121
13 probe protein NMR 280: 649
Carbonic
anhydrase isoenzyme IV RIA 274: 313
Carboxy
group acidity heparin glucuronate NMR 278: 689
Carboxyl
terminal region glutathione transferase activity 275: 171
Carboxylase
acetyl CoA adipose lactation hormone 274: 543
acetyl CoA hepatocyte swelling 278: 887
acetyl CoA kinase p44mpk oocyte 274: 759
acetylCoA adipose insulin phosphatase 276: 649
acetylCoA liver starvation refeeding 280: 733
pyruvate essential lysine localization 276: 759
pyruvate phosphate transfer reaction 273: 443
Carboxylate
beta lactam peptidase lactamase specificity 278: 801
xenobiotic carnitine acyltransferase 279: 895
Carboxylated
indole dopachrome tautomerase melanoma specificity 277: 393
Carboxylesterase
isoenzyme lung 274: 693
Carboxymethylthioimidazolylpropanoate urine 275: 617
Carboxypeptidase
E processing secretion cell 280: 695
Carcinoma
hepatoma adenine nucleotide metab 273: 277
hepatoma glutamine metab transamination 273: 271
liver histone nonhistone protein trout 280: 491
Carnitine
acyltransferase carboxylate xenobiotic 279: 895
palmitoyltransferase erythrocyte membrane 275: 685
palmitoyltransferase mitochondria liver diabetes hypothyroidism 277: 611
Carotenoid
light harvesting antenna Rhodobacter Rhodospirillum 274: 881
Carotenoprotein
crustacyanin astaxanthin tryptophan lobster carapace 274: 79
Cartilage
articular proteoglycan 273: 579
articular proteolysis link protein 278: 143
articular serine proteinase inhibitor 274: 269
collagen formation tissue storage 277: 513
collagen type IX proteoglycan 278: 441
fucose keratan sulfate 273: 307
keratan sulfate oligosaccharide structure 278: 779
microsome proteochondroitin formation 277: 787
proteoglycan cleavage stromelysin collagenase 279: 733
proteoglycan formation glutamine analog 273: 283
proteoglycan G2 domain keratan sulfate 273: 369
type X collagen extn characterization 273: 333
Casein
alphaS1 fragment proteinase specificity Lactococcus 273: 135
kinase adipocyte insulin 279: 545
kinase 2 heterogeneity liver cytosol 277: 811
Castor
bean endosperm microsome ricinoleate triacylglycerol 280: 507
bean pyruvate kinase germination 279: 495
Catalytic
polyclonal antibody 279: 871
Catecholamine
exocytosis chromaffin cell G protein 274: 339
G protein subunit somatostatin 280: 303
insulin glucose muscle thyroid 278: 587
release nerve protein kinase 280: 65
Cathepsin
B L bone 279: 167
B sputum modulation neutrophil elastase 276: 325
B substrate specificity pH 275: 751
C transport membrane lysosome 275: 797
D human BHK cell 273: 355
D kidney human hamster 273: 363
Cation
interaction substrate pectin methylesterase kinetics 279: 343
solubilization electroporation L1210 cell 277: 883
transport thymocyte lysis ATP 274: 139
xylose isomerase kinetics 278: 285
Cattle
collagen X gene sequence condensation 273: 141
protein ACBP synthetic gene cloning 276: 817
tropoelastin gene cloning Escherichia 273: 517
CD
10 detn ELISA 278: 417
cDNA
acetohydroxy acid reductoisomerase spinach sequence 277: 469
cannabinoid receptor human sequence cloning 279: 129
cystatin S sequence cloning human 278: 627
heme oxygenase sequence chicken expression 273: 659
human liver UDP glucuronosyltransferase sequence 278: 465
nitrate reductase Chlorella sequence 278: 203
protein FABP sequence human 276: 203
rhodanese rat sequence cloning 275: 227
sequence cloning inositol triphosphate kinase 278: 883
CD45
phosphatase MAP 2 kinase lymphocyte 276: 481
Cebus
rat heme oxygenase isoenzyme homol 275: 159
Cecropin
fusion peptide prepn cloning 280: 219
Cefmetazole
bile lipid enzyme secretion mechanism 275: 591
Cell
CAM 105 ectoATPase identity liver 278: 155
cAMP heat shock 276: 683
carboxypeptidase E processing secretion 280: 695
cycle smooth muscle Id gene 277: 285
cytochrome 450 scc formation 274: 813
division myosin isoform vessel 277: 145
free protein formation embryo Arteemia 276: 809
glycosphingolipid metab monensin 279: 753
growth spermidine deriv spermine synthase 274: 167
intact luciferase detn luciferin ester 276: 637
JAR culture taurine transport 277: 53
lipid diradylglycerol detn polemic 280: 830
lipid diradylglycerol detn radioassay polemic 280: 829
L1210 electroporation solubilization cation 277: 883
membrane ATPase domain structure erythrocyte 279: 537
membrane binding perforin killing 280: 199
membrane Gi protein 277: 223
membrane liver purifn 273: 173
nucleus liver pentraxin binding 279: 257
nucleus protein 4 1 mammal 279: 581
protein phosphorylation biolumines cent indicator 279: 727
protein transport glycosylation review 276: 1
rodent polyamine metab 280: 289
shape regulation matrix protein p52 273: 651
sodium proton exchanger clonidine cimetidine 280: 317
surface protein anchor phospholipase D 279: 483
surface receptor high density lipoprotein 279: 633
vol liver glucagon insulin 278: 771
vol liver hormone 280: 105
vol muscle glutamine alanine release 276: 559
wall extension pectin methylesterase metal 279: 351
Cellobiohydrolase
thermostable Thermotoga 277: 887
Cellodextrinase
C gene sequence Pseudomonas 279: 793
Cellulose
binding domain endoglucanase E Clostridium 273: 289
binding domain xylanase fusion endoglucanase 279: 787
Cephalosporin
7alpha hydroxylase Streptomyces 280: 471
Cephamycin
structure beta lactamase Bacillus interaction 279: 111
Cerebellum
inositol phosphate receptor 274: 861
Cerebroside
formation site liver 280: 295
Cerotoyl
CoA synthetase peroxisome 276: 53
Ceruloplasmin
formation mammary gland 280: 671
liver development copper metab

276: 771
superoxide dismutase erythropoiesis 274: 153
Cervix
mucus mucin epitope 274: 293
proteoglycan metab pregnancy 275: 515
cGMP
calcium cytoplasm mesangium atriopeptin 274: 323
noradrenaline insulin secretion 278: 243
protein kinase calcium channel aorta 273: 803
CGRP
fragment structure 280: 147
Chain
length colominic acid prepn 280: 575
reaction enzyme kinetics 279: 855
Channel
calcium inhibition protein kinase microsome 273: 803
calcium inositol trisphosphate receptor brain 277: 125
calcium release endoplasmic reticulum 276: 41
calcium sequence homol Willebrand factor 279: 908
potassium pancreatic beta cell 277: 619
Charonia
alpha fucosidase 279: 189
Chemiluminescence
Kupffer cell nitric oxide synthase 279: 311
Chemoprotector
liver glutathione transferase subunit 276: 461
Chemotactic
formyl peptide receptor heterogeneity neutrophil 276: 715
Chenodeoxycholate
formation liver cyclosporine 275: 501
Chick
heme oxygenase 1 279: 849
Chicken
brain calcium ATPase 275: 555
heme oxygenase cDNA sequence expression 273: 659
metallothionein gene transcription regulation 273: 185
muscle glutamine metab rat 274: 769
Chimaerin
neuronal binding phorbol ester zinc 280: 233
Chitin
synthase Entamoeba encystation 280: 641
Chlamydomonas
selenium contg glutathione peroxidase 275: 623
Chlorella
nitrate reductase heme binding domain 278: 203
Chloride
neurotransmitter transport synaptic vesicle 276: 363
Chloroacetylphosphonate
alkylation thiol dehydrogenase 275: 767
Chloroplast
acetohydroxy acid reductoisomerase spinach 277: 469
protochlorophyllide formation cyclase 276: 691
Chlorpromazine
acetylcholinesterase inhibition erythrocyte 278: 461
Cholera
toxin adenylate cyclase opioid receptor 275: 175
Cholesterol
acyltransferase liver hypothyroidism 276: 825
bile acid sequestration lipoprotein hyperlipidemia 278: 651
ester lipoprotein liver bile acid 280: 359
hydroxylase hepatocyte bile acid 276: 73
metab bile obstruction 280: 373
metab lipoprotein receptor liver 279: 175
side chain cleavage enzyme 274: 813
transport spleen liver erythrocyte lipoprotein 279: 503
Choline
kinase liver regeneration 278: 347
potassium transport erythrocyte Plasmodium infection 278: 521
transport erythrocyte Plasmodium infection 273: 701
Cholinergic
system mucin submucosal gland 275: 663
Chondrocyte
differentiation collagen type X 276: 183
heat shock gene interleukin 1 277: 327
interleukin 1 protein kinase C 276: 157
Chondroitin
dermatan sulfate proteoglycan sequence aorta 274: 415
sulfate formation cartilage diazooxonorleucine 273: 283
sulfate isosteric keratan sulfate 275: 267
sulfate proteoglycan sulfation antibody binding 273: 237
Choroid
plexus folate binding protein 280: 267
Chromaffin
adrenal calcium release 278: 643
cell calcium inositol triphosphate 275: 697
cell catecholamine exocytosis G protein 274: 339
granule p65 protein 279: 699
Chromatofocusing
beta lactamase microheterogeneity 273: 503
Chromatog
affinity liq calmodulin protein 275: 733
gel saliva 280: 341
liq fast protein glycoprotein 279: 419
liq inositol phosphate isomer 274: 663
liq oligosialic acid 280: 575
Chromobacter
lipase soln behavior 273: 611
Chromogranin
peptide adrenal medulla gastrointestinal pancreas 276: 471
Chromosome
human FABP protein gene 276: 203
III Saccharomyces purifn mapping 273: 695
Chylomicron
binding liver membrane apoprotein 279: 769
remnant asialoglycoprotein receptor liver 276: 79
remnant clearance familial hypercholesterolemia 276: 381
remnant receptor liver macroglobulin 279: 863
Chymase
I sequence heart mast cell 276: 567
Chymotrypsin
alkylated deriv carbon 13 NMR 280: 649
inhibition eglin c kinetics 280: 27
site type X collagen 273: 333
Chymotrypsinogen
pancreas caerulein dexamethasone 279: 197
Cigaret
smoke oxidant lipid peroxidn 277: 133
Cimetidine
clonidine cell sodium proton exchanger 280: 317
Cisplatin
resistance damage recognition protein expression 277: 875
Citrate
aluminum binding serum transferrin 280: 527
synthase conversion citryl CoA lyase 280: 521
synthase gene Mycobacterium cloning sequence 278: 225
Citrobacter
beta lactamase sequence interconversion 275: 629
Citryl
CoA lyase conversion citrate synthase 280: 521
Class
A lactamase phosphonate monoester inhibitor 275: 793
I antigen structure function 277: 359
Cleavage
chem plasmid DNA glutathione 275: 601
Clonidine
cimetidine cell sodium proton exchanger 280: 317
Cloning
Arthrobacter xylose isomerase gene 277: 263
cattle protein ACBP synthetic gene 276: 817
expression Escherichia FABP synthetic gene 278: 365
expression glutathione transferase gene allele 276: 519
FABP protein gene Escherichia 278: 361
fatty acid binding protein cDNA 276: 203
gene mammal thioesterase Escherichia 273: 787
gene tropoelastin cattle Escherichia 273: 517
human liver UDP glucuronosyltransferase cDNA 278: 465
interleukin 6 receptor hepatocyte 277: 659
nitrate reductase cDNA Chlorella 278: 203
prepn cecropin fusion peptide 280: 219
rat kallikrein cDNA Escherichia yeast 276: 63
rat rhodanese cDNA 275: 227
sequence cDNA inositol triphosphate kinase 278: 883
sequence cystatin S cDNA human 278: 627
sequence flavodoxin gene Arabaena 280: 187
sequence human cannabinoid receptor cDNA 279: 129
sequence Mycobacterium citrate synthase gene 278: 225
Clostridium
endoglucanase E cellulose binding domain 273: 289
endoglucanase Ss 279: 67
glucose isomerase 273: 565
phospholipase C mechanism lysophosphatidylcholine thiophosphate 280: 407
CMP
phosphatidylinositol hydrolysis phospholipase A 278: 831
Cmyc
mRNA polysome cytoskeleton 274: 607

CoA
acetyl acetyltransferase modified glutamate dehydrogenase 280: 353
Coagulation
factor complement C4bp review 277: 581
factor VII tissue factor 278: 729
factor VIII deleted mutant 277: 23
Cobalamine
deficiency fruit bat methylmalonate metab 275: 585
Cofactor
pyruvate decarboxylase apoenzyme reactivation Zymomonas 276: 439
Cold
adipose glycerolipid forming enzyme 277: 665
lipid peroxidn brown adipose 277: 289
Collagen
binding heat shock glycoprotein myoblast 274: 793
degrdn uterus estradiol progesterone 275: 645
fibril eye embryo procollagen 276: 777
formation cartilage tissue storage 277: 513
formation cornea 274: 615
gene expression fibroblast PMA 278: 369
gene mutation osteogenesis imperfecta 276: 765
III metab fibroblast dextran 279: 49
keloid fibroblast growth factor hepa= rin 278: 863
metab organ development senescence 276: 307
promoter transforming growth factor activation 280: 157
type III epitope 274: 895
type IV matrix metalloproteinase 277: 277
type IX proteoglycan cartilage 278: 441
type X cartilage extn characterization 273: 333
type X chondrocyte differentiation 276: 183
X gene cattle sequence condensation 273: 141
X gene COL10A1 sequence human 280: 617
Collagenase
cleavage cartilage proteoglycan 279: 733
secretion testis 279: 75
uterus estradiol progesterone 275: 645
Collagenolytic
cysteine proteinase bone 279: 167
Colominic
acid enzymic prepn 280: 575
Colon
cancer decorin gene hypomethylation 276: 301
Colony
stimulating factor macrophage func= tion 278: 119
Comamonas
sulfobenzoate dioxygenase component 274: 833
Compartmentalized
system immobilized glycerol kinase 274: 819
Complement
attack membrane protein lipid sorting 274: 381
C1q gene human sequence 274: 481
C3b density factor H binding 280: 255
C4bp protein S review 277: 581
C5a group B Streptococcus 273: 635
factor B glycation site 274: 473
factor D purifn rat 279: 775
gene monocyte glucocorticosteroid 280: 117
hemolysis avidin acylation 273: 393
pore fluorescence single channel recording 276: 395
Complex
metal heparin IR spectra 275: 193
Computer
program kinetic equation multiple enzyme 278: 91
program metab 278: 299
Condensation
cattle collagen X gene 273: 141
Conformation
adenine guanine mismatch DNA 279: 269
alc dehydrogenase NAD 276: 433
ATPase erythrocyte lysine reactivity 279: 121
calcitonin gene related peptide analog 275: 785
CGRP fragment 280: 147
fumarase folding heart 275: 745
galactoglycoprotein plasma carbohy= drate 277: 753
gluconohydroximolactone phosphory= lase inhibition 274: 329
heparin metal complex 275: 193
keratan chondroitin sulfate 275: 267
mitochondria transport protein pre= cursor polyamine 279: 815
penicillin binding protein peptidase lactamase 279: 223
secondary glucanase plant yeast 274: 41
secondary protein G prime 274: 503
secondary tertiary hyaluronan 274: 699
substrate glucocerebrosidase 274: 557
three disulfide lysozyme folding lac= talbumin 273: 211
trp operator mutant 273: 383
vitronectin phosphorylation protein kinase A 274: 387
Z DNA interaction recA protein 275: 711
Connective
tissue activating peptide NAP2 pro= teinase 275: 581
tissue matrix metalloproteinase spe= cificity 277: 277
tissue metab cervix pregnancy 275: 515
Connexin
metab phosphorylation heart 273: 67
Constitutive
promoter RNA polymerase binding kinetics 277: 435
Contrapsin
sequence mouse liver acute inflamma= tion 276: 337
Control
coeff calcn metabolic pathway 279: 55
Cooperativity
dimeric enzyme kinetics 280: 131
Coordination
copper ovotransferrin EXAFS 280: 151
Copper
coordination ovotransferrin EXAFS 280: 151
dietary lysyl oxidase skin 275: 657
DNA base hydrogen peroxide 273: 601
DNA cleavage glutathione 275: 601
metab development ceruloplasmin liver 276: 771
superoxide dismutase erythropoiesis 274: 153
Coproporphyrinogen
oxidase erythropoiesis 275: 321
Core
histone acetylation ADP ribosylation 277: 607
protein decorin binding site fibronec= tin 280: 411
Corn
indolylacetylglucose synthase purifn antibody 279: 509
obtusifoliol demethylase specificity sterol structure 277: 483
Cornea
collagen formation 274: 615
procollagen processing embryo 276: 777
Coronary
disease antioxidant mercaptopropio= nylglycine acetylcysteine desferri= oxamine 277: 833
Corpus
cardiacum neuropeptide beetle 275: 671
Cotransport
beta alanine electrolyte kidney 277: 891
Cotransporter
N1 N2 sodium nucleoside kidney 274: 27
sodium phosphate reconstitution 278: 543
Cow
ubiquinone oxidoreductase subunit gene sequence 277: 11
Creatine
kinase bone kidney parathormone fragment 277: 863
kinase cleavage proteinase V8 280: 809
metabolite heart protein formation pH 273: 339
Crotalus
venom phospholipase A2 pancreas comparison 278: 843
Crustacea
muscle quisqualate sensitive gluta= mate receptor 273: 165
Crustacyanin
astaxanthin carotenoprotein trypto= phan lobster carapace 274: 79
Crypt
villus epithelium small intestine isolation 280: 331
Crystallin
beta transglutaminase oxygen radical 274: 869
eye arginosuccinate lyase ostrich 273: 295
Crystn
acetylneuraminate lyase Escherichia 276: 541
CTAP
III NAP 2 formation proteinase 275: 581
CTP
phosphocholine cytidylyltransferase liver regeneration 278: 347
Culture
HTE cell glycoprotein formation 277: 713
JAR cell taurine transport 277: 53
mesangium proteoglycan formation 277: 81
plant suspension xyloglucan endo= transglycosylation extracellular 279: 529
Current
calcium oocyte inositol tetrakisphosp= hate 273: 317
Cyclase
adenylate adipocyte adenosine recep= tor obesity 279: 17
adenylate adipocyte G protein obesity 276: 197
adenylate cholera toxin opioid recep= tor 275: 175
adenylate inhibition calcium review

278: 903
adenylate inhibition diabetes polemic 278: 310
adenylate regulation mechanism platelet 276: 621
guanylate activation arginine hydroxylamine 273: 547
guanylate activation arom disulfide 275: 29
magnesium protoporphyrin IX monomethyl ester 276: 691
Cyclic
nucleotide calcium pump tissue 277: 345
Cyclodextrin
glucanotransferase domain organization 280: 51
Cyclosporin
mitochondria calcium peptidylprolyl isomerase 274: 611
Cyclosporine
liver bile acid formation 275: 501
Cyst
chitin synthase Entamoeba development 280: 641
Cystatin
C amino terminal domain function 273: 621
S cDNA sequence cloning human 278: 627
titrn cysteine proteinase 276: 387
Cysteine
active site glutathione transferase inhibitor 278: 63
essential adenosylmethionine synthetase ATP site 274: 225
essential aldehyde dehydrogenase liver cytoplasm 275: 207
glutathione S transferase 278: 293
lactamase active site iodoacetate pH 273: 85
molybdenum iron protein Azotobacter nitrogenase 277: 457
polyphenol oxidase inhibition kinetics mechanism 277: 869
proteinase collagenolytic bone 279: 167
proteinase cystatin C leukocyte elastase 273: 621
proteinase thaumatopain Thaumatococcus 274: 231
proteinase titrn cystatin 276: 387
residue proximity guanidinoacetate methyltransferase liver 277: 399
Cysteinylphenol
tyrosine homolog cytotoxicity melanoma uptake 280: 721
Cystic
fibrosis mucin glycopeptide heterogeneity sputum 276: 677
fibrosis mucin sputum 276: 667
fibrosis respiratory mucin sulfated oligosaccharide 275: 199
Cytidylyltransferase
CTP phosphocholine liver regeneration 278: 347
Cytochrome
c binding ATP 279: 781
c carbodiimide carbon monoxide oxygen 276: 121
c electrochem gold electrode 273: 783
c lactate oxidoreductase electron transfer 274: 207
c sequence Euglena 276: 47
c sequence evolution rattlesnake 274: 825
cL interaction methanol dehydrogenase Acetobacter 280: 139
o oxidase redox component Escherichia 274: 723
o size Escherichia 276: 555
oxidase cyanide photochem ligand exchange 279: 355
P 450 androstenedione lithocholate hydroxylase 275: 105
P 450 aromatase inhibitor 273: 533
P 450 IVA hepatocyte 275: 247
P 450 liver acinus TCDD 277: 577
P 450 liver peroxisome proliferator 280: 249
P 450 obtusifoliol demethylase corn 277: 483
P 450 sex androgen receptor 278: 499
P 450IA conserved domain 278: 749
P 45026 hydroxylase liver kidney 276: 427
450 calcium permeability membrane 274: 193
450 scc formation cell 274: 813
Cytokine
neutrophil chemoattractant melanoma stimulatory activity 278: 493
parathormone receptor osteoblast 280: 451
Cytoplasm
aldehyde dehydrogenase essential cysteine liver 275: 207
calcium mesangium atriopeptin cGMP 274: 323
Cytoskeleton
mRNA ribosome interaction review 277: 1
polysome cmyc mRNA 274: 607
vimentin thiol oxidn 275: 789
Cytosol
calcium platelet phorbol dibutyrate 278: 411
calcium pool manoalide benzohydroquinone 279: 367
liver casein kinase 2 heterogeneity 277: 811
oleate facilitated diffusion FABP 275: 569
Cytotoxicity
tyrosine homolog cysteinylphenol melanoma uptake 280: 721
C4bp
complement protein S review 277: 581
Damage
recognition protein expression cisplatin resistance 277: 875
Daunomycin
phase transition verapamil lipid bilayer 279: 413
Deaminase
adenosine kinetics equation progress curve 274: 509
porphobilinogen catalytic cleft arginine function 280: 445
Decarboxylase
adenosylmethionine inhibition product analog magnesium 277: 643
glycine protein H methylamine intermediate 278: 765
ornithine degrdn reticulocyte 277: 683
ornithine gene amplification methylation human 279: 435
ornithine gene human myeloma cell 278: 871
ornithine gene human transgenic mouse 278: 895
ornithine mRNA translation structure polyamine 274: 521
ornithine turnover essential amino acid 277: 671
pyruvate apoenzyme reactivation cofactor Zymomonas 276: 439
uroporphyrinogen clockwise decarboxylation review 278: 901
uroporphyrinogen polemic 278: 903
Decarboxylation
oxidative dihydroxyphenyllactate tyrosinase mechanism 277: 849
specificity uroporphyrinogen III porphobilinogen review 278: 901
Decavanadate
activation nucleotidase kidney 273: 795
inositol trisphosphate receptor antagonist 277: 294
Decorin
core protein binding site fibronectin 280: 411
gene hypomethylation colon cancer 276: 301
Dehydroascorbate
transport pancreas development 274: 739
Dehydrogenase
alc chain reaction kinetics 279: 855
alc conformation NAD 276: 433
aldehyde esterase activity essential nucleophile 275: 207
aldehyde kinetics pyrophosphate liver 273: 691
aldehyde thiocarbamate compd 278: 189
benzyl alc benzaldehyde sequence bacteria 273: 99
dihydrodiol eye mammal species 275: 113
dihydrodiol inhibition ascorbate eye lens 275: 121
ethanol metab liver 278: 659
FAD glycerophosphate pancreas glucose 278: 335
glucose phosphate mRNA hepatocyte 276: 245
glutamate modified acetyl CoA acetyltransferase 280: 353
glutamate oxoglutaramate metab kidney 277: 33
glyceraldehyde phosphate alkylation mechanism 275: 767
glyceraldehyde phosphate heat photodynamic treatment 276: 357
glycerol phosphate lactate NADH transfer 278: 875
hydroxyprostaglandin HL60 cell PMA 279: 553
hydroxysteroid liver kinetic mechanism 278: 835
lactate conformation inactivation guanidinium chloride 277: 207
lactate electron transfer isotope effect 274: 207
lactate isoenzyme recombinant testis human 273: 587
methanol interaction cytochrome cL Acetobacter 280: 139
morphine Pseudomonas 274: 875
NADH methylphenylpyridinium piericidin A 273: 481
oxoacid E2 component lipoylation Escherichia 277: 153
pyruvate adipose insulin phosphatase 276: 649
pyruvate complex kinase activator protein 275: 781
pyruvate complex protein X function 278: 423
pyruvate detn liver heart 277: 547
pyruvate kinase activator protein liver 275: 775
quinate inactivation protein phosphatase plant 273: 733
succinate topog mitochondria inner membrane 273: 719
Dehydroquinase
active site sequence Escherichia Neurospora 275: 1
shikimate kinase dehydroquinate synthase sequence 276: 841
Dehydroquinate
synthase dehydroquinase shikimate kinase sequence 276: 841
Deiminase
arginine Halobacterium 273: 739
Deiodinase
iodothyronine liver selenium deficiency 274: 297

Delta
endotoxin Bacillus photostability 273: 43
Demethylase
obtusifoliol specificity sterol structure corn 277: 483
Denitrification
Thiosphaera 273: 423
Dentin
tooth phosphophoryn compn sequence 276: 699
Deoxyglucose
superoxide macrophage phorbol ester 278: 119
Deoxyglucosone
aldehyde reductase identity liver 279: 903
Deoxypyridoxal
dodecylamine Schiff base 279: 759
Dephosphorylation
insulin EGF receptor phosphatase 278: 69
insulin receptor kinase 275: 413
protein Gi2 liver 274: 317
Deriv
lipoxygenase substrate fluoro arachidonate 278: 549
Dermatan
chondroitin sulfate proteoglycan sequence aorta 274: 415
sulfate proteoglycan fibroblast xylo side 276: 533
Desferrioxamine
mercaptopropionylglycine acetylcysteine antioxidant coronary disease 277: 833
Desulfovibrio
aldehyde oxidoreductase iron sulfur center 280: 817
Deuteriation
inosine 278: 487
Deuterium
isotope effect purine nucleoside phosphorylase 278: 487
Development
ceruloplasmin liver copper metab 276: 771
collagen metab organ 276: 307
Entamoeba chitin synthase cyst 280: 641
guanine nucleotide protein liver 274: 439
intestine fucosyltransferase inhibitor 279: 801
liver glycoprotein sialylation 280: 179
malic enzyme mRNA liver 279: 407
pancreas ascorbate dehydroascorbate transport 274: 739
phenylalanine ammonia lyase bean 279: 231
regulation Xenopus transcription factor review 278: 313
tissue dipeptidyl peptidase IV 277: 331
Dexamethasone
acetyl CoA carboxylase adipose lactation 274: 543
hexose monophosphate shunt macrophage 278: 129
lung protein formation 273: 93
pancreas enzyme glucose 279: 197
Dextran
collagen III metab fibroblast 279: 49
Diabetes
adenosine lipolysis adipocyte 278: 309
adenylate cyclase inhibition polemic 278: 310
adipose glycerolipid forming enzyme 277: 665
brain phosphofructokinase fructose diphosphatase 276: 455
carnitine palmitoyltransferase mitochondria liver 277: 611
growth factor metab muscle 276: 547
mellitus phenobarbital gluconeogenes is inhibition hepatocyte 280: 663
mellitus spleen glutamine metab 274: 49
superoxide dismutase glycation 279: 263
Diacylglycerol
fibroblast platelet derived growth factor 279: 559
formation platelet thrombin 275: 355
GABA transport 275: 435
kinase binding phorbol ester zinc 280: 233
platelet activating factor 278: 255
Trypanosoma 275: 407
Diadenosine
tetraphosphate phosphorylase active site arginine 279: 135
Diagram
enzyme kinetics barrier construction 276: 265
Diamine
ornithine transport Ehrlich cell 280: 825
Diazepam
octanoate tryptophan site albumin 273: 641
Diazooxonorleucine
cartilage proteoglycan formation 273: 283
Dibutylbenzohydroquinone
calcium ATPase inhibitor hepatocyte lymphocyte 277: 553
Dicarboxylate
binding site albumin 276: 569
Dictyostelium
DNA methylcytosine 277: 273
Dietary
copper lysyl oxidase skin 275: 657
Differential
solubilization protein membrane 280: 745
Differentiation
BC3H1 cell calcium mobilization 273: 219
chondrocyte collagen type X 276: 183
granulosa cell FSH 277: 557
pancreas cancer mucin gene expression 276: 599
sodium dependent uridine transport 274: 85
Diffusion
facilitated fatty acid FABP polemic 280: 835
facilitated oleate FABP protein 275: 569
facilitated oleate FABP protein polemic 280: 835
Difluoromethylornithine
resistance myeloma hnRNA human 278: 871
Dihydrodiol
dehydrogenase eye mammal species 275: 113
dehydrogenase inhibition ascorbate eye lens 275: 121
Dihydrofolate
reductase Haemophilus trimethoprim resistance 274: 657
Dihydrolipoamide
dehydrogenase assocn E2 protein X 278: 423
Dihydrolipoyl
acetyltransferase lipoylation Escherichia 277: 153
Dihydroxyphenyllactate
oxidative decarboxylation tyrosinase mechanism 277: 849
Dimeric
enzyme kinetics cooperativity 280: 131
Dimethyl
sulfoxide reductase Rhodobacter 274: 305
Dioxygenase
sulfobenzoate component Comamonas 274: 833
Dipeptidase
microsome sequence kidney 280: 71
Dipeptidyl
peptidase IV deficiency Fischer rat 273: 497
peptidase IV tissue development 277: 331
Diphenyl
ether herbicide inhibition protoporphyrinogen oxidase 277: 17
Diphosphatase
fructose brain 276: 455
Dipyrromethane
cofactor assembly porphobilinogen deaminase arginine 280: 445
Diradylglycerol
detn cell lipid polemic 280: 830
detn cell lipid radioassay polemic 280: 829
formation phospholipase bombesin PMA 280: 431
Dismutase
superoxide copper erythropoiesis 274: 153
superoxide glycation heparin affinity 279: 263
Disulfide
arom activation guanylate cyclase 275: 29
bound glycoprotein mucin intestine 274: 679
GPIIIa glycoprotein platelet 274: 63
protein disulfide isomerase active site 275: 341
three lysozyme conformation folding lactalbumin 273: 211
Disulfiram
ethanol thiocarbamate aldehyde dehydrogenase 278: 189
Dithiol
glutaredoxin transforming growth factor 280: 833
protein disulfide isomerase active site 275: 335 275: 341
Dithiothreitol
fructose bisphosphatase redn activation 278: 787
Diurnal
rhythm hydroxymethylglutaryl CoA synthase liver 280: 61
DMSO
hepatocyte EGF binding growth morphol 277: 773
DNA
adenine guanine mismatch conformation 279: 269
apurinic apyrimidinic elimination product thiol 273: 777
base hydrogen peroxide copper 273: 601
binding Ah receptor TCDD 274: 401
binding phosphoprotein B2 nucleus 274: 687
bone kidney parathormone fragment 277: 863
formation histone acetyltransferase liver 280: 777
genome blood isolation rapid method 273: 229
gyrase Vibrio 280: 797
ligase inhibition anthracycline structure 279: 141
long mol purifn cellular gel 273: 695
methylase pea 273: 469
methylcytosine Dictyostelium 277: 273
methyltransferase methylguanine direct assay 277: 89
plasmid chem cleavage glutathione

275: 601
polymerase Epstein Barr virus repli= cation 280: 703
protein interaction structure review 278: 1
replication initiation termination protein Bacillus 275: 823
sequence gene PMCA1 rabbit 277: 345
topoisomerase ovary granulosa FSH 277: 557
Z conformation interaction recA protein 275: 711
Dodecylamine
Schiff base pyridoxal phosphate deoxypyridoxal 279: 759
Dolichol
formation neoplasm 278: 741
Domain
structure ATPase erythrocyte cell membrane 279: 537
Dopachrome
tautomerase melanoma specificity carboxylated indole 277: 393
Dopamine
release protein kinase subspecies 280: 65
Down
syndrome protein tau brain phospho= rylation 275: 99
Drosophila
actin mutant stability 274: 301
Drug
binding alpha1 acid glycoprotein pH 280: 277
Ecto
sol low Km nucleotidase kidney 273: 409
EctoATPase
cell CAM 105 identity liver 278: 155
Efflux
calcium protein phosphorylation sarcoplasmic reticulum 276: 97
EGF
binding hepatocyte DMSO 277: 773
mRNA kidney swine 279: 315
phospholipase A2 activation 274: 715
precursor domain lipoprotein receptor degrdn 277: 677
receptor dephosphorylation phospha= tase 278: 69
receptor phosphorylation phospholi= pase calcium 275: 563
receptor signal transduction fatty acid 278: 679
receptor transmembrane signaling 277: 305
Eglin
c inhibition chymotrypsin kinetics 280: 27
Ehrlich
cell ornithine transport diamine 280: 825
Eicosatrienoate
fluoro deriv lipoxygenase substrate inhibitor 278: 549
Elastase
inhibition triterpene leukocyte 277: 521
leukocyte cystatin C hydrolysis 273: 621
neutrophil cathepsin B sputum mod= ulation 276: 325
1 carbohydrate structure pancreas 278: 505
Elastin
matrix metalloproteinase 277: 277
Elder
fruit agglutinin SNA III 278: 667
Elec
activity heart ATP calcium 274: 55
Electrochem
cytochrome c gold electrode 273: 783
flavodoxin multiple form Azotobacter 277: 313
Electrode
protein electron transfer promoter 273: 783
Electrolyte
beta alanine cotransport kidney 277: 891
Electron
donor heart stress free radical 277: 833
transfer ferritin ferrihemoprotein 278: 817
transfer flavocytochrome b2 Hansen= ula 274: 207
transfer protein electrode promoter 273: 783
transport complex enzyme mito= chondria hypoxia 274: 133
transport respiration plant rotenone adenylate 274: 249
Electrophoresis
gel Actinomadura lactamase 280: 553
Electroporation
L1210 cell solubilization cation 277: 883
Electrostatic
potential cell wall extension 279: 351
Elimination
product DNA apurinic apyrimidinic thiol 273: 777
ELISA
endopeptidase 2411 detn 278: 417
Embryo
cell free protein formation Artemia 276: 809
cornea procollagen processing 276: 777
liver glutathione metab 274: 891
Encephalopathy
hepatic ammonia brain glucose gluta= mine 277: 697
hepatic hyperammonemia brain glu= cose metab 277: 693
Encystation
Entamoeba chitin synthase 280: 641
Endocytosis
hemopexin receptor subunit 276: 417
interferon gamma receptor monocyte 274: 775
Endoglucanase
E cellulose binding domain Clostridi= um 273: 289
fusion cellulose binding domain xyla= nase 279: 787
Ss Clostridium 279: 67
Endooligopeptidase
A metalloendopeptidase brain polemic 277: 294
A nomenclature polemic 277: 295
Endopeptidase
kidney transforming growth factor 280: 57
neurotensin brain 276: 583
neutral thymic humoral factor gamma2 278: 891
prolyl brain 276: 237
prolyl inactivation peptidylchloro= methane 276: 837
2411 detn ELISA 278: 417
Endoplasmic
reticulum liver ryanodine receptor 276: 41
reticulum membrane glucose phos= phatase topol 275: 133
reticulum mRNA insulin GTP 275: 23
reticulum oligosaccharide processing 279: 159
Endoproteinase
prothrombin processing secretory pathway 277: 59
Endosialidase
nomenclature IUB review 278: 311
Endosome
liver glucagon degrdn ATP 280: 211
membrane interaction protein p100 280: 171
Endosperm
microsome castor bean ricinoleate triacylglycerol 280: 507
Endothelin
mRNA kidney 275: 817
phosphoinositide hydrolysis 280: 609
Endothelium
aorta calcium ATP bradykinin 278: 697
blood vessel thrombomodulin tissue factor 273: 679
cell growth factor keloid fibroblast 278: 863
liver ricin interaction 277: 855
proteoglycan heparan sulfate domain 279: 821
retina fibroblast growth factor release 276: 113
vascular calcium arachidonate bra= dykinin 280: 281
vascular thrombomodulin histamine receptor 276: 739
Endotoxin
delta Bacillus photostability 273: 43
Endoxylanase
thermostability Thermotoga 277: 413
Trichoderma 278: 329
Energy
metab evolution mammal reptile 275: 81
Enolase
gene ENO3 human muscle sequence 275: 427
nomenclature error 279: 328
Entamoeba
encystation chitin synthase 280: 641
Enterococcus
protein PBP5 sequence Staphylococ= cus inhibitory 280: 463
Enterocyte
intestine isomaltase sucrase growth factor 280: 599
membrane G protein 278: 565
morphol glycosylation fructose 280: 483
transport biotin 279: 671
Enterotoxin
STa receptor arom disulfide Escheric= hia 275: 29
Enzyme
activation model metal ion 276: 223
adipose insulin phosphatase inhibitor 276: 649
antioxidant brown adipose cold 277: 289
chain reaction kinetics 279: 855
cholesterol side chain cleavage 274: 813
coupled assay metab transition 276: 231
electron transport complex mito= chondria hypoxia 274: 133
glycerolipid forming adipose cold 277: 665
glycolysis erythrocyte aging 279: 237
heme formation erythropoiesis 275: 321
hepatocyte swelling 278: 887
kinetics integrated equation progress curve 274: 509
lipid secretion mechanism bile cefme= tazole 275: 591
lipogenic mRNA adipocyte obesity 279: 303
nomenclature error 279: 328
shikimate pathway sequence motif evolution 276: 841
sperm acrosome 275: 759
transforming growth factor platelet 277: 165

Enzymic
prepn colominic acid 280: 575
Epididymis
mannosidase II 277: 213
Epimerase
hexuronosyl C5 heparin formation 275: 151
Epimerization
heparin formation model 275: 151
Epithelium
kidney hyperpolarization adrenaline 274: 243
polarized secretion sulfoglycoprotein 279: 289
small intestine isolation crypt villus 280: 331
Epitope
antibody inhibitory location ATPase stomach 280: 243
collagen type III 274: 895
glycoprotein IIb binding IIIa fibrinogen 273: 767
HNK 1 nucleotidase Torpedo 278: 199
mucin cervix mucus 274: 293
Epoxide
aflatoxin B1 glutathione transferase 279: 385
Epoxyarachidonic
acid radical nitrosobenzene methylnitrosopropane 276: 447
Epoxylinoleic
acid radical nitrosobenzene methylnitrosopropane 276: 447
Epoxylinolenic
acid radical nitrosobenzene methylnitrosopropane 276: 447
Epstein
Barr virus replication DNA polymerase 280: 703
Equilibrative
inhibitor sensitive nucleoside transporter 273: 667
Erythrocyte
acetylcholinesterase inhibition chlorpromazine 278: 461
aging glycolysis enzyme 279: 237
aging membrane globin IgG 278: 57
amino acid transporter 277: 565
band 3 protein senescence 275: 47
biotinyl avidin 273: 393
calcium ATPase conformation lysine reactivity 279: 121
cAMP metab prostaglandin Gi protein 280: 801
cell membrane ATPase domain structure 279: 537
cholesterol transport spleen liver 279: 503
choline potassium transport Plasmodium infection 278: 521
choline transport Plasmodium infection 273: 701
histone acetylation methylation 273: 753
inositol analog phosphoinositide phosphatidylinositol metab 277: 407
inositol tetrakisphosphate trisphosphate phosphatase inhibition 276: 333
lactate transport stilbenedisulfonate deriv 275: 307
membrane carnitine palmitoyltransferase 275: 685
membrane complement pore formation 276: 395
membrane phosphatidylinositol synthase turkey 275: 187
membrane phospholipid compn Plasmodium infection 274: 121
proteinase oxidatively damaged Hb 277: 779
Erythropoiesis
heme formation enzyme 275: 321
superoxide dismutase copper 274: 153
Erythrosphingosine
platelet protein kinase 278: 387
Escherichia
acetylneuraminate lyase crystn 276: 541
adenosylmethionine decarboxylase inhibition magnesium 277: 643
adenylate kinase deuteration NMR 273: 311
capsular polysaccharide epimerization sulfation 275: 151
cloning cattle acylCoA binding protein 276: 817
cloning cattle tropoelastin gene 273: 517
cloning rat kallikrein cDNA 276: 63
cytochrome o size 276: 555
dehydroquinase active site sequence 275: 1
dihydrolipoyl acetyltransferase lipoylation 277: 153
enterotoxin STa receptor arom disulfide 275: 29
expression cloning FABP synthetic gene 278: 365
expression Mycobacterium citrate synthase gene 278: 225
FABP protein gene cloning 278: 361
hydroxymethylbilane synthase mechanism arginine 275: 447
isoprenoid formation 273: 627
mammal thioesterase gene cloning 273: 787
membrane quinol oxidase redox component 274: 723
metalloendopeptidase QG 273: 725
monoclonal antibody rhesus D human 277: 561
peptidoglycan Kil peptide 275: 545
ESR
NMR spectrometry membrane review 274: 625
Essential
histidine aminoacetone synthase liver 275: 575
Esterase
activity aldehyde dehydrogenase essential nucleophile 275: 207
Esterification
glutathione 275: 535
Estradiol
calcium hepatocyte 280: 273
collagen degrdn uterus 275: 645
receptor purifn sequence uterus 276: 709
reticulocyte ATPase retinoate thyroxine 273: 489
Ethacrynate
glutathione transferase YfYf allosteric site 275: 703
Ethanol
disulfiram thiocarbamate aldehyde dehydrogenase 278: 189
liver proteolysis inhibition 273: 149
metab enzyme organ 275: 507
metab liver dehydrogenase 278: 659
skeletal muscle mitochondria 274: 565
Ethanolamine
plasmalogen formation organ 273: 121
Ethyl
ester glutathione 275: 535
Eubacteria
thermophilic cellobiohydrolase 277: 887
Euglena
adenosine phosphosulfate sulfotransferase 274: 355
ferredoxin cytochrome c sequence 276: 47
Evolution
benzyl alc benzaldehyde dehydrogenase bacteria 273: 99
glycosyl hydrolase 280: 309
mammal reptile energy metab 275: 81
rattlesnake cytochrome c sequence 274: 825
shikimate pathway enzyme sequence motif 276: 841
EXAFS
copper coordination ovotransferrin 280: 151
Exercise
arthritis synovial fluid NMR hyaluronate 273: 459
Exocytosis
arachidonate neutrophil calcium G protein 275: 127
catecholamine chromaffin cell G protein 274: 339
LH GTP binding protein 275: 399
Exon
tissue factor factor VII 278: 729
Extracellular
xyloglucan endotransglycosylation plant suspension culture 279: 529
Eye
collagen fibril embryo procollagen 276: 777
crystallin arginosuccinate lyase ostrich 273: 295
dihydrodiol dehydrogenase mammal species 275: 113
GTP binding protein sequence photoreceptor 279: 323
lens dihydrodiol dehydrogenase inhibition ascorbate 275: 121
FABP
facilitated diffusion fatty acid polemic 280: 835
protein facilitated diffusion oleate polemic 280: 835
Facilitated
diffusion fatty acid FABP polemic 280: 835
diffusion oleate FABP protein 275: 569
diffusion oleate FABP protein polemic 280: 835
Factor
H binding complement C3b density 280: 255
VIII deleted mutant 277: 23
FAD
glycerophosphate dehydrogenase pancreas glucose 278: 335
Familial
hypercholesterolemia chylomicron remnant clearance 276: 381
Farnesyl
diphosphate synthase recombinant form 275: 61
Fast
protein liq chromatog glycoprotein 279: 419
Fasting
liver heart muscle protein 275: 165
refeeding hepatocyte vol review 276: 843
Fat
cell insulin GTP binding protein 276: 103
diet thromboxane platelet aggregation 278: 399
Fatty
acid adipose lactation hormone 274: 543
acid binding protein cDNA cloning 276: 203
acid binding protein kidney 273: 759
acid binding protein liver LY171883 280: 387
acid binding protein ocean pout 275: 569
acid binding protein oleate polemic 280: 835

acid binding protein synthetic gene 278: 365
acid EGF receptor signal transduction 278: 679
acid ethyl ester synthase organ 275: 507
acid facilitated diffusion FABP po= lemic 280: 835
acid glycogen phosphorylase hepato= cyte 276: 209
acid insulin hepatocyte triacylglycerol 280: 99
acid liver glyceride VLDL formation 275: 87
acid metab hormone hepatocyte sheep 274: 21
acid nervous system cobalamine defi= ciency 275: 585
acid oxidn detn radioassay 279: 147
acid oxidn mitochondria 277: 119
acid radical nitrosobenzene methylni= trosopropane 276: 447
liver hepatectomy triacylglycerol metab lipoprotein 277: 723
Ferredoxin
NADP redn Anabaena light 274: 781
sequence Euglena 276: 47
Ferrihemoprotein
ferritin electron transfer 278: 817
Ferrireductase
cAMP Saccharomyces membrane 280: 545
Ferritin
ferrihemoprotein electron transfer 278: 817
gene expression heart liver 275: 813
pea development 274: 601
Fetuin
insulin receptor tyrosine kinase inhib= itor 274: 899
Fetus
bone protein formation mineralization 274: 513
hepatocyte glycogen insulin serine 276: 577
liver glycogen metab 277: 111
liver UDP glucuronyltransferase mercury 278: 99
Fibril
amyloid glycosaminoglycan 275: 67
collagen eye embryo procollagen 276: 777
Fibrin
heparin binding domain fibronectin plasma 274: 731
plasmin alpha2 macroglobulin 275: 53
Fibrinogen
glycoprotein IIb epitope binding 273: 767
glycoprotein IIIa binding 274: 457
platelet protein kinase cAMP 273: 115
structure plasminogen activation 276: 655
Fibrinopeptide
Aalpha structure plasminogen activa= tion 276: 655
Fibroblast
calcium high density lipoprotein 279: 29
calcium transient growth factor 278: 849
collagen gene expression PMA 278: 369
collagen III metab dextran 279: 49
dermatan sulfate proteoglycan xylo= side 276: 533
diacylglycerol platelet derived growth factor 279: 559
glucuronate sulfatase skin 279: 399
growth factor basic chondrocyte ki= nase 276: 157
heparan sulfate structure 273: 553
human mucopolysaccharidosis aryl= sulfatase gene transduction 276: 499
keloid collagen growth factor heparin 278: 863
pyrenesphingomyelin metab Niemann Pick disease 275: 211
ras transformation shape p52 protein 273: 651
scatter factor 278: 35
skin proline uptake interleukin 1 276: 57
superoxide release NADPH oxidase 275: 241
tetrahydrobiopterin tumor necrosis factor interferon 280: 709
TIMP 2 complex progelatinase 278: 179
Fibronectin
decorin core protein binding site 280: 411
heparin fibrin binding domain plasma 274: 731
Fibrosis
cystic mucin glycopeptide heterogene= ity sputum 276: 677
cystic mucin sputum 276: 667
Fischer
rat dipeptidyl peptidase IV deficiency 273: 497
Fish
insulin sequence 276: 261
FITC
SAENTA adduct prepn 273: 667
Flavocytochrome
b2 electron transfer Hansenula 274: 207
Flavodoxin
gene cloning sequence Arabaena 280: 187
multiple form electrochem Azotobac= ter 277: 313
Fluorescence
probe nucleoside transport protein 273: 667
single channel recording complement pore 276: 395
Fluorescent
peptide metalloendopeptidase 24 16 detn 280: 421
peptide substrate prepn thimet pepti= dase 274: 45
Fluoro
arachidonate deriv lipoxygenase sub= strate inhibitor 278: 549
Fluoroaluminate
inhibition microsome GTP dependent fusion 280: 335
Fluoroglucopyranosyl
fluoride glucosidase kinetics 279: 587
Fluorometry
triacylglycerol lipase phospholipase C detn 276: 129
Flux
conc control coeff algorithm 278: 299
Folate
binding protein choroid plexus 280: 267
Folding
three disulfide lysozyme conformation lactalbumin 273: 211
Formate
hyaluronate degrdn synovial fluid arthritis 273: 459
Formyl
peptide chemotactic receptor heterog= eneity neutrophil 276: 715
peptide receptor neutrophil calcium 277: 705
peptide receptor neutrophil glycosyla= tion 277: 67
Forskolin
cAMP phosphodiesterase protein kinase 279: 23
Free
radical heart stress electron donor 277: 833
Frog
insulinlike growth factor receptor oocyte 273: 673
Fructose
bisphosphatase redn activation thior= edoxin dithiothreitol 278: 787
bisphosphate prostaglandin liver 274: 309
diphosphatase brain 276: 455
enterocyte morphol glycosylation 280: 483
Fruit
agglutinin SNA III elder 278: 667
bat cobalamine deficiency methylma= lonate metab 275: 585
FSH
granulosa DNA topoisomerase 277: 557
Fucose
keratan sulfate cartilage 273: 307
Fucosidase
alpha Charonia 279: 189
Fucosylation
inhibitor intestine development 279: 801
Fucosyltransferase
inhibitor intestine development 279: 801
Fumarase
conformation folding heart 275: 745
Fusion
endoglucanase cellulose binding do= main xylanase 279: 787
GTP dependent microsome inhibition fluoroaluminate 280: 335
peptide cecropin prepn cloning 280: 219
F0F1
ATPase magnesium inactivation 276: 149
G
protein adipocyte adenylate cyclase obesity 276: 197
protein adrenoceptor uncoupling heparin 280: 791
protein aorta endothelium arachido= nate bradykinin 280: 281
protein calcium arachidonate exocyto= sis neutrophil 275: 127
protein catecholamine exocytosis chromaffin cell 274: 339
protein coupling purinergic receptor 275: 651
protein granule secretion neutrophil 279: 657
protein guanine nucleotide insulin secretion 275: 639
protein inhibitory alpha subunit 277: 223
protein linked receptor Loligo rho= dopsin 274: 35
protein liver development 274: 439
protein macrophage lipopolysacchar= ide 277: 379
protein membrane enterocyte 278: 565
protein monocyte actin polymn 275: 809
protein pertussis toxin phospholipase C 280: 753
protein subunit membrane somatosta= tin 280: 303
protein synaptosome brain hypothy= roidism 275: 183
protein TCR inositol phospholipid lymphocyte 275: 689
GABA
transport astroglia phorbol ester 275: 435
transport synaptic vesicle anion 276: 363

Galactoglycoprotein
conformation size carbohydrate plasma 277: 753
Galactose
residue ricin interaction liver endothelium 277: 855
Galactosidase
inhibition histidine histamine imidazole 274: 885
Ganglioside
GQ1b keratinocyte differentiation 279: 665
metab secretion liver 274: 581
Ganodermate
S platelet phosphoinositide metab thrombin 277: 189
GAP
protein rho purifn sequence 276: 833
GDP
binding brown adipose mitochondria diet 279: 575
Gel
cellular DNA long mol purifn 273: 695
chromatog saliva 280: 341
electrophoresis Actinomadura lactase 280: 553
Gelonin
Artemia reticulocyte ribosome 277: 281
ribosome inactivation 277: 281
Gelsolin
actin interaction calcium 274: 753
Gene
alk phosphatase retinoic acid 274: 673
androgen receptor mouse sequence expression 278: 269
annexin expression glucocorticosteroid 275: 313
aroD sequence Escherichia 275: 1
arylsulfatase A metachromatic leukodystrophy retrovirus 280: 459
arylsulfatase transduction human mucopolysaccharidosis fibroblast 276: 499
cellodextrinase C sequence Pseudomonas 279: 793
cfos premRNA splicing inhibitor H7 278: 305
chymase I sequence human 276: 567
citrate synthase Mycobacterium cloning sequence 278: 225
cjun junB junD human granulocyte 273: 477
cloning mammal thioesterase Escherichia 273: 787
collagen expression fibroblast PMA 278: 369
collagen mutation osteogenesis imperfecta 276: 765
collagen X cattle sequence condensation 273: 141
COL10A1 collagen X sequence human 280: 617
complement C1q human sequence 274: 481
complement monocyte glucocorticosteroid 280: 117
contrapsin sequence mouse 276: 337
conversion glutathione transferase human 274: 587
decorin hypomethylation colon cancer 276: 301
ENO3 enolase human muscle sequence 275: 427
expression regulation insulin review 278: 609
FABP protein human chromosome 276: 203
FABP protein muscle cloning Escherichia 278: 361
ferritin expression heart liver 275: 813
flavodoxin cloning sequence Arabaena 280: 187
glucokinase GLUT2 protein pancreatic islet 279: 899
glutathione transferase allele cloning expression 276: 519
glutathione transferase sequence recombination human 274: 587
glycoprotein beta2 I human 277: 387
heat shock chondrocyte interleukin 1 277: 327
heme oxygenase human nuclear factor 277: 895
Id protein vessel serum 277: 285
insulin growth factor human mRNA 280: 439
isolated mitochondrial expression proteolysis Saccharomyces 274: 199
kil Escherichia outer membrane 275: 545
lactalbumin guinea pig transgenic mouse 275: 459
lactate dehydrogenase mol cloning human 273: 587
metallothionein chicken transcription regulation 273: 185
microsome dipeptidase sequence kidney rabbit 280: 71
mucin expression pancreas cancer differentiation 276: 599
ornithine decarboxylase amplification methylation human 279: 435
ornithine decarboxylase human myeloma cell 278: 871
ornithine decarboxylase human transgenic mouse 278: 895
osteopontin expression bone hormone 273: 523
peptidase DD PBP protein sequence 279: 223
PMCA1 protein sequence rabbit 277: 345
procollagen I mutation osteogenesis imperfecta 279: 747
promoter carbonic anhydrase I human 277: 903
promoter collagen TGF activation rat 280: 157
regulation Xenopus development transactivator review 278: 313
rhodopsin sequence Loligo 274: 35
sequence complex I subunit ox 278: 821
sequence GTP binding protein squid 273: 225
sequence laminin A chain human 276: 369
sequence PBP5 protein Enterococcus 280: 463
synthetic cattle protein ACBP cloning 276: 817
synthetic fatty acid binding protein 278: 365
S14 promoter regulation rat liver 280: 761
thyroid dependent peroxisome proliferator 274: 745
tropoelastin cattle cloning Escherichia 273: 517
ubiquinone oxidoreductase subunit sequence cow 277: 11
U1a U1b RNA mouse expression 277: 719
U2 U4 RNA activation Vmw65 275: 369
valyl tRNA synthetase sequence human 278: 809
xylose isomerase Arthrobacter cloning sequence 277: 263
Genome
DNA blood isolation rapid method 273: 229
Geotrupes
red pigment concg hormone peptide 275: 671
Germ
cell alk phosphatase inhibition leucine 274: 91
Germination
castor bean pyruvate kinase 279: 495
Gi
protein detn ADP ribosylation 277: 223
protein diabetes polemic 278: 310
protein platelet thrombin 279: 643
protein prostaglandin erythrocyte cAMP metab 280: 801
Gi2
protein phosphorylation liver 274: 317
Glioblastoma
transforming growth factor platelet 277: 165
Globin
membrane erythrocyte aging 278: 57
Glucagon
ammonia glutaminase liver 274: 103
degrdn liver endosome ATP 280: 211
hepatocyte lipid metab 279: 705
insulin hepatocyte glycogen metab 277: 111
liver cell vol proteolysis 278: 771
protein kinase membrane 277: 371
Glucanase
secondary conformation plant yeast 274: 41
Glucanotransferase
cyclodextrin domain organization 280: 51
Glucoamylase
maltase structure kidney intestine 274: 349
Glucocerebrosidase
tetradecylglucopyranosyl glycerol substrate 274: 557
Glucocorticoid
hexose monophosphate shunt macrophage 278: 129
lung protein formation 273: 93
monokine liver heme oxygenase 279: 891
muscle glutamine glucose 274: 187
resistance myeloma ornithine decarboxylase gene 279: 435
Glucocorticosteroid
annexin gene expression 275: 313
complement gene monocyte 280: 117
Glucokinase
active site aspartate liver 277: 159
gene pancreatic islet starvation 279: 899
nomenclature mammal 275: 821
Gluconeogenesis
glycogenolysis detn tritiated water 279: 911
inhibition phenobarbital hepatocyte diabetes mellitus 280: 663
liver insulin somatotropin ruminant 274: 21
liver lactate 280: 415
Gluconohydroximolactone
inhibition glycogen phosphorylase 274: 329
Glucopyranosyl
monofluoride difluoride glucosidase kinetics 279: 587
Glucose
calcium pancreatic islet glycolysis 278: 335
insulin secretion protein kinase 279: 807
isomerase Arthrobacter 277: 255
isomerase Clostridium Thermoanaerobacter 273: 565
Kupffer cell tumor necrosis factor 278: 515
metab brain glutamine formation hyperammonemia 277: 697

metab brain hepatic encephalopathy hyperammonemia 277: 693
metab heart muscle pregnancy 280: 549
metab muscle thyroid hormone 278: 587
metab Neocallimastix 274: 595
metab pancreas hyperglycemia obesity 278: 353
muscle glucocorticoid 274: 187
muscle starvation refeeding 277: 429
output liver 279: 911
pancreas enzyme caerulein dexamethasone 279: 197
phosphatase membrane topol endoplasmic reticulum 275: 133
phosphatase regulation calcium liver microsome 275: 805
phosphatase transport protein liver microsome 275: 363
phosphate dehydrogenase mRNA hepatocyte 276: 245
phosphate transport parotid gland 279: 843
protein formation pancreas islet 274: 73
transport adipocyte noradrenaline 277: 119
transport adipose tissue protein kinase 275: 597
transporter adipocyte insulin PMA 275: 145
transporter adipose insulin 278: 235
transporter translocation adipocyte insulin 275: 597
uptake adipocyte insulin 274: 787
utilization brown adipose starvation refeeding 273: 233
utilization neoplasm animal tissue cachexia 277: 321

Glucosidase
acid alpha heterogeneity lysosome 279: 719
glucopyranosyl monofluoride difluoride kinetics 279: 587
II mechanism kinetics liver microsome 278: 721
inhibition histidine histamine imidazole 274: 885
multiple form Botryodiplodia 275: 721

Glucosylceramide
formation site liver 280: 295

Glucuronate
carboxy group acidity NMR 278: 689
sulfatase skin fibroblast 279: 399

Glucuronide
retinoic acid metab blood tissue 277: 527

Glucuronosyltransferase
UDP human liver cDNA sequence 278: 465

Glucuronoxylan
pea formation glucuronyltransferase 277: 653

Glucuronyltransferase
Golgi app pea 277: 653
UDP fetus liver mercury 278: 99

GLUT
protein adipose tissue protein kinase 275: 597

Glutamate
conversion aspartate citrate synthase 280: 521
dehydrogenase modified acetyl CoA acetyltransferase 280: 353
dehydrogenase oxoglutaramate metab kidney 277: 33
receptor quisqualate sensitive muscle crustacea 273: 165
synthase Rhodospirillum 279: 151
transport synaptic vesicle anion 276: 363

Glutaminase
inactivation mitochondria matrix liver 274: 109
isoenzyme mitochondria formation processing 273: 265
liver glucagon ammonia 274: 103

Glutamine
analog cartilage proteoglycan formation 273: 283
formation brain glucose metab hyperammonemia 277: 697
formation leucine catabolism sepsis 276: 405
formation liver hydrogen ion 278: 709
metab muscle 279: 327
metab muscle chicken rat 274: 769
metab spleen diabetes mellitus 274: 49
muscle glucocorticoid 274: 187
release muscle cell vol 276: 559
T lymphocyte proliferation 278: 471
transamination metab carcinoma hepatoma 273: 271
transport basolateral membrane intestine 277: 687
transport specificity membrane liver muscle 278: 105

Glutaredoxin
transforming growth factor similarity 280: 833

Glutathione
esterification 275: 535
macrophage atherosclerosis oxidized lipoprotein 278: 429
metab liver embryo newborn 274: 891
peroxidase selenium contg Chlamydomonas 275: 623
plasmid DNA chem cleavage 275: 601
S transferase cysteine 278: 293
transferase activity carboxyl terminal region 275: 171
transferase adrenal pituitary hormone 280: 399
transferase anion inhibition insect mammal 278: 193
transferase expression aflatoxin B1 279: 385
transferase gene sequence recombination human 274: 587
transferase inhibition GSH deriv prepn 278: 63
transferase isoenzyme conserved arginine 274: 549
transferase isoenzyme heterodimer muscle human 273: 323
transferase isoenzyme inactivation quinone 276: 661
transferase isoenzyme lung liver 278: 793
transferase isoenzyme mitochondria matrix liver 278: 137
transferase isoenzyme pancreas organ 275: 507
transferase isoenzyme 6 brain 274: 405
transferase mu psi human cloning 276: 519
transferase substrate quinone reductase induction 273: 711
transferase subunit liver chemoprotector 276: 461
transferase subunit purifn BHA induction 277: 501
transferase theta isoenzyme mammal 274: 409
transferase YfYf allosteric site ethacrynate 275: 703

GLUT1
protein adipose insulin 278: 235

GLUT2
protein gene pancreatic islet starvation 279: 899

GLUT4
protein adipose insulin 278: 235
protein mRNA adipocyte obesity 279: 303

Glycation
site complement factor B 274: 473
superoxide dismutase heparin affinity 279: 263

Glyceraldehyde
phosphate dehydrogenase alkylation mechanism 275: 767
phosphate dehydrogenase heat photodynamic treatment 276: 357

Glyceride
formation liver fatty acid 275: 87

Glycerol
kinase immobilized compartmentalized system 274: 819
phosphate lactate dehydrogenase NADH transfer 278: 875

Glycerolipid
forming enzyme adipose cold 277: 665
platelet activating factor neutrophil 280: 625

Glycerophosphate
FAD dehydrogenase pancreas glucose 278: 335

Glycine
decarboxylase H protein methylamine intermediate 278: 765
reaction serine hydroxymethyltransferase tryptophan synthase 274: 807
residue alk phosphatase inhibition 274: 91

Glycogen
formation hepatocyte amino acid 273: 57
formation liver lactate 280: 415
hepatocyte fasting refeeding review 276: 843
hepatocyte fetus insulin serine 276: 577
metab hepatocyte insulin glucagon 277: 111
metab liver adenosine ATP 277: 597
metab liver inhibition hormone 276: 607
metab muscle insulin peroxyvanadate 276: 289
phosphorylase chain reaction kinetics 279: 855
phosphorylase fatty acid hepatocyte 276: 209
phosphorylase inhibition gluconohydroximolactone 274: 329
phosphorylase muscle muscular dystrophy 278: 113
synthase hepatocyte swelling 278: 887

Glycogenolysis
gluconeogenesis detn tritiated water 279: 911
liver adrenaline administration route 275: 609

Glycolysis
enzyme erythrocyte aging 279: 237
pancreatic islet glucose calcium 278: 335

Glycopeptide
mucin heterogeneity sputum cystic fibrosis 276: 677

Glycoprotein
acid glycosylation hepatocyte inflammation 276: 343
alpha1 acid drug binding pH 280: 277
alpha2 HS tyrosine kinase inhibitor 274: 899
asparagine linked epididymis 277: 213
beta2 I sequence liver 277: 387
cell CAM 105 ectoATPase 278: 155
detection blood platelet 279: 419

disulfide bound mucin intestine 274: 679
formation HTE cell culture 277: 713
glycosylation site amino acid distribu= tion 275: 529
GPIIb GPIIIa calcium platelet mem= brane 276: 35
GPIIIa disulfide platelet 274: 63
heat shock collagen binding myoblast 274: 793
IIb epitope binding IIIa fibrinogen 273: 767
IIIa binding fibrinogen 274: 457
IIIa domain integrin receptor platelet 276: 725
mucus cervix epitope 274: 293
platelet protein kinase cAMP 273: 115
sialylation liver development 280: 179
synovial fluid blood irradn arthritis 273: 459
Glycosaminoglycan
amyloid fibril amyloidosis 275: 67
lipoprotein urokinase activation plas= minogen 276: 785
Glycosidase
inhibition histidine histamine imidaz= ole 274: 885
Glycosidation
lipoprotein lipase brown adipose 277: 801
Glycosphingolipid
metab cell monensin 279: 753
Glycosyl
hydrolase classification structure evolution 280: 309
phosphatidylinositol membrane an= chor antibody 273: 301
phosphatidylinositol Tetrahymena 279: 605
Glycosylation
acid glycoprotein hepatocyte inflam= mation 276: 343
endotrans xyloglucan extracellular plant culture 279: 529
enterocyte fructose 280: 483
laminin B2 subunit mouse human 277: 593
multiple subunit ATPase muscle 278: 375
neutrophil formyl peptide receptor 277: 67
O interferon alpha2 276: 511
protein transport cell review 276: 1
p65 protein membrane topog 279: 699
site amino acid distribution glycopro= tein 275: 529
VIP receptor structure activity 278: 527
Glycosylphosphatidylinositol
membrane protein 280: 745
phospholipase protein GP2 pancreas 277: 879
specific phospholipase D membrane anchor 279: 483
Gn
protein liver microsome membrane fusion 280: 335
Golgi
app oligosaccharide processing 279: 159
app pea glucuronyltransferase 277: 653
GP2
protein granule secretion pancreas 277: 879
Granule
protein GP2 secretion pancreas 277: 879
secretion G protein neutrophil 279: 657
Granulocyte
differentiation inositol trisphosphate receptor 280: 205
human gene cjun junB junD 273: 477
phospholipase D guanine adenine nucleotide 278: 81
transmembrane signalling tumor necrosis factor 279: 455
Granulocytopoiesis
inositol trisphosphate receptor 280: 205
Granulosa
FSH DNA topoisomerase 277: 557
Graph
theory math metab regulation 275: 253
Griseofulvin
liver protoporphyrin adduct 274: 843
protoporphyria liver alkyl protopor= phyrin 280: 813
Group
B Streptococcus complement C5a 273: 635
contribution sigmoid titrn curve acid 278: 279
Growth
factor calcium transient fibroblast 278: 849
factor heparin collagen keloid fibrob= last 278: 863
factor isomaltase sucrase intestine enterocyte 280: 599
factor metab muscle diabetes 276: 547
hepatocyte DMSO 277: 773
hormone adrenergic receptor adipose 273: 39
hormone prolactin dissocn receptor 279: 461
GSH
brown adipose cold 277: 289
deriv prepn glutathione transferase inhibition 278: 63
transferase subunit 10 sequence 274: 619
GTP
adenylate cyclase regulation platelet 276: 621
analog ADP ribosylation factor 275: 639
binding protein fat cell insulin 276: 103
binding protein insulin formation 275: 23
binding protein LH exocytosis 275: 399
binding protein sequence photorecep= tor squid 279: 323
binding protein stomach tubulovesicle 279: 43
binding protein subunit sequence squid 273: 225
dependent microsome fusion inhib= ition fluoroaluminate 280: 335
hydrolysis MAP2 tubulin microtubule assembly 277: 239
inositol phosphate adrenal 279: 447
GTPase
activating protein p21rho 276: 833
kinetics microtubule assembly 277: 239
macrophage lipopolysaccharide 277: 379
Guanidinium
chloride lactate dehydrogenase con= formation inactivation 277: 207
Guanidinoacetate
methyltransferase cysteine residue proximity liver 277: 399
Guanine
adenine mismatch conformation DNA 279: 269
adenine nucleotide phospholipase D granulocyte 278: 81
nucleotide bombesin neuromedin receptor pancreas 280: 163
nucleotide B2 kinin receptor 276: 141
nucleotide G protein insulin secretion 275: 639
nucleotide protein liver development 274: 439
Guanosine
thiodiphosphate adenylate cyclase regulation platelet 276: 621
thiotriphosphate secretion neutrophil 279: 657
Guanylate
cyclase activation arginine hydroxyl= amine 273: 547
cyclase activation arom disulfide 275: 29
Guinea
pig lactalbumin gene transgenic mouse 275: 459
Gyrase
DNA Vibrio 280: 797
H
1 histone liver proliferation 280: 777
Haemophilus
trimethoprim resistance dihydrofolate reductase 274: 657
Halobacterium
arginine deiminase 273: 739
Haloferax
aspartate aminotransferase 278: 149
Halothane
anesthesia liver toxicity free radical 277: 795
Hamster
human kidney cathepsin D 273: 363
Hansenula
flavocytochrome b2 electron transfer 274: 207
methanol metab 280: 475
Hb
oxidatively damaged proteinase eryth= rocyte 277: 779
HCP
protein junctional sarcoplasmic reti= culum muscle 277: 825
Heart
beta adrenergic receptor thyroid hormone 277: 625
chymase I sequence mast cell 276: 567
connexin metab phosphorylation 273: 67
ferritin gene expression 275: 813
fumarase conformation folding 275: 745
glucose metab pregnancy 280: 549
microsome acylglycerophosphoethano= lamine hydrolyzing lysophospholi= pase A2 275: 393
mitochondria ATP formation review 280: 561
mitochondria NADH CoQ reductase hypoxia 274: 133
myocyte ATP calcium acidification 274: 55
phosphatidylethanolamine ethanola= mine plasmalogen formation 273: 121
phospholipase A2 modulation ATP 280: 581
protein fasting 275: 165
protein formation pH creatine metab= olite 273: 339
protein metab review 273: 21
protein synthesis adrenaline 273: 347
pyruvate dehydrogenase detn 277: 547
stress free radical electron donor 277: 833
ubiquinone oxidoreductase subunit sequence mitochondria 277: 11
Heat
glyceraldehyde phosphate dehydroge=

nase photodynamic treatment 276: 357
shock cAMP cell 276: 683
shock gene chondrocyte interleukin 1 277: 327
shock glycoprotein collagen binding myoblast 274: 793
shock protein phosphorylation interleukin 1 277: 635
stress Synechococcus adenylylated nucleotide 276: 487
Helix
MAP1B protein tubulin 274: 621
Heme
binding domain nitrate reductase Chlorella 278: 203
formation enzyme erythropoiesis 275: 321
formation pathway yeast 273: 246
oxygenase cDNA sequence chicken expression 273: 659
oxygenase gene human nuclear factor 277: 895
oxygenase interleukin tumor necrosis factor 279: 891
oxygenase isoenzyme homol Cebus rat 275: 159
oxygenase 1 chick mammal 279: 849
Hemocyanin
subunit compn lobster seasonal adaptation 277: 419
Hemolysis
complement avidin acylation 273: 393
Hemopexin
receptor subunit endocytosis 276: 417
Hemoprotein
ferritin electron transfer 278: 817
Heparan
sulfate domain proteoglycan endothelium 279: 821
sulfate proteoglycan liver 273: 415
sulfate proteoglycan protein linked oligosaccharide 277: 297
sulfate structure iduronate sulfate distribution 273: 553
Heparin
adrenoceptor G protein uncoupling 280: 791
affinity superoxide dismutase glycation 279: 263
binding protein intestine sialyltransferase 280: 687
carboxy group acidity NMR 278: 689
fibrin binding domain fibronectin plasma 274: 731
formation model epimerization sulfation 275: 151
growth factor collagen keloid fibroblast 278: 863
lipoprotein lipase metab 273: 747
metal complex IR spectra 275: 193
sulfate proteoglycan antithrombin receptor brain 280: 393
water polypeptide interaction IR spectroscopy 277: 569
Hepatectomy
fatty liver triacylglycerol metab lipoprotein 277: 723
Hepatic
artery adrenaline glycogenolysis liver 275: 609
encephalopathy ammonia brain glucose glutamine 277: 697
encephalopathy hyperammonemia brain glucose metab 277: 693
Hepatitis
B surface antigen preS domain 276: 411
Hepatocyte
acute phase protein mRNA 277: 477
acyl CoA oxidase peroxisome proliferator 280: 249
anion transport protein kinase 278: 637
bile acid cholesterol hydroxylase 276: 73
calcium ATPase inhibitor 277: 553
calcium cAMP adrenergic receptor 273: 799
calcium estradiol progesterone 280: 273
calcium mobilization inositol trisphosphate 278: 705
cytochrome P 450 IVA 275: 247
EGF binding growth morphol DMSO 277: 773
enzyme swelling 278: 887
fatty acid glycogen phosphorylase 276: 209
fatty acid metab hormone sheep 274: 21
fetus glycogen insulin serine 276: 577
glucose phosphate dehydrogenase mRNA 276: 245
glycogen metab insulin glucagon 277: 111
glycosylation acid glycoprotein inflammation 276: 343
hydroxymethylglutaryl CoA reductase calcium 273: 485
inositol phosphooligosaccharide transport 274: 369
insulinlike growth factor protein 275: 441
interleukin 6 receptor cloning sequence 277: 659
lactate transport starvation 273: 195
LDL binding uptake degrdn ursodeoxycholate 280: 589
lipid metab cAMP glucagon 279: 705
lipid peroxidn hydroxyl radical 277: 767
metab amino acid 273: 57
phenobarbital gluconeogenesis inhibition diabetes mellitus 280: 663
protein aminolevulinate synthase mRNA degrdn 274: 619
triacylglycerol fatty acid insulin 280: 99
vol fasting refeeding review 276: 843
V1a receptor species 276: 189
Hepatoma
carcinoma adenine nucleotide metab 273: 277
carcinoma glutamine metab transamination 273: 271
Herbicide
diphenyl ether inhibition protoporphyrinogen oxidase 277: 17
Herpes
simplex virus protein Vmw65 275: 369
Hexadecanedionoyl
mono CoA beta oxidn liver 273: 205
Hexadecanoyloxyethylthiophosphocholine
phospholipase C mechanism Clostridium 280: 407
Hexose
monophosphate shunt macrophage dexamethasone 278: 129
transport adipocyte insulin PMA 275: 145
Hexuronosyl
C5 epimerase heparin formation 275: 151
High
density lipoprotein calcium fibroblast 279: 29
density lipoprotein cell surface receptor 279: 633
Hirudin
thrombin complex formation ionic interaction 275: 801
Histamine
adrenal chromaffin calcium release 278: 643
inhibition glycosidase 274: 885
platelet protein kinase C calcium 273: 405
thrombomodulin vascular endothelium receptor 276: 739
Histidine
analog glutamine transport inhibition 278: 105
essential aminoacetone synthase liver 275: 575
essential inorg pyrophosphatase bacteria 278: 595
essential ornithine decarboxylase 277: 671
function tyrosinase Streptomyces 274: 707
inhibition glycosidase 274: 885
prolyl endopeptidase active site 276: 837
rich calcium binding phosphoprotein muscle 277: 825
Histocompatibility
antigen valyl tRNA synthetase gene 278: 809
class I antigen structure function 277: 359
Histone
acetylation methylation erythrocyte 273: 753
acetyltransferase DNA formation liver 280: 777
core acetylation ADP ribosylation 277: 607
IIIS protein kinase 276: 257
nonhistone protein liver carcinoma trout 280: 491
HL60
cell hydroxyprostaglandin dehydrogenase PMA 279: 553
cell LTB4 metab 279: 283
HnRNA
difluoromethylornithine resistance myeloma human 278: 871
Homarus
carapace carotenoprotein crustacyanin astaxanthin tryptophan 274: 79
Hormone
calcium mobilization hydroxymethylglutaryl CoA reductase 279: 377
hepatocyte fatty acid metab sheep 274: 21
inhibition glycogen metab liver 276: 607
thyroid tissue adrenergic receptor mRNA 277: 625
Hornet
mastoparan B structure biol activity 274: 453
Horseradish
peroxidase lactoperoxidase stereoselective binding tyrosine 279: 245
HPLC
anion exchange oligosialic acid 280: 575
glycoprotein 279: 419
inositol phosphate isomer 274: 663
Hsp27
phosphorylation ATP bradykinin 277: 635
Hsp70
protein gene interleukin 1 277: 327
HT
29 transcobalamin formation secretion 280: 427
HTE
cell culture glycoprotein formation 277: 713
Human
adenovirus oncoprotein review 275: 281
cannabinoid receptor cDNA sequence cloning 279: 129

carbonic anhydrase I gene promoter 277: 903
chromosome FABP protein gene 276: 203
chymase I gene sequence 276: 567
collagen X gene COL10A1 sequence 280: 617
complement C1q gene sequence 274: 481
cystatin S cDNA sequence cloning 278: 627
glutathione transferase gene sequence recombination 274: 587
glutathione transferase isoenzyme heterodimer muscle 273: 323
glutathione transferase mu psi cloning 276: 519
glycoprotein beta2 I gene 277: 387
granulocyte gene cjun junB junD 273: 477
heme oxygenase gene nuclear factor 277: 895
inositol triphosphate kinase cDNA cloning 278: 883
insulin growth factor gene mRNA 280: 439
laminin A chain gene sequence 276: 369
liver acetylgalactosamine sulfatase 279: 515
liver UDP glucuronosyltransferase cDNA sequence 278: 465
mol cloning lactate dehydrogenase gene 273: 587
monoclonal antibody rhesus D Escherichia 277: 561
mouse laminin B2 subunit glycosylation 277: 593
mucopolysaccharidosis fibroblast arylsulfatase gene transduction 276: 499
muscle enolase gene ENO3 sequence 275: 427
myeloma cell ornithine decarboxylase gene 278: 871
ornithine decarboxylase gene amplification methylation 279: 435
ornithine decarboxylase gene transgenic mouse 278: 895
thrombin purifn blood plasma 280: 805
valyl tRNA synthetase gene sequence 278: 809

Hyaluronan
secondary tertiary conformation 274: 699

Hyaluronate
binding protein articular cartilage 273: 579
degrdn formate synovial fluid arthritis 273: 459
NMR synovial fluid arthritis exercise 273: 459

Hyaluronidase
peptidase proacrosin sperm acrosome 275: 759

Hybridization
nucleic acid 278: 735

Hydrazine
formation vanadium nitrogenase Azotobacter 277: 465

Hydrocarbon
aryl receptor quaternary structure RNase 279: 689

Hydrogen
exchange tryptophan synthase mechanism yeast 273: 605
ion liver glutamine formation 278: 709
ion mitochondria pore calcium injury 278: 715
peroxide aconitase inactivation plant 276: 643
peroxide DNA base copper 273: 601
sulfate analog aluminofluoride beryllofluoride sulfatase 279: 361

Hydrolase
Bacillus levansucrase active site 279: 35
glycosyl classification structure evolution 280: 309
phosphonoacetaldehyde Pseudomonas butylphosphonate allosteric regulation 280: 557
starch domain organization 280: 51
ubiquitin Saccharomyces 273: 615

Hydrolysis
beta lactamase cephamycin structure kinetics 279: 111
GTP MAP2 tubulin microtubule assembly 277: 239
phosphatidylethanolamine PMA bryostatin oncogene transformation 276: 505
transforming growth factor peptidase 280: 57

Hydroxyl
radical hepatocyte lipid peroxidn 277: 767
radical salicylate hydroxylation liver 276: 753

Hydroxylamine
nitric oxide formation arginine 273: 547

Hydroxylase
androstenedione lithocholate cytochrome P 450 275: 105
aryl hydrocarbon conserved domain 278: 749
cephalosporin 7alpha Streptomyces 280: 471
cholesterol hepatocyte bile acid 276: 73
cytochrome P 45026 liver kidney 276: 427
lupanine Pseudomonas 279: 105
prolyl procollagen inhibitor bone 275: 469

Hydroxylation
procollagen inhibitor pyridine carboxylate 275: 469
salicylate liver hydroxyl radical 276: 753

Hydroxymethylbilane
synthase mechanism arginine Escherichia 275: 447

Hydroxymethylglutaryl
CoA reductase hepatocyte calcium 273: 485
CoA reductase liver calcium mobilization 279: 377
CoA synthase liver diurnal rhythm 280: 61

Hydroxymethyltransferase
serine tryptophan synthase stereochem kinetics 274: 807

Hydroxyprostaglandin
dehydrogenase HL60 cell PMA 279: 553

Hydroxypyruvate
reductase inhibition oxalate spinach 276: 125

Hydroxysteroid
dehydrogenase liver kinetic mechanism 278: 835

Hydroxyurea
deriv lipoxygenase pseudoperoxidase stimulation 274: 287

Hydroxyvitamin
D3 hydroxylase liver kidney mitochondria 276: 427

Hyperammonemia
brain glucose metab glutamine formation 277: 697
brain glucose metab hepatic encephalopathy 277: 693

Hypercholesterolemia
familial chylomicron remnant clearance 276: 381

Hyperglycemia
obesity pancreas glucose metab 278: 353

Hyperlipidemia
bile acid sequestration cholesterol lipoprotein 278: 651

Hyperpolarization
adrenaline kidney epithelium 274: 243

Hyperthermia
photohemolysis photosensitization 277: 183

Hypertriglyceridemia
mechanism platelet activating factor 280: 541

Hypomethylation
decorin gene colon cancer 276: 301

Hypothyroidism
brain synaptosome G protein 275: 183
carnitine palmitoyltransferase mitochondria liver 277: 611
lipid lipoprotein metab blood liver 273: 375
low density lipoprotein receptor liver 276: 825

Hypoxanthine
guanine phosphoribosyltransferase Artemia 275: 327

Hypoxia
heart mitochondria NADH CoQ reductase 274: 133

Id
protein gene vessel serum 277: 285

Iduronate
sulfate distribution heparan sulfate structure 273: 553

Iduronidase
mucopolysaccharidosis type I 274: 263

Ig
light chain amyloid fibril glycosaminoglycan 275: 67

IgG
membrane erythrocyte aging 278: 57

Ileum
biotin absorption 279: 671
sucrase isomaltase jejunum bypass 276: 563

Imidazole
inhibition glycosidase 274: 885

Immobilization
polynucleotide magnetic particle 278: 735
xylanase thermostability Thermotoga 277: 413

Immobilized
glycerol kinase compartmentalized system 274: 819

Immunoassay
acute lymphoblastic leukemia antigen detn 278: 417
low density lipoprotein receptor 280: 1

Immunosuppressant
cyclosporin mitochondria calcium overload 274: 611

Inactivation
lactate dehydrogenase conformation guanidinium chloride 277: 207

Indole
carboxylated dopachrome tautomerase melanoma specificity 277: 393
site albumin octanoate 273: 641

Indolylacetylglucose
synthase purifn antibody corn 279: 509

Infection
Plasmodium choline transport erythrocyte 273: 701

Inflammation
acute liver contrapsin sequence mouse 276: 337
glycosylation acid glycoprotein hepatocyte 276: 343
inhibitor hydroxysteroid dehydrogenase complex 278: 835
sequence neutrophil chemoattractant

cytokine 278: 493
serum amyloid A protein isoform 273: 245
Influenza
C acetylesterase acetyl contg compd 273: 435
Influx
calcium neutrophil agonist intracellular store 277: 73
calcium P 450 274: 193
calcium platelet agonist 280: 783
Inhibition
progress curve systematic error acetylcholinesterase 274: 181
Inhibitor
H7 gene cfos premRNA splicing 278: 305
protein formation liver metallothionein mRNA 273: 185
Inhibitory
G protein alpha subunit 277: 223
Inorg
anion inhibition glutathione transferase isoenzyme 278: 193
pyrophosphatase essential histidine bacteria 278: 595
Inosine
deuteriation 278: 487
Inositol
analog phosphoinositide phosphatidylinositol metab erythrocyte 277: 407
pentakisphosphate isomer B lymphocyte 280: 323
pentakisphosphate structure occurrence phosphorylation 275: 485
phosphate adrenal calcium ATP GTP 279: 447
phosphate adrenaline hyperpolarization kidney 274: 243
phosphate isomer HPLC 274: 663
phosphate metab aorta ATP 277: 103
phosphate muscarinic receptor neuroblastoma 273: 791
phosphate muscle contraction 280: 631
phosphate phosphatase inhibitor brain 278: 219
phosphate receptor cerebellum 274: 861
phosphate Trypanosoma 275: 407
phosphatidylinositol erythrocyte bird 275: 187
phospholipid metab trachea carbachol 275: 373
phospholipid platelet neomycin 273: 241
phospholipid TCR lymphocyte G protein 275: 689
phosphooligosaccharide transport hepatocyte 274: 369
tetrakisphosphate analog prepn phosphatase inhibition 276: 333
tetrakisphosphate calcium current oocyte 273: 317
tetrakisphosphate calcium sequestration adrenal medulla 278: 381
tetrakisphosphate conversion aluminum 277: 883
tetrakisphosphate receptor brain labeling 280: 533
tetrakisphosphate receptor purifn brain 275: 453
triphosphate calcium chromaffin cell 275: 697
triphosphate kinase cDNA sequence cloning 278: 883
trisphosphate adrenal chromaffin calcium 278: 643
trisphosphate binding receptor magnesium pH 278: 759
trisphosphate calcium mobilization hepatocyte 278: 705
trisphosphate calcium storing organelle liver 274: 643
trisphosphate calcium transport nerve 276: 163
trisphosphate kinase AR4 2J cell 274: 622
trisphosphate kinase calmodulin site brain 280: 125
trisphosphate phosphatase isoform regeneration brain 277: 293
trisphosphate platelet activating factor 278: 255
trisphosphate receptor antagonist decavanadate 277: 294
trisphosphate receptor calcium release cerebellum 277: 125
trisphosphate receptor granulocytopoiesis 280: 205
trisphosphate substance P calcium 273: 541
trisphosphate trachea muscarinic receptor 275: 373
Insect
glutathione transferase anion inhibition 278: 193
Instruction
author policy 273: 1
Insulin
acetyl CoA carboxylase adipose lactation 274: 543
adipocyte acyl CoA binding protein 277: 341
adrenergic receptor adipose 273: 39
casein kinase adipocyte 279: 545
catecholamine glucose muscle thyroid 278: 587
enzyme adipose phosphatase inhibitor 276: 649
formation GTP binding protein 275: 23
formation pancreas beta cell polyamine 277: 533
formation proinsulin 278: 621
glucagon hepatocyte glycogen metab 277: 111
gluconeogenesis liver fatty acid ruminant 274: 21
glucose muscle glucocorticoid 274: 187
glucose transporter adipose 278: 235
glucose transporter translocation adipocyte 275: 597
glucose uptake adipocyte 274: 787
glycogen hepatocyte fetus serine 276: 577
growth factor gene mRNA human 280: 439
GTP binding protein fat cell 276: 103
hepatocyte fasting refeeding review 276: 843
hexose transport adipocyte PMA 275: 145
islet cell PMA phosphoinositide 278: 49
liver cell vol proteolysis 278: 771
muscle metab peroxyvanadate 276: 289
oleate triacyglycerol secretion liver 280: 99
phosphooligosaccharide transport hepatocyte 274: 369
phosphoprotein isoprenaline adipocyte 274: 433
receptor dephosphorylation phosphatase 278: 69
receptor kinase dephosphorylation deactivation 275: 413
receptor kinase structure trypsin activation 276: 27
receptor monomer tyrosine kinase 273: 49
receptor oocyte Xenopus 273: 673
receptor phosphorylation pattern liver 275: 15
receptor phosphorylation tyrosine 274: 173
receptor tyrosine kinase inhibitor fetuin 274: 899
receptor tyrosine kinase phosphatidylinositol kinase 280: 769
regulation gene expression review 278: 609
release pancreatic islet oxytocin 276: 169
secretion glucose protein kinase 279: 807
secretion guanine nucleotide G protein 275: 639
secretion noradrenaline cGMP 278: 243
secretory granule protein formation 274: 73
sequence fish 276: 261
Insulinase
homolog metalloprotease superfamily 275: 389
Insulinlike
growth factor analog diabetes 276: 547
growth factor analog receptor binding 278: 249
growth factor ATPase sarcoplasmic reticulum 275: 35
growth factor protein complex 275: 441
growth factor receptor oocyte frog 273: 673
Integrated
equation enzyme kinetics progress curve 274: 509
Integrin
beta subunit disulfide 274: 63
GPIIb GPIIIa calcium lipid temp 276: 35
receptor glycoprotein IIIa domain platelet 276: 725
Interferon
acute phase protein mRNA 277: 477
alpha2 O glycosylation 276: 511
gamma receptor monocyte endocytosis 274: 775
tumor necrosis factor tetrahydrobiopterin fibroblast 280: 709
Interleukin
tumor necrosis factor heme oxygenase 279: 891
vessel thrombomodulin tissue factor 273: 679
1 chondrocyte protein kinase C 276: 157
1 heat shock gene chondrocyte 277: 327
1 heat shock protein phosphorylation 277: 635
1 internalization receptor lymphocyte 273: 79
1 nuclear localization sequence 280: 111
1 proline uptake skin fibroblast 276: 57
1beta acute phase muscle 279: 683
1beta acute phase protein mRNA 277: 477
6 receptor hepatocyte cloning sequence 277: 659
Internalization
atriopeptin receptor subtype 276: 493
Intertrypsin
inhibitor sequence homol Willebrand factor 279: 908
Intestine
basolateral membrane glutamine transport 277: 687
biotin absorption 279: 671
disulfide bound glycoprotein mucin 274: 679
enterocyte isomaltase sucrase growth factor 280: 599
enterocyte morphol glycosylation

fructose 280: 483
fucosyltransferase inhibitor development 279: 801
guanylate cyclase activation arom disulfide 275: 29
maltase glucoamylase structure 274: 349
membrane G protein 278: 565
sialyltransferase heparin binding protein 280: 687
small apolipoprotein B48 oligosaccharide 274: 159
small epithelium isolation crypt villus 280: 331
sodium nucleoside transporter oocyte 278: 605
Intima
aorta chondroitin dermatan sulfate proteoglycan 274: 415
Intracellular
store agonist calcium influx neutrophil 277: 73
Iodoacetate
lactamase cysteine active site pH 273: 85
Iodothyronine
deiodinase liver selenium deficiency 274: 297
Ion
exchange liq chromatog saliva 280: 341
metal enzyme activation model 276: 223
Ionization
phosphate aspartate aminotransferase review 280: 832
IR
spectra heparin metal complex 275: 193
Iron
molybdenum protein cysteine nitrogenase Azotobacter 277: 457
protein nitrogenase molybdoferredox in redox independence 279: 81
sulfur center aldehyde oxidoreductase Desulfovibrio 280: 817
transport reticulocyte sodium 275: 635
Irradn
glycoprotein synovial fluid blood arthritis 273: 459
Ischemia
brain phosphofructokinase fructose diphosphatase 276: 455
Isocitrate
lyase magnesium manganese activation model 276: 223
Isoenzyme
acid phosphatase subunit structure prostate 277: 759
carbonic anhydrase IV RIA 274: 313
carboxylesterase lung 274: 693
glutathion transferase lung liver 278: 793
glutathione transferase conserved arginine 274: 549
glutathione transferase heterodimer muscle human 273: 323
glutathione transferase inactivation quinone 276: 661
glutathione transferase inorg anion inhibition 278: 193
glutathione transferase mitochondria matrix liver 278: 137
glutathione transferase pancreas organ 275: 507
recombinant lactate dehydrogenase human testis 273: 587
specificity bile acid steroid hydroxylase 275: 105
theta glutathione transferase mammal 274: 409
6 glutathione transferase brain 274: 405
Isoform
serum amyloid A protein inflammation 273: 245
Isomaltase
sucrase growth factor intestine enterocyte 280: 599
sucrase ileum jejunum bypass 276: 563
Isomerase
glucose Clostridium Thermoanaerobacter 273: 565
protein disulfide active site 275: 341
protein disulfide active site dithiol 275: 335
protein disulfide liver selenium deficiency 274: 297
protein disulfide thioredoxin activity comparison 275: 349
xylose Arthrobacter 277: 255
xylose gene Arthrobacter cloning sequence 277: 263
xylose kinetics cation 278: 285
Isomerization
actomyosin interaction troponin tropomyosin 279: 711
Isoprenaline
liver calcium oscillation 275: 277
phosphoprotein insulin adipocyte 274: 433
Isoprenoid
formation Escherichia menaquinone 273: 627
Isosteric
keratan sulfate chondroitin sulfate 275: 267
Isotope
effect deuterium purine nucleoside phosphorylase 278: 487
effect lactate dehydrogenase electron transfer 274: 207
Ito
cell platelet growth factor retinoate 278: 43
IUB
nomenclature sialidase endosialidase review 278: 311
JAR
cell culture taurine transport 277: 53
Jejunum
biotin absorption 279: 671
bypass ileum sucrase isomaltase 276: 563
sialyltransferase release serum 280: 687
Junctional
sarcoplasmic reticulum HCP protein muscle 277: 825
Juxtaglomerular
cell renin kidney 278: 601
Kallikrein
cDNA rat cloning Escherichia yeast 276: 63
T kininogenase antigen gamma 280: 19
Keloid
fibroblast collagen growth factor heparin 278: 863
Keratan
sulfate cartilage proteoglycan G2 domain 273: 369
sulfate fucose cartilage 273: 307
sulfate isosteric chondroitin sulfate 275: 267
sulfate oligosaccharide structure cartilage 278: 779
Keratinocyte
differentiation ganglioside GQ1b 279: 665
Ketone
body hepatocyte amino acid 273: 57
Kidney
alk phosphatase gene retinoate 274: 673
bile acid acyltransferase 280: 821
border sodium nucleoside 274: 27
brush border membrane protein 278: 543
cathepsin D human hamster 273: 363
cotransport beta alanine electrolyte 277: 891
cytochrome P 45026 hydroxylase liver 276: 427
ecto sol low Km nucleotidase 273: 409
EGF mRNA swine 279: 315
endopeptidase transforming growth factor 280: 57
endothelin mRNA 275: 817
epithelium hyperpolarization adrenaline 274: 243
fatty acid binding protein 273: 759
juxtaglomerular cell renin 278: 601
kynurenine aminotransferase 279: 595
maltase glucoamylase structure 274: 349
mesangium protein kinase isoenzyme 279: 441
microsome dipeptidase sequence 280: 71
monooxygenase androgen receptor sex 278: 499
nucleotidase activation decavanadate 273: 795
oxoglutaramate metab glutaminase 277: 33
parathormone fragment 277: 863
phosphatidylethanolamine ethanolamine plasmalogen formation 273: 121
proteasome component 278: 171
secretion tyrosine sulfate protein 279: 289
transformation revertant plasminogen activator inhibitor 279: 883
Kinase
acetyl CoA carboxylase p44mpk oocyte 274: 759
adenylate aliph amino acid NMR 273: 311
C protein calmodulin smooth muscle 277: 445
C protein phosphoinositide platelet 278: 475
cAMP protein bioluminescent substrate 279: 727
casein adipocyte insulin 279: 545
casein 2 heterogeneity liver cytosol 277: 811
choline liver regeneration 278: 347
creatine bone kidney parathormone fragment 277: 863
creatine cleavage proteinase 280: 809
domain phosphorylation insulin receptor 275: 15
glycerol immobilized compartmentalized system 274: 819
inositol triphosphate cDNA sequence cloning 278: 883
inositol trisphosphate AR4 2J cell 274: 622
inositol trisphosphate calmodulin site brain 280: 125
insulin receptor dephosphorylation deactivation 275: 413
insulin receptor structure trypsin activation 276: 27
lck protein tyrosine thymus 279: 567
MAP 2 lymphocyte CD45 phosphatase 276: 481
myosin light chain activation antibody 275: 679
phosphatidylinositol multiple form immunol differentiation 273: 63
phosphatidylinositol phosphorylation insulin receptor kinase 280: 769
phosphoglycerate mutant modification transglutaminase 273: 73
phosphorylase detn liver 278: 899

protein A vitronectin phosphorylation specificity 274: 387
protein activation cAMP analog pla= telet 279: 521
protein adipose tissue glucose trans= port 275: 597
protein anion transport hepatocyte 278: 637
protein blood platelet activating factor 278: 255
protein blood platelet calcium 278: 411
protein C activator protein 279: 695
protein C calcium histamine platelet 273: 405
protein C chondrocyte interleukin 1 276: 157
protein C diacylglycerol phorbol ester 280: 233
protein C hemopexin receptor recy= cling 276: 417
protein C phosphatidylcholine forma= tion 273: 189
protein calcium channel inhibition microsome 273: 803
protein catecholamine release nerve 280: 65
protein forskolin 279: 23
protein heart protein adrenaline 273: 347
protein hydroxymethylglutaryl CoA reductase 273: 485
protein inhibitor H7 fos RNA 278: 305
protein insulin secretion glucose 279: 807
protein isoenzyme kidney mesangium 279: 441
protein MAP phosphorylation Raf 1 277: 573
protein membrane hormone 277: 371
protein nerve nucleoside transport 279: 651
protein phosphorylation myoblast membrane 279: 467
protein phosphorylation myotube differentiation 279: 475
protein platelet activating factor adrenocortical 278: 29
protein platelet arachidonate mobili= zation 280: 93
protein platelet erythrosphingosine 278: 387
protein platelet fibrinogen 273: 115
protein platelet staurosporine 275: 301
protein specificity regulatory domain 276: 257
protein translocation pituitary neuro= secretion 273: 493
pyruvate castor bean germination 279: 495
pyruvate dehydrogenase activator protein identification 275: 781
pyruvate dehydrogenase activator protein liver 275: 775
shikimate dehydroquinase dehydro= quinate synthase sequence 276: 841
tyrosine insulin receptor adipocyte glucose 274: 787
tyrosine insulin receptor inhibitor fetuin 274: 899
tyrosine insulin receptor monomer 273: 49

Kinetic
mechanism hydroxysteroid dehydro= genase liver 278: 835

Kinetics
beta lactamase hydrolysis cephamycin structure 279: 111
enzyme chain reaction 279: 855
enzyme integrated equation progress curve 274: 509

Kinin
B2 receptor mol form bradykinin 276: 141

Kininogenase
T antigen gamma submandibular 280: 19

Klebsiella
nitrogenase azoferredoxin molybdof= erredoxin partial reaction 279: 81
nitrogenase magnesium ATP cleavage reversibility 277: 735

Kluyvera
penicillin acylase 280: 659

Km
low nucleotidase ecto sol kidney 273: 409

Kupffer
cell chemiluminescence nitric oxide synthase 279: 311
cell glucose tumor necrosis factor 278: 515
cell lipoprotein transport liver 276: 135

Kynurenine
aminotransferase kidney 279: 595

Labeling
inositol tetrakisphosphate receptor brain 280: 533

Lactalbumin
conformation folding three disulfide lysozyme 273: 211
gene guinea pig transgenic mouse 275: 459

Lactam
beta antibiotic structure substrate lactamase 279: 111
beta carboxylate peptidase lactamase specificity 278: 801

Lactamase
Actinomadura gel electrophoresis 280: 553
beta active site serine mechanism 274: 855
beta acyl transfer mechanism Strep= tomyces 279: 213
beta Bacillus interaction cephamycin structure 279: 111
beta Class A sequence numbering 276: 269
beta microheterogeneity chromatofo= cusing 273: 503
beta sequence interconversion Citro= bacter 275: 629
beta serine Streptomyces 277: 647
class A phosphonate monoester inhib= itor 275: 793
conformation penicillin binding pro= tein peptidase 279: 223
cysteine active site iodoacetate pH 273: 85
II Bacillus active site 276: 401
inhibitor spiroepoxypenicillin deriv 276: 801
lysine mutation kinetics pH Strepto= myces 278: 673
specificity beta lactam carboxylate 278: 801
thioester substrate acyl enzyme 280: 499

Lactate
cytochrome c oxidoreductase electron transfer 274: 207
dehydrogenase conformation inactiva= tion guanidinium chloride 277: 207
dehydrogenase isoenzyme recombi= nant testis human 273: 587
glycerol phosphate dehydrogenase NADH transfer 278: 875
liver glycogen formation 280: 415
transport erythrocyte stilbenedisulfo= nate deriv 275: 307
transport placenta pregnancy 278: 535
uptake liver substrate availability 273: 195

Lactation
acetyl CoA carboxylase adipose hor= mone 274: 543

Lactococcus
proteinase specificity alphaS1 casein fragment 273: 135

Lactoferrin
human recombinant BHK cell 276: 349

Lactogenic
hormone prolactin dissocn receptor mammary 279: 461

Lactone
prostaglandin metab mollusk 273: 593

Lactoperoxidase
horseradish peroxidase stereoselective binding tyrosine 279: 245

Lactotransferrin
receptor lymphocyte 276: 733

Lamellar
body lung surfactant protein 274: 115

Laminin
A chain sequence expression human 276: 369
B2 subunit glycosylation mouse hu= man 277: 593
receptor platelet 274: 535

Lck
protein tyrosine kinase thymus 279: 567

LDL
binding uptake degrdn hepatocyte ursodeoxycholate 280: 589

Lectin
rat plasmid pGIR recombinant pro= tein 274: 575

Leishmania
infection mannose receptor macro= phage 277: 451

Lens
eye dihydrodiol dehydrogenase inhib= ition ascorbate 275: 121

Leucine
alk phosphatase inhibition 274: 91
catabolism glutamine formation sepsis 276: 405

Leukemia
differentiation sodium dependent uridine transport 274: 85

Leukocyte
aspartylglucosaminidase subunit 276: 251
elastase cystatin C hydrolysis 273: 621
elastase inhibition triterpene 277: 521
mononuclear melatonin formation metab 280: 727

Leukodystrophy
metachromatic arylsulfatase A gene retrovirus 280: 459

Levansucrase
Bacillus polymerase hydrolase active site 279: 35

LH
exocytosis GTP binding protein 275: 399

Ligand
binding structure VIP receptor 278: 527

Ligase
DNA inhibition anthracycline struc= ture 279: 141

Light
Bacillus delta endotoxin stability 273: 43
chain Ig amyloid fibril glycosamino= glycan 275: 67
ferredoxin NADP redn Anabaena 274: 781
harvesting antenna carotenoid Rho= dobacter Rhodospirillum 274: 881

Lignan
formation Bupleurum caffeate peroxidase 273: 109
Link
protein articular cartilage proteolysis 278: 143
protein monocyte proteoglycan fragment processing 280: 679
Lipase
bile salt activated substrate specificity 279: 297
lipoprotein glycosidation brown adipose 277: 801
lipoprotein metab heparin 273: 747
liver blood lipoprotein metab hypothyroidism 273: 375
soln behavior Chromobacter Pseudomonas 273: 611
triacylglycerol detn fluorometry 276: 129
triolein lipid metab tissue obesity 274: 651
Lipid
A platelet intracellular calcium 278: 75
bilayer phase transition daunomycin verapamil 279: 413
cell diradylglycerol detn polemic 280: 830
cell diradylglycerol detn radioassay polemic 280: 829
enzyme secretion mechanism bile cefmetazole 275: 591
formation hepatocyte amino acid 273: 57
integrin GPIIb GPIIIa calcium 276: 35
lipoprotein metab blood liver hypothyroidism 273: 375
membrane detn acetylation radioassay 274: 375
metab hepatocyte cAMP glucagon 279: 705
metab tissue obesity lipase triolein 274: 651
peroxidn brown adipose cold 277: 289
peroxidn cigaret smoke oxidant 277: 133
peroxidn hepatocyte hydroxyl radical 277: 767
peroxidn macrophage glutathione atherosclerosis 278: 429
protein membrane sorting complement attack 274: 381
Lipoate
acetyltransferase assocn E3 protein X 278: 423
Lipocortin
membrane translocation secretion 275: 219
Lipogenic
enzyme mRNA adipocyte obesity 279: 303
Lipolysis
adipocyte adenosine diabetes 278: 309
Lipopolysaccharide
GTPase macrophage 277: 379
Lipoprotein
a serine proteinase activity plasma 274: 491
bile acid sequestration cholesterol hyperlipidemia 278: 651
cholesterol ester liver bile acid 280: 359
cholesterol transport spleen liver 279: 503
glycosaminoglycan urokinase activation plasminogen 276: 785
high density calcium fibroblast 279: 29
high density cell surface receptor 279: 633
lipase glycosidation brown adipose 277: 801
lipase metab heparin 273: 747
lipid metab blood liver hypothyroidism 273: 375
liver selenium 279: 741
low d macrophage oxidn lipoxygenase 278: 163
low density degrdn hepatocyte ursodeoxycholate 280: 589
low density receptor immunoassay 280: 1
low density receptor liver chylomicron 276: 79
low density receptor liver hypothyroidism 276: 825
low density uptake liver parenchyma 276: 135
oxidized macrophage glutathione atherosclerosis 278: 429
plasma cigaret smoke oxidant 277: 133
receptor cholesterol metab liver 279: 175
receptor degrdn EGF precursor domain 277: 677
triacylglycerol metab fatty liver hepatectomy 277: 723
very low density remnant receptor 279: 863
Lipoxygenase
arachidonate activation neutrophil 280: 379
macrophage oxidn low d lipoprotein 278: 163
pseudoperoxidase stimulation benzofuranol hydroxyurea deriv 274: 287
Lipoylation
dihydrolipoyl acetyltransferase Escherichia 277: 153
Liq
affinity chromatog calmodulin protein 275: 733
chromatog fast protein glycoprotein 279: 419
chromatog inositol phosphate isomer 274: 663
chromatog oligosialic acid 280: 575
ion exchange chromatog saliva 280: 341
Lithium
actin polymn magnesium 274: 421
Lithocholate
androstenedione hydroxylase cytochrome P 450 275: 105
Liver
acetylCoA carboxylase starvation refeeding 280: 733
acetylgalactosamine sulfatase human 279: 515
acetylglutamate polemic 275: 822
acetylglutamate synthetase polemic 275: 821
acinus cytochrome P 450 TCDD 277: 577
acute inflammation contrapsin sequence mouse 276: 337
acyl CoA oxidase 275: 247
aldehyde dehydrogenase kinetics pyrophosphate 273: 691
alk phosphatase gene retinoate 274: 673
alkyl protoporphyrin griseofulvin protoporphyria 280: 813
amino acid transport system N 274: 97
amino acid uptake obesity 280: 367
aminoacetone synthase essential histidine 275: 575
aminolevulinate synthase induction translation blocker 274: 619
angiotensin receptor 277: 729
anion transport system 274: 281
beta2 glycoprotein I sequence 277: 387
bile acid cholesterol hydroxylase 276: 73
bile acid formation cyclosporine 275: 501
blood lipid lipoprotein metab hypothyroidism 273: 375
calcitonin gene related peptide receptor 277: 139
calcium cAMP adrenergic receptor 273: 799
calcium oscillation cAMP isoprenaline 275: 277
calcium storing organelle inositol trisphosphate 274: 643
carcinoma histone nonhistone protein trout 280: 491
cell membrane purifn 273: 173
cell nucleus pentraxin binding 279: 257
cell vol hormone 280: 105
cell vol proteolysis glucagon insulin 278: 771
ceruloplasmin development copper metab 276: 771
cholesterol ester lipoprotein bile acid 280: 359
cholesterol transport spleen erythrocyte lipoprotein 279: 503
chylomicron remnant asialoglycoprotein receptor 276: 79
chylomicron remnant receptor macroglobulin 279: 863
cytochrome P 450 peroxisome proliferator 280: 249
cytochrome P 45026 hydroxylase kidney 276: 427
cytoplasm aldehyde dehydrogenase essential cysteine 275: 207
cytosol casein kinase 2 heterogeneity 277: 811
deoxyglucosone aldehyde reductase identity 279: 903
ectoATPase cell CAM 105 identity 278: 155
endoplasmic reticulum ryanodine receptor 276: 41
endosome glucagon degrdn ATP 280: 211
endothelium ricin interaction 277: 855
ethanol metab dehydrogenase 278: 659
failure ammonia brain glucose metab 277: 693
fasting refeeding hormone review 276: 843
fatty acid binding protein LY171883 280: 387
fatty acid oxidn 279: 147
fatty hepatectomy triacylglycerol metab lipoprotein 277: 723
ferritin gene expression 275: 813
fetus glycogen metab 277: 111
fetus UDP glucuronyltransferase mercury 278: 99
fructose bisphosphate prostaglandin 274: 309
ganglioside metab secretion 274: 581
glucokinase active site aspartate 277: 159
glucokinase GLUT2 protein starvation 279: 899
gluconeogenesis insulin somatotropin ruminant 274: 21
glucose output 279: 911
glucose phosphate dehydrogenase mRNA 276: 245
glucosylceramide formation site 280: 295
glutaminase glucagon ammonia 274: 103
glutaminase inactivation mitochondria matrix 274: 109
glutamine formation hydrogen ion 278: 709

glutathion transferase isoenzyme 278: 793
glutathione metab embryo newborn 274: 891
glutathione transferase isoenzyme mitochondria matrix 278: 137
glutathione transferase subunit chemoprotector 276: 461
glutathione transferase YfYf mechanism 275: 703
glyceride VLDL formation fatty acid 275: 87
glycogen formation lactate 280: 415
glycogen metab adenosine ATP 277: 597
glycogen metab inhibition hormone 276: 607
glycogen phosphorylase fatty acid 276: 209
glycogenolysis adrenaline administration route 275: 609
glycoprotein sialylation development 280: 179
griseofulvin protoporphyrin adduct 274: 843
guanidinoacetate methyltransferase cysteine residue proximity 277: 399
guanine nucleotide protein development 274: 439
heme oxygenase glucocorticoid monokine 279: 891
heparan sulfate proteoglycan 273: 415
hexadecanedionoyl mono CoA beta oxidn 273: 205
histone acetyltransferase DNA formation 280: 777
hydroxyl radical lipid peroxidn 277: 767
hydroxylation salicylate hydroxyl radical 276: 753
hydroxymethylglutaryl CoA reductase calcium mobilization 279: 377
hydroxymethylglutaryl CoA reductase calmodulin 273: 485
hydroxymethylglutaryl CoA synthase diurnal rhythm 280: 61
hydroxysteroid dehydrogenase kinetic mechanism 278: 835
insulin receptor phosphorylation pattern 275: 15
interleukin 6 receptor 277: 659
iodothyronine deiodinase selenium deficiency 274: 297
lactate uptake substrate availability 273: 195
lipoprotein selenium 279: 741
low density lipoprotein receptor 279: 175
low density lipoprotein receptor hypothyroidism 276: 825
malic enzyme mRNA development 279: 407
membrane chylomicron binding apoprotein 279: 769
membrane glutamine transport specificity 278: 105
metab amino acid 273: 57
metallothionein mRNA protein formation inhibitor 273: 185
microsome glucose phosphatase regulation calcium 275: 805
microsome glucose phosphatase transport protein 275: 363
microsome glucosidase II mechanism kinetics 278: 721
microsome membrane fusion Gn protein 280: 335
mitochondria carnitine palmitoyltransferase diabetes hypothyroidism 277: 611
mitochondria oligophosphoglyceroyl ATP phosphodiesterase 274: 275
parenchyma low density lipoprotein uptake 276: 135
peroxisome proliferator thyromimetic 274: 745
phosphatidylethanolamine ethanolamine plasmalogen formation 273: 121
phosphorylase kinase detn 278: 899
plasma actin vitamin D protein 274: 237
processing phosphatidylcholine secretion bile 275: 139
proteasome component 278: 171
protein fasting 275: 165
protein Gi2 phosphorylation 274: 317
protein tyrosine phosphatase multiple form 274: 361
proteolysis inhibition alc 273: 149
pyruvate carboxylase essential lysine localization 276: 759
pyruvate dehydrogenase detn 277: 547
pyruvate dehydrogenase kinase activator protein 275: 775 275: 781
rat FABP protein synthetic gene 278: 365
rat gene S14 promoter regulation 280: 761
receptor insulin insulinlike growth factor 273: 673
regeneration phosphatidylcholine metab 278: 347
secretion apolipoprotein butyrate 278: 557
toxicity halothane anesthesia free radical 277: 795
transplantation model dipeptidyl peptidase IV 273: 497
triacyglycerol secretion insulin oleate 280: 99
tyrosine sulfate binding protein 275: 259
UDP glucuronosyltransferase cDNA human sequence 278: 465
vasopressin V1a receptor species 276: 189
Lobster
carapace carotenoprotein crustacyanin astaxanthin tryptophan 274: 79
hemocyanin subunit compn seasonal adaptation 277: 419
Loligo
GTP binding protein sequence photoreceptor 279: 323
GTP binding protein subunit sequence 273: 225
rhodopsin gene sequence 274: 35
Long
chain alc dehydrogenase conformation 276: 433
Low
d lipoprotein macrophage oxidn lipoxygenase 278: 163
density lipoprotein calcium binding protein 277: 825
density lipoprotein degrdn hepatocyte ursodeoxycholate 280: 589
density lipoprotein receptor immunoassay 280: 1
density lipoprotein receptor liver 279: 175
density lipoprotein receptor liver chylomicron 276: 79
density lipoprotein receptor liver hypothyroidism 276: 825
density lipoprotein uptake liver parenchyma 276: 135
LTB4
metab HL60 cell 279: 283
receptor neutrophil calcium 277: 705
Luciferase
detn intact cell luciferin ester 276: 637
Luciferin
ester luciferase detn intact cell 276: 637
Lung
carboxylesterase isoenzyme 274: 693
glutathion transferase isoenzyme 278: 793
lamellar body surfactant protein 274: 115
phosphotyrosyl protein phosphatase 278: 435
protein formation dexamethasone 273: 93
surfactant assocd protein review 273: 249
surfactant protein D A 279: 115
Lupanine
hydroxylase Pseudomonas 279: 105
Lyase
acetylneuraminate crystn Escherichia 276: 541
arginosuccinate crystallin ostrich eye 273: 295
citryl CoA conversion citrate synthase 280: 521
isocitrate magnesium manganese activation model 276: 223
methionine Trichomonas 279: 675
phenylalanine ammonia multiple forms Phaseolus 279: 231
Lymnaea
schistosomin sequence 279: 837
Lymphoblast
B tetanus toxin proteolysis 277: 47
Lymphocyte
B inositol pentakisphosphate isomer 280: 323
B proteoglycan link protein processing 280: 679
interleukin 1 internalization receptor 273: 79
lactotransferrin receptor 276: 733
MAP 2 kinase CD45 phosphatase 276: 481
T calcium ATPase inhibitor 277: 553
T proliferation glutamine nucleoside receptor 278: 471
TCR inositol phospholipid G protein 275: 689
Lymphoid
cell platelet activating factor 273: 573
Lysine
essential localization pyruvate carboxylase 276: 759
essential ornithine decarboxylase 277: 671
methanol dehydrogenase subunit interaction protein 280: 139
mutation lactamase kinetics pH Streptomyces 278: 673
reactivity calcium ATPase conformation erythrocyte 279: 121
Lysophosphatidic
acid phosphoinositide hydrolysis 280: 609
Lysophospholipase
A2 acylglycerophosphoethanolamine hydrolyzing heart microsome 275: 393
Lysosomal
storage disorder glucuronate sulfatase fibroblast 279: 399
Lysosome
acid alpha glucosidase heterogeneity 279: 719
ATP synthase subunit Batten disease 275: 269
cathepsin C transport membrane 275: 797
ethanol liver proteolysis 273: 149
Lysozyme
three disulfide conformation folding lactalbumin 273: 211
Lysyl
oxidase skin 275: 657

LY171883
fatty acid binding protein liver 280: 387
L1210
cell solubilization cation electroporation 277: 883
Macroglobulin
alpha2 dissocn kinetics blood 278: 325
alpha2 plasmin fibrin 275: 53
chylomicron remnant receptor liver 279: 863
Macrophage
function colony stimulating factor 278: 119
glutathione atherosclerosis oxidized lipoprotein 278: 429
GTPase lipopolysaccharide 277: 379
hexose monophosphate shunt dexamethasone 278: 129
mannose receptor Leishmania infection 277: 451
oxidn low d lipoprotein lipoxygenase 278: 163
tetrahydrobiopterin monokine interferon gamma 280: 709
Macrozoarces
fatty acid binding protein 275: 569
Magnesium
actin polymn lithium 274: 421
adenosylmethionine decarboxylase inhibition product analog 277: 643
ATP cleavage reversibility nitrogenase Klebsiella 277: 735
ATPase calcium transport Trypanosoma calmodulin 280: 715
ATPase F0F1 inactivation 276: 149
ATPase glycosylation multiple subunit muscle 278: 375
inositol trisphosphate binding receptor 278: 759
isocitrate lyase activation model 276: 223
oxytocin binding myometrium 277: 97
protoporphyrin IX monomethyl ester cyclase 276: 691
pyruvate carboxylase phosphate transfer reaction 273: 443
thiamin diphosphate pyruvate decarboxylase reactivation 276: 439
Magnetic
particle polynucleotide immobilization 278: 735
Malate
oxaloacetate metab rotenone adeny late plant 274: 249
Malic
enzyme mRNA liver development 279: 407
Malonyl
CoA carnitine palmitoyltransferase erythrocyte membrane 275: 685
CoA synthetase Rhizobium 273: 511
Maltase
glucoamylase structure kidney intestine 274: 349
Mammal
brain testis cannabinoid receptor transcription 279: 129
cytochrome P 450IA conserved domain 278: 749
evolution reptile energy metab 275: 81
glutathione transferase anion inhibition 278: 193
heme oxygenase 1 279: 849
inositol pentakisphosphate 275: 485
protein 4 1 cell nucleus 279: 581
species dihydrodiol dehydrogenase eye 275: 113
thioesterase gene cloning Escherichia 273: 787
Mammary
gland ceruloplasmin formation 280: 671
prolactin dissocn receptor lactogenic hormone 279: 461
Manganese
binding procarboxypeptidase B pancreas 278: 857
isocitrate lyase activation model 276: 223
Mannose
receptor macrophage Leishmania infection 277: 451
receptor ricin interaction liver endothelium 277: 855
Mannosidase
II epididymis 277: 213
oligosaccharide substrate specificity mannosidosis 277: 743
Mannosidosis
mannosidase oligosaccharide substrate specificity 277: 743
Manoalide
benzohydroquinone calcium cytosol pool 279: 367
MAP
protein kinase phosphorylation Raf 1 277: 573
2 kinase lymphocyte CD45 phosphatase 276: 481
Mapping
purifn Saccharomyces chromosome III 273: 695
valyl tRNA synthetase gene 278: 809
MAP2
microtubule assembly tubulin subunit 277: 245
tubulin microtubule assembly 277: 231
tubulin microtubule assembly GTP hydrolysis 277: 239
Mast
cell chymase I sequence heart 276: 567
Mastoparan
B structure biol activity hornet 274: 453
stimulated nucleotidase brain 278: 341
Math
graph theory metab regulation 275: 253
Matrix
metalloproteinase specificity connective tissue 277: 277
protein p52 cell shape regulation 273: 651
Media
aorta chondroitin dermatan sulfate proteoglycan 274: 415
Melanoma
dopachrome tautomerase specificity carboxylated indole 277: 393
growth stimulating activity identification 278: 493
tyrosine transport antitumor sulfur homolog 280: 721
Melatonin
formation metab mononuclear leukocyte 280: 727
Melolontha
adipokinetic hormone peptide sequence 275: 671
Membrane
anchor glycosyl phosphatidylinositol antibody 273: 301
anchor glycosylphosphatidylinositol specific phospholipase D 279: 483
apical trophoblast vitronectin receptor 280: 9
ATPase calmodulin Trypanosoma calcium transport 280: 715
basolateral intestine glutamine transport 277: 687
basolateral prepn parotid gland 279: 843
bound enzyme compartmentalized system 274: 819
calcium permeability cytochrome 450 274: 193
calcium transport regulation phosphoprotein platelet 273: 429
calmodulin retinoid 277: 603
carnitine palmitoyltransferase erythrocyte 275: 685
cathepsin C transport lysosome 275: 797
cell ATPase domain structure erythrocyte 279: 537
cell Gi protein 277: 223
cell liver purifn 273: 173
endosome interaction protein p100 280: 171
erythrocyte complement pore formation 276: 395
erythrocyte phosphatidylinositol synthase turkey 275: 187
erythrocyte phospholipid compn Plasmodium infection 274: 121
Escherichia quinol oxidase redox component 274: 723
ESR NMR spectrometry review 274: 625
ferrireductase cAMP Saccharomyces 280: 545
fusion microsome Gn protein liver 280: 335
G protein enterocyte 278: 565
G protein subunit somatostatin 280: 303
globin IgG erythrocyte aging 278: 57
glutamate receptor multiform muscle crustacea 273: 165
glutamine transport specificity liver muscle 278: 105
inner mitochondria succinate dehydrogenase topog 273: 719
kidney brush border protein 278: 543
lipid detn acetylation radioassay 274: 375
lipocortin translocation secretion 275: 219
liver chylomicron binding apoprotein 279: 769
multidrug resistance daunomycin verapamil 279: 413
myoblast protein phosphorylation kinase 279: 467
orientation protein SPC precursor lung 277: 493
outer Escherichia kil gene 275: 545
platelet glycoprotein GPIIb GPIIIa calcium 276: 35
protein differential solubilization 280: 745
protein kinase hormone 277: 371
protein lipid sorting complement attack 274: 381
topog glycosylation p65 protein 279: 699
topol glucose phosphatase endoplasmic reticulum 275: 133
Menaquinone
Escherichia isoprenoid formation 273: 627
Mercaptopropionylglycine
acetylcysteine desferrioxamine antioxidant coronary disease 277: 833
Mercury
UDP glucuronyltransferase fetus liver 278: 99
Mesangium
calcium cytoplasm atriopeptin cGMP 274: 323
culture proteoglycan formation 277: 81
phospholipase A2 secretion cAMP monokine 273: 199

Metab
computer program 278: 299
energy evolution mammal reptile 275: 81
regulation graph theory math 275: 253
transition steady state 276: 231
Metabolic
pathway control coeff calcn 279: 55
Metachromatic
leukodystrophy arylsulfatase A gene retrovirus 280: 459
Metal
complex heparin IR spectra 275: 193
ion enzyme activation model 276: 223
pectin methylesterase cell wall extension 279: 351
stress Synechococcus adenylylated nucleotide 276: 487
Metalloendopeptidase
endooligopeptidase A brain polemic 277: 294
QG Escherichia 273: 725
soluble brain 276: 583
soluble polemic 277: 295
superfamily insulinase homolog 275: 389
24 16 detn fluorescent peptide 280: 421
Metalloprotease
superfamily insulinase homolog 275: 389
Metalloproteinase
matrix specificity connective tissue 277: 277
QG Escherichia 273: 725
uterus estradiol progesterone 275: 645
Metallothionein
gene chicken transcription regulation 273: 185
Methanol
dehydrogenase interaction cytochrome cL Acetobacter 280: 139
metab Hansenula 280: 475
Methionine
gamma lyase Trichomonas 279: 675
Methotrexate
Leishmania infection macrophage receptor 277: 451
Methylamine
H protein intermediate glycine decarboxylase 278: 765
Methylase
DNA pea 273: 469
I myelin basic protein brain 275: 381
Methylated
methylguanine DNA methyltransferase detection 277: 89
Methylation
acetylation histone erythrocyte 273: 753
amplification ornithine decarboxylase gene human 279: 435
Methylcytosine
DNA Dictyostelium 277: 273
Methylenecyclopropylglycine
poisoning metab consequence 274: 395
Methylesterase
pectin cell wall extension metal 279: 351
pectin kinetics cation interaction substrate 279: 343
Methylguanine
DNA methyltransferase direct assay 277: 89
Methylmalonate
metab fruit bat cobalamine deficiency 275: 585
Methylnitrosopropane
fatty acid radical 276: 447
Methylphenylpyridinium
piericidin A respiratory chain 273: 481
Methyltransferase
guanidinoacetate cysteine residue proximity liver 277: 399
methylguanine DNA direct assay 277: 89
Microglobulin
beta2 structure function 277: 359
Microsome
calcium channel inhibition protein kinase 273: 803
cartilage proteochondroitin formation 277: 787
dipeptidase sequence kidney 280: 71
glucose phosphatase transport protein liver 275: 363
glucosidase II mechanism kinetics liver 278: 721
GTP dependent fusion inhibition fluoroaluminate 280: 335
heart acylglycerophosphoethanolamine hydrolyzing lysophospholipase A2 275: 393
liver glucose phosphatase regulation calcium 275: 805
Microtubule
assembly MAP2 tubulin 277: 231
assembly MAP2 tubulin subunit 277: 245
assocd protein helix tubulin 274: 621
dynamic instability soln condition 277: 839
MAP2 tubulin assembly GTP hydrolysis 277: 239
Mifepristone
muscle glutamine glucose insulin 274: 187
Mineralization
bone protein formation fetus 274: 513
Mitochondria
acetyl CoA acetyltransferase glutamate dehydrogenase 280: 353
aconitase inactivation hydrogen peroxide potato 276: 643
ATP formation heart review 280: 561
ATP synthase magnesium 276: 149
bile acid formation cyclosporine 275: 501
calcium peptidylprolyl isomerase cyclosporin 274: 611
carnitine palmitoyltransferase liver diabetes hypothyroidism 277: 611
cytochrome P 45026 hydroxylase liver 276: 427
fatty acid oxidn 277: 119 279: 147
GDP binding brown adipose diet 279: 575
glutaminase isoenzyme formation processing 273: 265
heart NADH CoQ reductase hypoxia 274: 133
hexadecanedionoyl mono CoA beta oxidn 273: 205
inner membrane succinate dehydrogenase topog 273: 719
liver oligophosphoglyceroyl ATP phosphodiesterase 274: 275
malate oxidn plant rotenone adenylate 274: 249
matrix glutaminase inactivation liver 274: 109
matrix glutathione transferase isoenzyme liver 278: 137
NADH ubiquinone oxidoreductase subunit sequence 278: 821
oxidative phosphorylation stoichiometry protonmotive force 275: 75
pore calcium injury hydrogen ion 278: 715
proton transport mammal reptile 275: 81
skeletal muscle ethanol 274: 565
transport ornithine transcarbamoylase precursor polyamine 279: 815
ubiquinone oxidoreductase subunit sequence heart 277: 11
Mitochondrial
isolated gene expression proteolysis Saccharomyces 274: 199
Mitogen
activated protein kinase Raf 1 277: 573
Model
activation isocitrate lyase magnesium manganese 276: 223
culture placenta taurine transport 277: 53
Mol
cloning lactate dehydrogenase gene human 273: 587
long DNA purifn cellular gel 273: 695
wt protein SDS PAGE 280: 553
Mold
slime inositol pentakisphosphate 275: 485
Mollusk
prostaglandin lactone metab 273: 593
Molybdenum
cofactor nitrate reductase dimerization 278: 393
iron protein cysteine nitrogenase Azotobacter 277: 457
iron protein kinetics redox independence 279: 81
iron protein sulfur prokaryote 280: 817
Molybdoferredoxin
redox independence nitrogenase partial reaction 279: 81
Monensin
glycosphingolipid metab cell 279: 753
Monkey
rat heme oxygenase isoenzyme homol 275: 159
Monoclonal
antibody glycoprotein IIIa 274: 457
antibody glycoprotein platelet 279: 419
antibody phosphatidylinositol kinase II 273: 63
antibody receptor 280: 1
antibody rhesus D human Escherichia 277: 561
Monocyte
actin polymn G protein 275: 809
complement gene glucocorticosteroid 280: 117
endocytosis interferon gamma receptor 274: 775
phospholipase A2 characterization 276: 631
proteoglycan link protein fragment processing 280: 679
Monokine
phospholipase A2 secretion mesangium 273: 199
Monomer
insulin receptor tyrosine kinase 273: 49
Mononuclear
leukocyte melatonin formation metab 280: 727
Monooxygenase
kidney sex androgen receptor 278: 499
Monosome
mRNA insulin GTP translocation 275: 23
Morphine
dehydrogenase Pseudomonas 274: 875
Morphol
hepatocyte DMSO 277: 773
Mouse
androgen receptor gene sequence expression 278: 269

contrapsin gene sequence 276: 337
human laminin B2 subunit glycosylation 277: 593
serum amyloid A protein sequence 280: 45
transgenic guinea pig lactalbumin gene 275: 459
transgenic human ornithine decarboxylase gene 278: 895
U1a U1b RNA gene expression 277: 719
mRNA
acute phase protein hepatocyte 277: 477
acyl CoA binding protein preadipocyte 277: 341
adrenergic receptor tissue thyroid hormone 277: 625
aminolevulinate synthase degrdn hepatocyte protein 274: 619
annexin glucocorticosteroid 275: 313
cmyc polysome cytoskeleton 274: 607
EGF kidney swine 279: 315
endothelin kidney 275: 817
glucose phosphate dehydrogenase hepatocyte 276: 245
insulin growth factor gene human 280: 439
insulin translocation GTP 275: 23
malic enzyme liver development 279: 407
metallothionein liver protein formation inhibitor 273: 185
myosin myofibril subsarcolemma 279: 309
protein GLUT4 adipocyte obesity 279: 303
ribosome cytoskeleton interaction review 277: 1
tartrate resistant acid phosphatase structure 277: 631
translation structure ornithine decarboxylase polyamine 274: 521
Mucin
cervix mucus epitope 274: 293
disulfide bound glycoprotein intestine 274: 679
formation HTE cell culture 277: 713
gene expression pancreas cancer differentiation 276: 599
glycopeptide heterogeneity sputum cystic fibrosis 276: 677
macromol property polymeric structure trachea 276: 525
oligomer secretion stomach 279: 251
saliva 280: 341
sputum cystic fibrosis 276: 667
structure compn stomach 277: 423
submaxillary neutral oligosaccharide blood group 279: 95
submucosal gland cholinergic system 275: 663
sulfated oligosaccharide respiratory cystic fibrosis 275: 199
Mucolipidosis
glucuronate sulfatase skin fibroblast 279: 399
Mucopolysaccharidosis
fibroblast human arylsulfatase gene transduction 276: 499
glucuronate sulfatase skin fibroblast 279: 399
type I iduronidase 274: 263
Mucus
cervix mucin epitope 274: 293
Multicatalytic
proteinase complex subunit compn 278: 171
Multidrug
resistance daunomycin membrane verapamil 279: 413
Mung
bean inositol pentakisphosphate 275: 485
Muscarinic
receptor inositol phosphate neuroblastoma 273: 791
receptor phosphoinositide metab trachea 275: 373
Muscle
ATPase glycosylation multiple subunit 278: 375
calcitonin gene related peptide receptor 277: 139
calcium ATPase thyroid hormone 275: 35
cell vol glutamine alanine release 276: 559
contraction actin myosin crossbridge review 274: 1
contraction inositol phosphate 280: 631
FABP protein gene cloning 278: 361
glucose metab pregnancy 280: 549
glucose metab thyroid hormone 278: 587
glucose starvation refeeding 277: 429
glutamine glucose glucocorticoid 274: 187
glutamine metab 279: 327
glutamine metab chicken rat 274: 769
glutathione transferase isoenzyme heterodimer human 273: 323
glycogen phosphorylase muscular dystrophy 278: 113
growth factor diabetes 276: 547
human enolase gene ENO3 sequence 275: 427
interleukin 1beta 279: 683
junctional sarcoplasmic reticulum HCP protein 277: 825
liver ryanodine receptor binding 276: 41
membrane glutamine transport specificity 278: 105
metab insulin peroxyvanadate 276: 289
protein artery calcium caldesmon 277: 819
protein fasting 275: 165
protein formation muscular dystrophy 275: 477
protein metab review 273: 21
proteoglycan 274: 219
quisqualate sensitive glutamate receptor crustacea 273: 165
receptor insulin insulinlike growth factor 273: 673
skeletal mitochondria ethanol 274: 565
smooth blood vessel thrombin 274: 799
smooth calmodulin protein kinase C 277: 445
smooth cell division myosin 277: 145
subsarcolemma myosin mRNA 279: 309
Muscular
dystrophy glycogen phosphorylase muscle 278: 113
dystrophy muscle protein formation 275: 477
Mutation
collagen gene osteogenesis imperfecta 276: 765
Mycobacterium
citrate synthase gene cloning sequence 278: 225
Myelin
basic protein methylase I brain 275: 381
Myeloid
cell platelet activating factor 273: 573
Myeloma
difluoromethylornithine resistance hnRNA human 278: 871
glucocorticoid resistance ornithine decarboxylase gene 279: 435
Myoblast
collagen binding heat shock glycoprotein 274: 793
differentiation zinc deficiency 276: 109
membrane protein phosphorylation kinase 279: 467
Myocyte
ATP calcium acidification 274: 55
Myofibril
myosin mRNA 279: 309
Myometrium
oxytocin binding magnesium 277: 97
Myosin
actin crossbridge muscle contraction review 274: 1
isoform cell division vessel 277: 145
light chain kinase activation antibody 275: 679
light chain regulation ATPase actomyosin 280: 39
mRNA myofibril subsarcolemma 279: 309
Myotube
differentiation protein phosphorylation kinase 279: 475
NAD
alc dehydrogenase stability 276: 433
NADH
CoQ reductase heart mitochondria hypoxia 274: 133
dehydrogenase methylphenylpyridinium piericidin A 273: 481
transfer glycerol phosphate lactate dehydrogenase 278: 875
ubiquinone oxidoreductase subunit sequence mitochondria 278: 821
NADPH
oxidase fibroblast superoxide release 275: 241
Naja
venom phospholipase A2 pancreas comparison 278: 843
NAP
2 formation CTAP III proteinase 275: 581
Naphthoflavone
liver acinus cytochrome P 450 277: 577
Neocallimastix
glucose metab 274: 595
Neomycin
platelet inositol phospholipid thrombin receptor 273: 241
Neoplasm
ceruloplasmin formation 280: 671
dolichol formation 278: 741
glucose utilization animal tissue cachexia 277: 321
polyamine metab 280: 289
Nerve
calcium transport inositol trisphosphate 276: 163
catecholamine release protein kinase 280: 65
nucleoside transport protein kinase 279: 651
phospholipase D inhibition aminoglycoside 279: 319
synapsin 1 domain interaction calmodulin 275: 93
taurolithocholate uptake 273: 153
Nervous
system fatty acid cobalamine deficiency 275: 585
Neuroblastoma
muscarinic receptor inositol phosphate 273: 791
Neurofibrillary
tangle brain tau factor Alzheimer 273: 127
Neurofilament
light chain spectrin domain brain 275: 521

Neuroglia
GABA transport sodium 275: 435
Neuromedin
receptor pancreas guanine nucleotide 280: 163
Neuronal
chimaerin binding phorbol ester zinc 280: 233
Neuropeptide
corpus cardiacum beetle 275: 671
Neurospora
dehydroquinase active site sequence 275: 1
Neurotensin
endopeptidase brain 276: 583
Neurotoxin
binding region acetylcholine receptor 274: 849
Neurotransmitter
receptor potassium channel regulation 277: 899
transport synaptic vesicle anion 276: 363
Neutral
endopeptidase thymic humoral factor gamma2 278: 891
oligosaccharide blood group submaxil⊃ lary mucin 279: 95
Neutrophil
activating peptide 2 platelet CTAPIII 275: 581
arachidonate exocytosis calcium G protein 275: 127
arachidonate lipoxygenase activation 280: 379
calcium influx agonist intracellular store 277: 73
chemoattractant cytokine melanoma stimulatory activity 278: 493
elastase cathepsin B sputum modula⊃ tion 276: 325
formyl peptide receptor glycosylation 277: 67
phosphatidate glycerolipid platelet activating factor 280: 625
platelet activating factor dynamics 278: 453
receptor heterogeneity chemotactic formyl peptide 276: 715
secretion guanosine thiotriphosphate 279: 657
signal transduction receptor calcium 277: 705
Newborn
liver glutathione metab 274: 891
Nicotinic
receptor Torpedo neurotoxin binding 274: 849
Niemann
Pick disease pyrenesphingomyelin metab fibroblast 275: 211
Nitrate
reductase heme binding domain Chlo⊃ rella 278: 203
reductase tobacco expression Saccha⊃ romyces 278: 393
Nitric
oxide calcium cytoplasm mesangium cGMP 274: 323
oxide formation arginine hydroxyl⊃ amine 273: 547
oxide reductase Thiosphaera 273: 423
oxide synthase Kupffer cell chemilu⊃ minescence 279: 311
Nitrogen
balance growth factor diabetes 276: 547
Nitrogenase
magnesium ATP cleavage reversibility Klebsiella 277: 735
molybdenum iron protein cysteine Azotobacter 277: 457
partial reaction molybdoferredoxin redox independence 279: 81
Rhodospirillum pyruvate oxidoreduc⊃ tase 279: 155
vanadium Azotobacter hydrazine formation 277: 465
Nitrophenyl
phosphate hydrolysis phosphoprotein phosphatase okadate 275: 233
Nitrosoacetylpenicillamine
calcium cytoplasm mesangium cGMP 274: 323
Nitrosobenzene
fatty acid radical 276: 447
Nitrous
oxide reductase Thiosphaera 273: 423
NMR
adenylate kinase aliph amino acid 273: 311
carboxy group acidity heparin glucu⊃ ronate 278: 689
ESR spectrometry membrane review 274: 625
hyaluronate synovial fluid arthritis exercise 273: 459
protein carbon 13 probe 280: 649
Nomenclature
error enzyme 279: 328
glucokinase mammal 275: 821
IUB sialidase endosialidase review 278: 311
thimet oligopeptidase polemic 277: 295
Nonhistone
protein liver carcinoma trout 280: 491
Noradrenaline
adipocyte glucose transport 277: 119
insulin secretion cGMP 278: 243
Notechis
venom notexin tyrosine modification property 280: 739
Notexin
toxicity tyrosine modification phos⊃ pholipase A2 280: 739
Nuclear
factor heme oxygenase gene human 277: 895
localization sequence interleukin 1 beta 280: 111
Nucleic
acid hybridization 278: 735
Nucleophile
essential aldehyde dehydrogenase esterase activity 275: 207
Nucleoside
receptor T lymphocyte proliferation 278: 471
sodium resorption multiple carrier 274: 27
sodium transporter intestine oocyte 278: 605
transport nerve protein kinase 279: 651
transport protein fluorescence probe 273: 667
Nucleotidase
activation decavanadate kidney 273: 795
HNK 1 epitope Torpedo 278: 199
low Km ecto sol kidney 273: 409
mastoparan stimulated brain 278: 341
Nucleotide
adenine metab carcinoma hepatoma 273: 277
adenylylated Synechococcus stress 276: 487
cyclic calcium pump tissue 277: 345
guanine adenine phospholipase D granulocyte 278: 81
guanine B2 kinin receptor 276: 141
guanine G protein insulin secretion 275: 639
triphosphate Ah receptor DNA bind⊃ ing 274: 401
Nucleus
liver cell pentraxin binding 279: 257
phosphoprotein B2 binding DNA 274: 687
O
glycosylation interferon alpha2 276: 511
Obesity
adenosine receptor adipocyte adeny⊃ late cyclase 279: 17
adipocyte adenylate cyclase G protein 276: 197
adipocyte protein GLUT4 mRNA 279: 303
amino acid uptake liver 280: 367
brown adipose GDP diet 279: 575
hyperglycemia pancreas glucose metab 278: 353
lipid metab tissue lipase triolein 274: 651
muscle metab insulin peroxyvanadate 276: 289
Obtusifoliol
demethylase specificity sterol struc⊃ ture corn 277: 483
Ocean
pout fatty acid binding protein 275: 569
Octamer
element TAATGARAT binding cell factor 277: 541
element U1a U1b RNA gene 277: 719
Octanoate
diazepam tryptophan site albumin 273: 641
Oct1
binding U1a U1b RNA gene 277: 719
Okadaic
acid enzyme adipose insulin 276: 649
Okadate
phosphoprotein phosphatase nitro⊃ phenyl phosphate hydrolysis 275: 233
Oleate
facilitated diffusion FABP protein 275: 569
facilitated diffusion FABP protein polemic 280: 835
insulin triacylglycerol secretion liver 280: 99
Oligomer
mucin secretion stomach 279: 251
Oligopeptidase
prolyl related serine type peptidase 279: 907
thimet polemic 277: 295
Oligophosphoglyceroyl
ATP phosphodiesterase liver mito⊃ chondria 274: 275
Oligosaccharide
apolipoprotein B48 small intestine 274: 159
elastase 1 pancreas 278: 505
neutral blood group submaxillary mucin 279: 95
processing endoplasmic reticulum Golgi app 279: 159
protein linked heparan sulfate proteo⊃ glycan 277: 297
structure keratan sulfate cartilage 278: 779
substrate specificity mannosidase mannosidosis 277: 743
sulfated mucin respiratory cystic fibrosis 275: 199
VIP receptor structure activity 278: 527
Oligosialic
acid anion exchange HPLC 280: 575
Oncogene
adenovirus human review 275: 281
transformation phosphatidylethanola⊃

mine hydrolysis PMA bryostatin 276: 505
Oncoprotein
adenovirus human review 275: 281
Oocyte
acetyl CoA carboxylase kinase p44mpk 274: 759
insulin receptor Xenopus 273: 673
intestine sodium nucleoside transporter 278: 605
Operator
trp mutant conformation 273: 383
Opioid
receptor cholera toxin adenylate cyclase 275: 175
Organ
collagen metab development senescence 276: 307
ethanol metab enzyme 275: 507
phosphatidylethanolamine ethanolamine plasmalogen formation 273: 121
Organelle
calcium storing inositol trisphosphate liver 274: 643
Ornithine
decarboxylase degrdn reticulocyte 277: 683
decarboxylase gene amplification methylation human 279: 435
decarboxylase gene human myeloma cell 278: 871
decarboxylase gene human transgenic mouse 278: 895
decarboxylase mRNA translation structure polyamine 274: 521
decarboxylase turnover essential amino acid 277: 671
transcarbamoylase precursor transport mitochondria polyamine 279: 815
transport Ehrlich cell diamine 280: 825
Osteoblast
parathormone calcium cAMP 274: 15
parathormone receptor cytokine retinoate 280: 451
proteoglycan 277: 199
Osteoclastoma
acid phosphatase subunit mRNA 277: 631
Osteogenesis
imperfecta collagen gene mutation 276: 765
imperfecta procollagen I gene mutation 279: 747
Osteonectin
formation fetus mineralization 274: 513
Osteopontin
bone transforming growth factor 273: 523
formation fetus mineralization 274: 513
Ostrich
eye crystallin arginosuccinate lyase 273: 295
Outer
membrane Escherichia kil gene 275: 545
Ovary
granulosa FSH DNA topoisomerase 277: 557
Ovotransferrin
copper coordination EXAFS 280: 151
Ox
complex I subunit gene sequence 278: 821
Oxalate
inhibition hydroxypyruvate reductase spinach 276: 125
Oxaloacetate
metab rotenone adenylate plant 274: 249
Oxidant
cigaret smoke lipid peroxidn 277: 133
Oxidase
acyl CoA hepatocyte peroxisome proliferator 280: 249
acyl CoA liver 275: 247
amine spermine animal cell 280: 193
coproporphyrinogen erythropoiesis 275: 321
cytochrome cyanide photochem ligand exchange 279: 355
lysyl skin 275: 657
NADPH fibroblast superoxide release 275: 241
polyamine rodent cell neoplasm 280: 289
polyphenol inhibition cysteine kinetics mechanism 277: 869
protoporphyrinogen inhibition diphenyl ether herbicide 277: 17
quinol redox component Escherichia membrane 274: 723
ubiquinol size Escherichia 276: 555
Oxidative
decarboxylation dihydroxyphenyllactate tyrosinase mechanism 277: 849
phosphorylation stoichiometry protonmotive force mitochondria 275: 75
Oxidatively
damaged Hb proteinase erythrocyte 277: 779
Oxidized
lipoprotein macrophage glutathione atherosclerosis 278: 429
Oxidn
beta hexadecanedionoyl mono CoA liver 273: 205
fatty acid detn radioassay 279: 147
macrophage low d lipoprotein lipoxygenase 278: 163
thiol vimentin cytoskeleton 275: 789
Oxidoreductase
aldehyde iron sulfur center Desulfovibrio 280: 817
lactate cytochrome c electron transfer 274: 207
NADH ubiquinone subunit sequence mitochondria 278: 821
pyruvate Rhodospirillum nitrogenase 279: 155
ubiquinone subunit sequence heart mitochondria 277: 11
Oxoacid
dehydrogenase E2 component lipoylation Escherichia 277: 153
Oxoglutaramate
metab kidney glutaminase 277: 33
Oxygen
carbodiimide cytochrome c 276: 121
radical beta crystallin transglutaminase 274: 869
radical beta2 microglobulin 277: 175
Oxygenase
heme cDNA sequence chicken expression 273: 659
heme gene human nuclear factor 277: 895
heme interleukin tumor necrosis factor 279: 891
heme isoenzyme homol Cebus rat 275: 159
heme 1 chick mammal 279: 849
Oxytocin
binding myometrium magnesium 277: 97
insulin release pancreatic islet 276: 169
secretion protein kinase translocation 273: 493
P
450 calcium influx store 274: 193
450 IVA hepatocyte 275: 247
450 liver peroxisome proliferator 280: 249
450 scc formation cell 274: 813
PAGE
SDS mol wt protein 280: 553
Palmitoyl
arachidonoyl CoA synthetase identity platelet 274: 145
CoA synthetase peroxisome 276: 53
Palmitoyltransferase
carnitine erythrocyte membrane 275: 685
carnitine mitochondria liver diabetes hypothyroidism 277: 611
Pancreas
acinar inositol triphosphate kinase 274: 622
ascorbate dehydroascorbate transport development 274: 739
beta cell insulin formation polyamine 277: 533
bombesin neuromedin receptor guanine nucleotide 280: 163
calcium mobilization substance P 273: 541
cancer mucin gene expression differentiation 276: 599
EGF mRNA swine 279: 315
elastase 1 carbohydrate structure 278: 505
enzyme caerulein dexamethasone glucose 279: 197
FAD glycerophosphate dehydrogenase glucose 278: 335
glucose metab hyperglycemia obesity 278: 353
glutathione transferase isoenzyme 275: 507
granule protein GP2 secretion 277: 879
islet PMA phosphoinositide 278: 49
islet protein formation glucose 274: 73
manganese binding procarboxypeptidase B 278: 857
venom phospholipase A2 comparison 278: 843
Pancreastatin
adrenal medulla gastrointestinal 276: 471
Pancreatic
beta cell potassium channel 277: 619
hormone liver cell vol 280: 105
islet gene glucokinase GLUT2 protein 279: 899
islet glycolysis glucose calcium 278: 335
islet insulin release oxytocin 276: 169
Pancreatoma
inositol trisphosphate kinase 274: 622
Papain
interaction protein inhibitor titrn 276: 387
Papaya
proteinase omega structure active site 280: 79
Parathormone
calcium cAMP osteoblast 274: 15
fragment bone proliferation 277: 863
receptor osteoblast cytokine retinoate 280: 451
Parenchyma
liver low density lipoprotein uptake 276: 135
Parietal
secretion small GTP binding protein 279: 43
Parotid
gland basolateral membrane prepn 279: 843
Particle
magnetic polynucleotide immobilization 278: 735

Partition
affinity plasma membrane purifn 273: 173
PBP
protein high mol wt acyltransferase 279: 601
PBP5
protein Enterococcus sequence Sta⊃ phylococcus inhibitory 280: 463
Pea
DNA methylase 273: 469
ferritin development 274: 601
glucuronyltransferase Golgi app 277: 653
Pectin
methylesterase cell wall extension metal 279: 351
methylesterase kinetics cation inter⊃ action substrate 279: 343
Penicillin
acylase active site serine Kluyvera 280: 659
binding protein acyltransferase 279: 601
binding protein peptidase sequence Streptomyces 279: 223
Penicillinase
release Escherichia plasmid pEAP31 275: 545
Pentraxin
binding liver cell nucleus 279: 257
Peptidase
DD specificity beta lactam carboxyl⊃ ate 278: 801
dipeptidyl IV deficiency Fischer rat 273: 497
dipeptidyl IV tissue development 277: 331
penicillin binding protein sequence Streptomyces 279: 223
Pz endooligoendopeptidase A brain polemic 277: 294
Pz nomenclature polemic 277: 295
serine type family 279: 907
sperm acrosome 275: 759
thimet fluorescent peptide substrate prepn 274: 45
thioester substrate acyl enzyme 280: 499
transforming growth factor hydrolysis 280: 57
Peptide
cecropin fusion prepn cloning 280: 219
fluorescent metalloendopeptidase 24 16 detn 280: 421
fluorescent substrate prepn thimet peptidase 274: 45
Kil Escherichia peptidoglycan 275: 545
Peptidoglycan
Escherichia Kil peptide 275: 545
Peptidylchloromethane
prolyl endopeptidase inactivation 276: 837
Peptidylprolyl
isomerase cyclosporin mitochondria calcium 274: 611
Perforin
killing cell membrane binding 280: 199
Permeability
calcium membrane cytochrome 450 274: 193
Peroxidase
caffeate Bupleurum lignan formation 273: 109
glutathione selenium contg Chlamy⊃ domonas 275: 623
horseradish lactoperoxidase stereose⊃ lective binding tyrosine 279: 245
Peroxide
hydrogen DNA base copper 273: 601
Peroxidn
lipid brown adipose cold 277: 289
lipid cigaret smoke oxidant 277: 133
lipid hepatocyte hydroxyl radical 277: 767
lipid macrophage glutathione atheros⊃ clerosis 278: 429
Peroxisome
fatty acid oxidn 279: 147
hexadecanedionoyl mono CoA beta oxidn 273: 205
palmitoyl cerotoyl CoA synthetase 276: 53
proliferator cytochrome P 450 liver 280: 249
proliferator thyromimetic liver 274: 745
Peroxyvanadate
muscle metab insulin 276: 289
Pertussis
toxin insensitive G protein phospholi⊃ pase 280: 753
toxin sodium dependent uridine transport 280: 515
PGE2
fructose bisphosphate liver 274: 309
kidney protein kinase 279: 441
metab HL60 cell PMA 279: 553
PGF2
fructose bisphosphate liver 274: 309
pH
cell wall extension pectin methylest⊃ erase 279: 351
heart protein synthesis adrenaline 273: 347
inositol trisphosphate binding recep⊃ tor 278: 759
purine nucleoside phosphorylase transition state 278: 487
Phase
sepn Triton X 114 280: 745
transition lipid bilayer daunomycin verapamil 279: 413
Phaseolus
phenylalanine ammonia lyase multiple forms 279: 231
Phenobarbital
gluconeogenesis inhibition hepatocyte diabetes mellitus 280: 663
Phenol
bilirubin UDP glucuronosyltransferase human liver 278: 465
Phenylalanine
ammonia lyase multiple forms Pha⊃ seolus 279: 231
Phorbol
dibutyrate platelet cytosol calcium 278: 411
ester binding enzyme zinc 280: 233
ester deoxyglucose superoxide macro⊃ phage 278: 119
ester diradylglycerol formation phos⊃ pholipase 280: 431
ester GABA transport astroglia 275: 435
ester hexose transport adipocyte 275: 145
ester vessel thrombomodulin tissue factor 273: 679
Phosphatase
acid isoenzyme subunit structure prostate 277: 759
acid tartrate resistant structure mRNA 277: 631
alk gene retinoic acid 274: 673
alk inhibition leucine 274: 91
CD45 MAP 2 kinase lymphocyte 276: 481
glucose membrane topol endoplasmic reticulum 275: 133
glucose regulation calcium liver mi⊃ crosome 275: 805
glucose transport protein liver micro⊃ some 275: 363
inhibitor insulin enzyme adipose 276: 649
inositol phosphate inhibitor brain 278: 219
inositol tetrakisphosphate trisphosp⊃ hate inhibition erythrocyte 276: 333
inositol trisphosphate isoform regen⊃ eration brain 277: 293
insulin EGF receptor dephosphoryla⊃ tion 278: 69
phosphoprotein nitrophenyl phos⊃ phate hydrolysis okadate 275: 233
phosphotyrosyl protein lung 278: 435
phosphotyrosylprotein insulin recep⊃ tor kinase deactivation 275: 413
protein phosphotyrosine 1B placenta 276: 315
protein plant subcellular quinate dehydrogenase 273: 733
protein tyrosine multiple form liver 274: 361
Phosphate
dependent glutaminase inactivation mitochondria liver 274: 109
glucose transport parotid gland 279: 843
inositol Trypanosoma 275: 407
ionization aspartate aminotransferase review 280: 832
sodium cotransporter reconstitution 278: 543
transfer reaction pyruvate carboxylase 273: 443
Phosphatidate
glycerolipid platelet activating factor neutrophil 280: 625
Phosphatidylcholine
fibroblast platelet derived growth factor 279: 559
formation phospholipid hydrolysis 273: 189
hydrolysis blood vessel angiotensin 276: 19
metab liver regeneration 278: 347
processing liver secretion bile 275: 139
Phosphatidylethanolamine
formation organ 273: 121
hydrolysis PMA bryostatin oncogene transformation 276: 505
Phosphatidylinositide
fibroblast platelet derived growth factor 279: 559
Phosphatidylinositol
biphosphate trachea muscarinic re⊃ ceptor 275: 373
glycosyl membrane anchor antibody 273: 301
glycosyl Tetrahymena 279: 605
hydrolysis phospholipase A CMP 278: 831
kinase multiple form immunol differ⊃ entiation 273: 63
kinase phosphorylation insulin recep⊃ tor kinase 280: 769
phosphoinositide metab inositol ana⊃ log erythrocyte 277: 407
phospholipase C GTP protein se⊃ quence 273: 225
synthase erythrocyte membrane tur⊃ key 275: 187
Trypanosoma 275: 407
Phosphocholine
CTP cytidylyltransferase liver regen⊃ eration 278: 347
Phosphodiesterase
cAMP forskolin 279: 23
oligophosphoglyceroyl ATP liver mitochondria 274: 275
Phosphofructokinase
binding troponin C calmodulin 274: 445
brain 276: 455
Phosphoglycerate
kinase mutant modification transglu⊃ taminase 273: 73

Phosphoinositidase
fibroblast platelet derived growth factor 279: 559
Phosphoinositide
hydrolysis endothelin lysophosphatidic acid 280: 609
hydrolysis kidney protein kinase 279: 441
hydrolysis reformation agonist 279: 337
keratinocyte differentiation ganglioside 279: 665
metab EGF receptor fatty acid 278: 679
metab platelet ganodermate S 277: 189
metab platelet thrombin 275: 355
metab trachea muscarinic receptor 275: 373
phosphatidylinositol metab inositol analog erythrocyte 277: 407
protein kinase C platelet 278: 475
Phospholipase
A phosphatidylinositol hydrolysis CMP 278: 831
A2 activation EGF 274: 715
A2 ascites fluid 278: 263
A2 beta1 bungarotoxin calcium site 278: 481
A2 characterization monocyte 276: 631
A2 comparison pancreas venom 278: 843
A2 modulation ATP heart 280: 581
A2 notexin toxicity tyrosine modification 280: 739
A2 secretion mesangium monokine cAMP 273: 199
C beta1 G protein specificity 280: 753
C detn fluorometry 276: 129
C GABA transport 275: 435
C phosphatidylinositol GTP protein sequence 273: 225
D glycosylphosphatidylinositol specific membrane anchor 279: 483
D granulocyte guanine adenine nucleotide 278: 81
D inhibition nerve aminoglycoside 279: 319
diradylglycerol formation bombesin PMA 280: 431
EGF receptor phosphorylation 275: 563
fibroblast platelet derived growth factor 279: 559
glycosylphosphatidylinositol protein GP2 pancreas 277: 879
Phospholipid
compn erythrocyte membrane Plasmodium infection 274: 121
hydrolysis phosphatidylcholine formation 273: 189
inositol metab trachea carbachol 275: 373
inositol platelet neomycin 273: 241
metab platelet thrombin 275: 355
protein kinase membrane 277: 371
secretion lung SP D 279: 115
vesicle aggregation surfactant protein A 275: 273
Phosphonate
monoester inhibitor lactamase class A 275: 793
Phosphonoacetaldehyde
hydrolase Pseudomonas butylphosphonate allosteric regulation 280: 557
Phosphooligosaccharide
inositol transport hepatocyte 274: 369
Phosphophoryn
tooth dentin compn sequence 276: 699
Phosphoprotein
adipose insulin 279: 545
B2 binding DNA nucleus 274: 687
histidine rich calcium binding muscle 277: 825
insulin isoprenaline adipocyte 274: 433
phosphatase nitrophenyl phosphate hydrolysis okadate 275: 233
pp49 casein kinase 2 assocn 277: 811
regulation calcium transport membrane platelet 273: 429
saliva 280: 341
SPPI bone transforming factor 273: 523
Trypanosoma development 275: 7
Phosphoribosyltransferase
purine Artemia 275: 327
Phosphorylase
diadenosine tetraphosphate active site arginine 279: 135
glycogen chain reaction kinetics 279: 855
glycogen fatty acid hepatocyte 276: 209
glycogen inhibition gluconohydroximolactone 274: 329
glycogen muscle muscular dystrophy 278: 113
kinase detn liver 278: 899
purine nucleoside transition state pH 278: 487
Phosphorylation
adenylate cyclase regulation platelet 276: 621
calpactin platelet derived growth factor 278: 447
cell protein bioluminescent indicator 279: 727
connexin heart 273: 67
EGF receptor 277: 305
EGF receptor phospholipase calcium 275: 563
heat shock protein interleukin 1 277: 635
inositol pentakisphosphate 275: 485
insulin receptor tyrosine 274: 173
oxidative stoichiometry protonmotive force mitochondria 275: 75
pattern insulin receptor liver 275: 15
phosphatidylinositol kinase insulin receptor kinase 280: 769
protein adipose insulin 279: 545
protein calcium efflux sarcoplasmic reticulum 276: 97
protein calcium sarcoplasmic reticulum 276: 89
protein Gi2 liver 274: 317
protein kinase myoblast membrane 279: 467
protein kinase myotube differentiation 279: 475
protein p75 calmodulin artery 277: 445
protein tau brain Alzheimer Down 275: 99
Raf 1 protein kinase MAP 277: 573
tyrosine vanadate respiratory burst promyelocyte 276: 611
vitronectin protein kinase A specificity 274: 387
Phosphoserine
barium protein sequence detn 280: 261
Phosphotyrosine
phosphatase 1B placenta 276: 315
Phosphotyrosyl
protein phosphatase lung 278: 435
Phosphotyrosylprotein
phosphatase insulin receptor kinase deactivation 275: 413
Photoaffinity
labeling brain receptor 280: 533
Photodynamic
treatment heat glyceraldehyde phosphate dehydrogenase 276: 357
Photohemolysis
hyperthermia photosensitization 277: 183
Photolysis
cytochrome oxidase cyanide complex 279: 355
Photoreceptor
GTP binding protein sequence squid 273: 225 279: 323
Photosensitization
photohemolysis hyperthermia 277: 183
Photostability
Bacillus delta endotoxin 273: 43
Piericidin
A methylphenylpyridinium respiratory chain 273: 481
Pisaster
oocyte acetyl CoA carboxylase kinase 274: 759
Pituitary
angiotensin receptor 277: 729
hormone adrenal glutathione transferase 280: 399
neurosecretion protein kinase translocation 273: 493
Placenta
alk phosphatase inhibition leucine 274: 91
brush border vitronectin receptor 280: 9
pregnancy lactate transport 278: 535
protein phosphotyrosine phosphatase 1B 276: 315
protein tyrosine phosphatase receptor 278: 69
taurine transport culture model 277: 53
Placental
lactogen prolactin dissocn receptor 279: 461
Plant
aconitase inactivation hydrogen peroxide 276: 643
glucanase secondary conformation 274: 41
Plasma
actin vitamin D protein liver 274: 237
activation renin prorenin 275: 727
alpha1 proteinase inhibitor sheep 273: 685
fibronectin heparin fibrin binding domain 274: 731
galactoglycoprotein conformation size carbohydrate 277: 753
lipoprotein a serine proteinase activity 274: 491
lipoprotein cigaret smoke oxidant 277: 133
serpin multiple form 274: 465
thrombin purifn human 280: 805
Plasmid
DNA chem cleavage glutathione 275: 601
pEAP31 Escherichia penicillinase release 275: 545
pGIR recombinant protein rat lectin 274: 575
Plasmin
alpha2 macroglobulin fibrin 275: 53
Plasminogen
activation fibrinogen structure 276: 655
activation urokinase lipoprotein glycosaminoglycan 276: 785
activator inhibitor kidney transformation revertant 279: 883
Plasmodium
infection choline transport erythrocyte 273: 701
infection erythrocyte choline potassium transport 278: 521
infection erythrocyte membrane phospholipid compn 274: 121

Platelet
activating factor adrenal cortex ace= tyltransferase 278: 29
activating factor adrenal cortex an= giotensin 278: 29
activating factor dynamics neutrophil 278: 453
activating factor hypertriglyceridemia mechanism 280: 541
activating factor lymphoid myeloid cell 273: 573
activating factor phosphatidate gly= cerolipid neutrophil 280: 625
activating factor receptor neutrophil calcium 277: 705
activating factor receptor solubiliza= tion 278: 405
activating factor submandibular ace= tylcholine 276: 175
activating factor trachea prostaglandin 276: 593
adenylate cyclase regulation mecha= nism 276: 621
aggregation thromboxane diet fat 278: 399
arachidonate mobilization protein kinase 280: 93
arachidonate release calcium ATP 273: 561
arachidonoyl palmitoyl CoA synthe= tase identity 274: 145
atriopeptin receptor subtype 278: 211
blood activating factor protein 278: 255
blood glycoprotein detection 279: 419
blood thrombospondin soln property 275: 263
calcium influx translocation agonist 280: 783
calcium transport regulation phospho= protein membrane 273: 429
calpain inhibitor 274: 497
CTAPIII neutrophil activating pep= tide 2 275: 581
cytosol calcium phorbol dibutyrate 278: 411
derived growth factor calpactin phos= phorylation 278: 447
derived growth factor diacylglycerol fibroblast 279: 559
derived growth factor hsp27 phospho= rylation 277: 635
diacylglycerol formation thrombin 275: 355
fibrinogen protein kinase cAMP 273: 115
ganodermate S phosphoinositide metab thrombin 277: 189
Gi protein thrombin 279: 643
glycoprotein IIb epitope 273: 767
glycoprotein IIIa domain integrin receptor 276: 725
GPIIIa glycoprotein disulfide 274: 63
growth factor Ito cell retinoate 278: 43
histamine protein kinase C calcium 273: 405
inositol phospholipid thrombin recep= tor neomycin 273: 241
intracellular calcium lipid A 278: 75
laminin receptor 274: 535
membrane glycoprotein GPIIb GPIIIa calcium 276: 35
phosphoinositide protein kinase C 278: 475
protein kinase activation cAMP ana= log 279: 521
protein kinase erythrosphingosine 278: 387
protein kinase staurosporine 275: 301
taurolithocholate uptake 273: 153
transforming growth factor glioblasto= ma 277: 165
PMA
collagen gene expression fibroblast 278: 369
hexose transport adipocyte insulin 275: 145
hydroxyprostaglandin dehydrogenase HL60 cell 279: 553
islet cell phosphoinositide 278: 49
phosphatidylethanolamine hydrolysis oncogene transformation bryostatin 276: 505
phospholipase diradylglycerol forma= tion bombesin 280: 431
Poisoning
methylenecyclopropylglycine metab consequence 274: 395
Polemic
alanine ammonia metab 276: 271 276: 272
Polyamine
biosynthesis inhibitor antitrypanoso= mal 274: 527
metab ornithine decarboxylase gene mouse 278: 895
metab rodent cell neoplasm 280: 289
ornithine decarboxylase mRNA trans= lation structure 274: 521
ornithine transcarbamoylase precur= sor transport mitochondria 279: 815
pancreas beta cell insulin formation 277: 533
Polyanion
adrenoceptor G protein uncoupling 280: 791
Polybasic
acid titrn curve multiply sigmoid 278: 279
Polyclonal
catalytic antibody 279: 871
Polymerase
Bacillus levansucrase active site 279: 35
chain reaction kinetics 279: 855
DNA Epstein Barr virus replication 280: 703
RNA binding kinetics constitutive promoter 277: 435
Polymn
actin lithium magnesium 274: 421
actin monocyte G protein 275: 809
Polymorphism
apolipoprotein sequence senile amy= loidosis 279: 427
Polynucleotide
immobilization magnetic particle 278: 735
Polypeptide
heparin water interaction IR spectros= copy 277: 569
Polyphenol
oxidase inhibition cysteine kinetics mechanism 277: 869
Polysaccharide
capsular epimerization sulfation Escherichia 275: 151
Polysome
cmyc mRNA cytoskeleton 274: 607
mRNA insulin GTP translocation 275: 23
Pore
mitochondria calcium injury hydrogen ion 278: 715
Porphobilinogen
deaminase catalytic cleft arginine function 280: 445
uroporphyrinogen III decarboxylation specificity review 278: 901
Porphyrinogen
metab Saccharomyces 273: 246
Portal
vein adrenaline glycogenolysis liver 275: 609
Potassium
channel neurotransmitter receptor regulation 277: 899
channel pancreatic beta cell 277: 619
choline transport erythrocyte Plasmo= dium infection 278: 521
Potato
mitochondria aconitase inactivation hydrogen peroxide 276: 643
Potential
cell wall extension pectin methylest= erase 279: 351
Precursor
ornithine transcarbamoylase transport mitochondria polyamine 279: 815
Pregnancy
cervix proteoglycan metab 275: 515
heart muscle glucose metab 280: 549
placenta lactate transport 278: 535
uterus calpain 276: 293
PreS
domain hepatitis B surface antigen 276: 411
Proacrosin
sperm acrosome 275: 759
Probe
fluorescence nucleoside transport protein 273: 667
Procarboxypeptidase
B manganese binding pancreas 278: 857
Procollagen
I gene mutation osteogenesis imper= fecta 279: 747
processing cornea embryo 276: 777
prolyl hydroxylase inhibitor bone 275: 469
Procollagenase
mRNA uterus estradiol progesterone 275: 645
secretion testis 279: 75
Progelatinase
complex TIMP 2 fibroblast 278: 179
Progesterone
calcium hepatocyte 280: 273
collagen degrdn uterus 275: 645
Progress
curve enzyme kinetics integrated equation 274: 509
Proinsulin
conversion 278: 621
Prokaryote
iron molybdenum protein sulfur 280: 817
Prolactin
dissocn receptor mammary lactogenic hormone 279: 461
Proliferation
liver histone H 1 280: 777
Proline
uptake skin fibroblast interleukin 1 276: 57
Prolyl
endopeptidase brain 276: 237
endopeptidase inactivation peptidyl= chloromethane 276: 837
hydroxylase procollagen inhibitor bone 275: 469
oligopeptidase related serine type peptidase 279: 907
Promoter
collagen transforming growth factor activation 280: 157
constitutive RNA polymerase binding kinetics 277: 435
gene carbonic anhydrase I human 277: 903
gene S14 regulation rat liver 280: 761
protein electron transfer electrode 273: 783
Promyelocyte
respiratory burst vanadate 276: 611
Propolypeptide
von Willebrand factor VIII 274: 257

Prorenin
renin physicochem activation plasma 275: 727
Prostaglandin
erythrocyte cAMP metab Gi protein 280: 801
fructose bisphosphate liver 274: 309
lactone metab mollusk 273: 593
trachea platelet activating factor 276: 593
Prostate
acid phosphatase isoenzyme subunit structure 277: 759
Prostromelysin
mRNA uterus estradiol progesterone 275: 645
recombinant purifn activation 276: 217
Protamine
precursor processing sperm 277: 39
Proteasome
component kidney liver 278: 171
interaction 26 S proteinase 280: 225
Protein
A fusion cecropin peptide 280: 219
A surfactant phospholipid vesicle aggregation 275: 273
ACBP cattle synthetic gene cloning 276: 817
activator liver pyruvate dehydroge= nase kinase 275: 775
activator protein kinase C 279: 695
activator pyruvate dehydrogenase kinase identification 275: 781
acute phase mRNA hepatocyte 277: 477
acyl CoA binding adipocyte insulin 277: 341
amyloid A serum sequence mouse 280: 45
A68 tau factor brain Alzheimer 279: 831
band 3 erythrocyte senescence 275: 47
benzodiazepine receptor isolation 275: 419
binding insulinlike growth factor analog 278: 249
bone formation fetus mineralization 274: 513
C reactive cell nucleus binding 279: 257
calmodulin affinity liq chromatog 275: 733
cAMP kinase bioluminescent sub= strate 279: 727
cell surface anchor phospholipase D 279: 483
complex insulinlike growth factor 275: 441
contrapsin related MC7 sequence liver 276: 337
core decorin binding site fibronectin 280: 411
damage recognition expression cispla= tin resistance 277: 875
disulfide isomerase active site 275: 341
disulfide isomerase active site dithiol 275: 335
disulfide isomerase liver selenium deficiency 274: 297
disulfide isomerase thioredoxin activi= ty comparison 275: 349
DNA interaction structure review 278: 1
DnaB RTP Bacillus sequence similar= ity 275: 823
electron transfer electrode promoter 273: 783
enzyme sperm acrosome 275: 759
FABP facilitated diffusion oleate polemic 280: 835
FABP fatty acid transport polemic 280: 835
FABP muscle gene cloning 278: 361
FABP oleate facilitated diffusion 275: 569
fatty acid binding cDNA cloning 276: 203
fatty acid binding kidney 273: 759
fatty acid binding liver LY171883 280: 387
fatty acid binding synthetic gene 278: 365
folate binding choroid plexus 280: 267
formation annexin glucocorticosteroid 275: 313
formation cell free embryo Artemia 276: 809
formation heart pH creatine metabo= lite 273: 339
formation inhibitor liver metallo= thionein mRNA 273: 185
formation insulin secretory granule 274: 73
formation interleukin 1beta 279: 683
formation lung dexamethasone 273: 93
formation mRNA ribosome cytoskele= ton review 277: 1
formation muscle muscular dystrophy 275: 477
G adipocyte adenylate cyclase obesity 276: 197
G aorta endothelium arachidonate bradykinin 280: 281
G calcium arachidonate exocytosis neutrophil 275: 127
G catecholamine exocytosis chromaf= fin cell 274: 339
G coupling purinergic receptor 275: 651
G granule secretion neutrophil 279: 657
G guanine nucleotide insulin secretion 275: 639
G macrophage lipopolysaccharide 277: 379
G membrane enterocyte 278: 565
G monocyte actin polymn 275: 809
G pertussis toxin phospholipase C 280: 753
G prime secondary conformation 274: 503
G subunit membrane somatostatin 280: 303
G synaptosome brain hypothyroidism 275: 183
G TCR inositol phospholipid lympho= cyte 275: 689
Gi detn ADP ribosylation 277: 223
Gi platelet thrombin 279: 643
Gi prostaglandin erythrocyte cAMP metab 280: 801
Gi2 phosphorylation liver 274: 317
GLUT adipose tissue protein kinase 275: 597
glutamate binding muscle crustacea 273: 165
GLUT4 mRNA adipocyte obesity 279: 303
Gn liver microsome membrane fusion 280: 335
GP2 granule secretion pancreas 277: 879
GTP binding insulin fat cell 276: 103
GTP binding insulin formation 275: 23
GTP binding LH exocytosis 275: 399
GTP binding sequence photoreceptor squid 279: 323
GTP binding stomach tubulovesicle 279: 43
GTP binding subunit sequence squid 273: 225
guanine nucleotide liver development 274: 439
H methylamine intermediate glycine decarboxylase 278: 765
HCP junctional sarcoplasmic reticulum muscle 277: 825
heat shock phosphorylation interleu= kin 1 277: 635
heparin binding intestine sialyltrans= ferase 280: 687
hepatocyte aminolevulinate synthase mRNA degrdn 274: 619
high density lipoprotein binding 279: 633
high mol wt PBP acyltransferase 279: 601
histone nonhistone liver carcinoma trout 280: 491
hyaluronate binding articular cartilage 273: 579
Id gene vessel serum 277: 285
inhibitor interaction papain titrn 276: 387
inositol tetrakisphosphate binding brain 275: 453
iron molybdenum sulfur prokaryote 280: 817
kidney brush border membrane 278: 543
kinase A vitronectin phosphorylation specificity 274: 387
kinase activation cAMP analog platel= et 279: 521
kinase adipose tissue glucose trans= port 275: 597
kinase anion transport hepatocyte 278: 637
kinase astrocyte GABA transport 275: 435
kinase blood platelet activating factor 278: 255
kinase blood platelet calcium 278: 411
kinase C activator protein 279: 695
kinase C calcium histamine platelet 273: 405
kinase C calmodulin smooth muscle 277: 445
kinase C chondrocyte interleukin 1 276: 157
kinase C hemopexin receptor recy= cling 276: 417
kinase C phorbol ester zinc 280: 233
kinase C phosphatidylcholine forma= tion 273: 189
kinase C phosphoinositide platelet 278: 475
kinase calcium channel inhibition microsome 273: 803
kinase catecholamine release nerve 280: 65
kinase forskolin 279: 23
kinase heart protein adrenaline 273: 347
kinase hydroxymethylglutaryl CoA reductase 273: 485
kinase inhibitor H7 fos RNA 278: 305
kinase insulin secretion glucose 279: 807
kinase isoenzyme kidney mesangium 279: 441
kinase MAP phosphorylation Raf 1 277: 573
kinase membrane hormone 277: 371
kinase nerve nucleoside transport 279: 651
kinase platelet activating factor adre= nocortical 278: 29
kinase platelet arachidonate mobiliza= tion 280: 93
kinase platelet erythrosphingosine 278: 387
kinase platelet fibrinogen 273: 115
kinase platelet staurosporine 275: 301

kinase specificity regulatory domain 276: 257
kinase translocation pituitary neuro= secretion 273: 493
link articular cartilage proteolysis 278: 143
link monocyte proteoglycan fragment processing 280: 679
linked oligosaccharide heparan sulfate proteoglycan 277: 297
lipid membrane sorting complement attack 274: 381
MAP1B helix tubulin 274: 621
MAP2 tubulin microtubule assembly 277: 245
membrane differential solubilization 280: 745
metab muscle diabetes growth factor 276: 547
metab muscle heart review 273: 21
mol wt SDS PAGE 280: 553
molybdenum iron cysteine nitrogenase Azotobacter 277: 457
molybdenum iron kinetics redox independence 279: 81
muscle heart liver fasting 275: 165
myelin basic methylase I brain 275: 381
NMR carbon 13 probe 280: 649
nucleoside transport fluorescence probe 273: 667
PBP5 Enterococcus sequence Staphy= lococcus inhibitory 280: 463
penicillin binding peptidase sequence Streptomyces 279: 223
phosphatase enzyme adipose insulin 276: 649
phosphatase plant subcellular quinate dehydrogenase 273: 733
phosphorylation adipose insulin 279: 545
phosphorylation calcium efflux sarco= plasmic reticulum 276: 97
phosphorylation calcium sarcoplasmic reticulum 276: 89
phosphorylation kinase myoblast membrane 279: 467
phosphorylation kinase myotube differentiation 279: 475
phosphorylation Trypanosoma devel= opment 275: 7
phosphotyrosine phosphatase 1B placenta 276: 315
precursor conformation mitochondria transport polyamine 279: 815
p100 interaction endosome membrane 280: 171
p21ras biochemistry review 279: 609
p52 matrix cell shape regulation 273: 651
p65 glycosylation membrane topog 279: 699
recA interaction DNA Z conformation 275: 711
recombinant plasmid pGIR rat lectin 274: 575
rho GAP purifn sequence 276: 833
RNase inhibitor truncated form 275: 541
S complement C4bp review 277: 581
S 100b cadmium brain 276: 13
sequence detn phosphoserine barium 280: 261
sequence gene PMCA1 277: 345
sequence homol Willebrand factor A 279: 908
serum amyloid A isoform inflamma= tion 273: 245
surfactant assocd lung review 273: 249
surfactant D A lung 279: 115
surfactant lung lamellar body 274: 115
synthesis heart adrenaline 273: 347
S100 calcium caldesmon 277: 819
tau brain Alzheimer Down phospho= rylation 275: 99
transforming adeno virus review 275: 281
transport cell glycosylation review 276: 1
transport glucose phosphatase liver microsome 275: 363
tyrosine kinase inhibitor homol 274: 899
tyrosine kinase lck thymus 279: 567
tyrosine phosphatase multiple form liver 274: 361
tyrosine phosphatase placenta recep= tor 278: 69
tyrosine sulfate binding liver 275: 259
tyrosine sulfate secretion kidney 279: 289
vitamin D plasma liver actin 274: 237
Vmw65 herpes simplex virus 275: 369
X function pyruvate dehydrogenase complex 278: 423
4 1 cell nucleus mammal 279: 581

Proteinase
alpha1 inhibitor blood plasma sheep 273: 685
complex multicatalytic subunit compn 278: 171
cysteine collagenolytic bone 279: 167
cysteine cystatin C leukocyte elastase 273: 621
cysteine thaumatopain Thaumatococ= cus 274: 231
cysteine titrn cystatin 276: 387
erythrocyte oxidatively damaged Hb 277: 779
Lactococcus specificity alphaS1 casein fragment 273: 135
NAP 2 formation CTAP III 275: 581
papaya omega structure active site 280: 79
serine inhibitor articular cartilage 274: 269
thrombin processing secretory path= way 277: 59
V8 cleavage creatine kinase 280: 809
26 S interaction proteasome 280: 225

Proteochondroitin
formation cartilage microsome 277: 787

Proteoglycan
articular cartilage 273: 579
bone osteoblast 277: 199
cartilage cleavage stromelysin collage= nase 279: 733
cartilage G2 domain keratan sulfate 273: 369
chondroitin dermatan sulfate se= quence aorta 274: 415
chondroitin sulfate sulfation antibody binding 273: 237
collagen type IX cartilage 278: 441
degrdn cathepsin B sputum 276: 325
dermatan sulfate fibroblast xyloside 276: 533
formation cartilage glutamine analog 273: 283
formation mesangium culture 277: 81
heparan sulfate domain endothelium 279: 821
heparan sulfate liver 273: 415
heparan sulfate protein linked oligo= saccharide 277: 297
heparin sulfate antithrombin receptor brain 280: 393
link protein monocyte fragment pro= cessing 280: 679
matrix metalloproteinase 277: 277
metab cervix pregnancy 275: 515
muscle tendon 274: 219

Proteolysis
articular cartilage link protein 278: 143
liver glucagon insulin 278: 771
liver inhibition alc 273: 149
Saccharomyces isolated mitochondrial gene expression 274: 199
tetanus toxin B lymphoblast 277: 47

Prothrombin
processing endoproteinase secretory pathway 277: 59

Protochlorophyllide
formation chloroplast cyclase 276: 691

Proton
pump stoichiometry oxidative phos= phorylation mitochondria 275: 75
sodium cell exchanger clonidine cime= tidine 280: 317
transport mitochondria mammal reptile 275: 81

Protonmotive
force oxidative phosphorylation stoi= chiometry mitochondria 275: 75

Protoporphyria
griseofulvin liver alkyl protoporphyrin 280: 813

Protoporphyrin
adduct griseofulvin liver 274: 843

Protoporphyrinogen
oxidase inhibition diphenyl ether herbicide 277: 17

Proximal
tubule transporter beta alanine 277: 891

Pseudomonas
benzyl alc benzaldehyde dehydroge= nase sequence 273: 99
cellodextrinase C gene sequence 279: 793
lipase soln behavior 273: 611
lupanine hydroxylase 279: 105
morphine dehydrogenase 274: 875
phosphonoacetaldehyde hydrolase butylphosphonate allosteric regula= tion 280: 557

Pseudoperoxidase
stimulation benzofuranol hydroxyurea deriv lipoxygenase 274: 287

Puerperium
uterus calpain 276: 293

Pulmonary
surfactant protein C precursor pro= cessing 277: 493

Pump
proton stoichiometry oxidative phos= phorylation mitochondria 275: 75

Purifn
characterization submandibular sub= lingual saliva 280: 341
liver cell membrane 273: 173

Purine
nucleoside phosphorylase transition state pH 278: 487
phosphoribosyltransferase Artemia 275: 327

Purinergic
ATP heart calcium 274: 55
receptor G protein coupling 275: 651

Pyrenesphingomyelin
metab fibroblast Niemann Pick dis= ease 275: 211

Pyridine
carboxylate procollagen hydroxylation inhibitor 275: 469

Pyridoxal
phosphate dodecylamine Schiff base 279: 759
phosphate ionization aspartate ami= notransferase review 280: 832

Pyrophosphatase
inorg essential histidine bacteria 278: 595

Pyrophosphate
aldehyde dehydrogenase kinetics liver 273: 691

Pyrrole
chain formation porphobilinogen deaminase arginine 280: 445
Pyruvate
carboxylase essential lysine localiza⊃ tion 276: 759
carboxylase phosphate transfer reac⊃ tion 273: 443
decarboxylase apoenzyme reactivation cofactor Zymomonas 276: 439
dehydrogenase adipose insulin phos⊃ phatase 276: 649
dehydrogenase complex protein X function 278: 423
dehydrogenase detn liver heart 277: 547
dehydrogenase kinase activator pro⊃ tein identification 275: 781
dehydrogenase kinase activator pro⊃ tein liver 275: 775
kinase castor bean germination 279: 495
oxidoreductase Rhodospirillum nit⊃ rogenase 279: 155
Pz
peptidase endooligoendopeptidase A brain polemic 277: 294
P21ras
protein biochemistry review 279: 609
P21rho
GTPase activating protein 276: 833
P44mpk
acetyl CoA carboxylase kinase oocyte 274: 759
P52
matrix protein cell shape regulation 273: 651
P65
protein glycosylation membrane topog 279: 699
P75
protein phosphorylation calmodulin artery 277: 445
Quaternary
structure aryl hydrocarbon receptor RNase 279: 689
Quinate
dehydrogenase inactivation protein phosphatase plant 273: 733
Quinol
oxidase redox component Escherichia membrane 274: 723
Quinone
glutathione transferase isoenzyme inactivation 276: 661
reductase induction glutathione trans⊃ ferase substrate 273: 711
Quisqualate
sensitive glutamate receptor muscle crustacea 273: 165
Rabbit
gene PMCA1 DNA sequence 277: 345
microsome dipeptidase sequence gene kidney 280: 71
Radiation
inactivation size transformed andro⊃ gen receptor 275: 41
Radical
fatty acid nitrosobenzene methylni⊃ trosopropane 276: 447
halothane anesthesia liver toxicity 277: 795
hydroxyl hepatocyte lipid peroxidn 277: 767
hydroxyl salicylate hydroxylation liver 276: 753
oxygen beta2 microglobulin 277: 175
Radioassay
acetylation membrane lipid detn 274: 375
diradylglycerol detn cell lipid polemic 280: 829
fatty acid oxidn detn 279: 147
Raf
1 phosphorylation protein kinase MAP 277: 573
Ras
transformation fibroblast shape p52 protein 273: 651
Rat
Cebus heme oxygenase isoenzyme homol 275: 159
collagen gene promoter TGF activa⊃ tion 280: 157
complement factor D purifn 279: 775
Fischer dipeptidyl peptidase IV defi⊃ ciency 273: 497
kallikrein cDNA cloning Escherichia yeast 276: 63
lectin plasmid pGIR recombinant protein 274: 575
liver FABP protein synthetic gene 278: 365
liver gene S14 promoter regulation 280: 761
muscle glutamine metab chicken 274: 769
rhodanese cDNA sequence cloning 275: 227
Rattlesnake
cytochrome c sequence evolution 274: 825
RecA
protein interaction DNA Z conforma⊃ tion 275: 711
Receptor
acetylcholine neurotoxin binding region 274: 849
adenosine adipocyte adenylate cyclase obesity 279: 17
adenosine brain solubilization recon⊃ stitution 275: 651
adrenergic adipose somatotropin insulin 273: 39
adrenergic cAMP calcium hepatocyte 273: 799
adrenergic mRNA tissue thyroid hormone 277: 625
Ah TCDD DNA binding 274: 401
Ah TCDD toxicity review 276: 273
androgen gene mouse sequence ex⊃ pression 278: 269
androgen kidney monooxygenase sex 278: 499
androgen transformed radiation inac⊃ tivation size 275: 41
angiotensin brain liver pituitary 277: 729
antithrombin heparin sulfate proteo⊃ glycan brain 280: 393
aryl hydrocarbon quaternary structure RNase 279: 689
asialoglycoprotein chylomicron rem⊃ nant liver 276: 79
atriopeptin subtype blood platelet 278: 211
atriopeptin subtype internalization recycling 276: 493
benzodiazepine protein isolation 275: 419
binding insulinlike growth factor analog 278: 249
blood platelet activating factor solubi⊃ lization 278: 405
bombesin neuromedin pancreas gua⊃ nine nucleotide 280: 163
B2 kinin mol form bradykinin 276: 141
calcitonin brain 273: 179
calcitonin gene related peptide amylin 277: 139
cannabinoid cDNA human sequence cloning 279: 129
cell surface high density lipoprotein 279: 633
chylomicron remnant clearance 276: 381
EFG phospholipase A2 274: 715
EGF phosphorylation phospholipase calcium 275: 563
EGF signal transduction fatty acid 278: 679
EGF transmembrane signaling 277: 305
enterotoxin STa arom disulfide Es⊃ cherichia 275: 29
estradiol purifn sequence uterus 276: 709
formyl peptide neutrophil glycosyla⊃ tion 277: 67
G protein linked Loligo rhodopsin 274: 35
glutamate quisqualate sensitive mus⊃ cle crustacea 273: 165
hemopexin subunit endocytosis 276: 417
heterogeneity neutrophil chemotactic formyl peptide 276: 715
histamine thrombomodulin vascular endothelium 276: 739
inositol phosphate cerebellum 274: 861
inositol tetrakisphosphate brain label⊃ ing 280: 533
inositol tetrakisphosphate purifn brain 275: 453
inositol trisphosphate antagonist decavanadate 277: 294
inositol trisphosphate binding magne⊃ sium pH 278: 759
inositol trisphosphate calcium release cerebellum 277: 125
inositol trisphosphate granulocyto⊃ poiesis 280: 205
insulin EGF dephosphorylation phos⊃ phatase 278: 69
insulin kinase dephosphorylation deactivation 275: 413
insulin kinase structure trypsin acti⊃ vation 276: 27
insulin monomer tyrosine kinase 273: 49
insulin oocyte Xenopus 273: 673
insulin phosphorylation pattern liver 275: 15
insulin phosphorylation tyrosine 274: 173
insulin tyrosine kinase adipocyte glucose 274: 787
insulin tyrosine kinase inhibitor fetuin 274: 899
integrin glycoprotein IIIa domain platelet 276: 725
interferon gamma monocyte endocy⊃ tosis 274: 775
interleukin 1 internalization lympho⊃ cyte 273: 79
interleukin 6 hepatocyte cloning sequence 277: 659
lactotransferrin lymphocyte 276: 733
laminin platelet 274: 535
lipoprotein cholesterol metab liver 279: 175
lipoprotein degrdn EGF precursor domain 277: 677
low density lipoprotein immunoassay 280: 1
low density lipoprotein liver hypothy⊃ roidism 276: 825
mannose macrophage Leishmania infection 277: 451
mannose ricin interaction liver en⊃ dothelium 277: 855
muscarinic inositol phosphate neurob⊃ lastoma 273: 791
muscarinic phosphoinositide metab trachea 275: 373
neurotransmitter potassium channel regulation 277: 899
neutrophil signal transduction calcium 277: 705
nucleoside T lymphocyte proliferation

278: 471
operated calcium channel inhibition kinase 273: 803
opioid cholera toxin adenylate cyclase 275: 175
oxytocin myometrium magnesium 277: 97
parathormone osteoblast cytokine retinoate 280: 451
prolactin dissocn mammary lactogenic hormone 279: 461
remnant chylomicron liver macroglobulin 279: 863
ryanodine calcium transport sarcoplasmic reticulum 273: 449
ryanodine liver endoplasmic reticulum 276: 41
thrombin platelet neomycin 273: 241
tyrosine sulfate contg protein liver 275: 259
vasopressin V1a liver species 276: 189
VIP structure ligand binding 278: 527
vitronectin brush border placenta 280: 9
Recombinant
human lactoferrin BHK cell 276: 349
lactate dehydrogenase isoenzyme testis human 273: 587
nitrate reductase tobacco 278: 393
prostromelysin purifn activation 276: 217
Recombination
gene glutathione transferase human 274: 587
Reconstitution
sodium phosphate cotransporter 278: 543
Recycling
atriopeptin receptor subtype 276: 493
Red
blood cell proteinase 277: 779
pigment concg hormone peptide Geotrupes 275: 671
Redn
ferredoxin NADP Anabaena light 274: 781
fructose bisphosphatase activation thioredoxin dithiothreitol 278: 787
Redox
component quinol oxidase Escherichia membrane 274: 723
independence molybdoferredoxin nitrogenase partial reaction 279: 81
Reductase
deoxyglucosone aldehyde identity liver 279: 903
dihydrofolate Haemophilus trimethoprim resistance 274: 657
dimethyl sulfoxide Rhodobacter 274: 305
hydroxymethylglutaryl CoA hepatocyte calcium 273: 485
hydroxymethylglutaryl CoA liver calcium mobilization 279: 377
hydroxypyruvate inhibition oxalate spinach 276: 125
LTB4 HL60 cell 279: 283
NADH CoQ heart mitochondria hypoxia 274: 133
nitrate heme binding domain Chlorella 278: 203
nitrate tobacco expression Saccharomyces 278: 393
nitric nitrous oxide Thiosphaera 273: 423
quinone induction glutathione transferase substrate 273: 711
Reductoisomerase
acetohydroxy acid cDNA spinach sequence 277: 469
Refeeding
fasting hepatocyte vol review 276: 843
starvation glucose utilization brown adipose 273: 233
starvation liver acetylCoA carboxylase 280: 733
Regeneration
liver phosphatidylcholine metab 278: 347
Release
calcium channel endoplasmic reticulum 276: 41
Remnant
chylomicron asialoglycoprotein receptor liver 276: 79
receptor chylomicron liver macroglobulin 279: 863
Renin
kidney juxtaglomerular cell 278: 601
prorenin physicochem activation plasma 275: 727
Replication
Epstein Barr virus DNA polymerase 280: 703
Reptile
evolution mammal energy metab 275: 81
Resorption
nucleoside sodium multiple carrier 274: 27
Respiration
mitochondria noradrenaline glucose transport 277: 119
plant electron transport rotenone adenylate 274: 249
Respiratory
burst promyelocyte vanadate 276: 611
chain methylphenylpyridinium pieridin A 273: 481
mucin sulfated oligosaccharide cystic fibrosis 275: 199
Reticulocyte
Artemia ribosome gelonin 277: 281
ATPase thyroxine retinoate sex 273: 489
iron transport sodium 275: 635
ornithine decarboxylase degrdn 277: 683
Retina
endothelium fibroblast growth factor release 276: 113
Retinoate
parathormone receptor osteoblast 280: 451
platelet growth factor Ito cell 278: 43
thyroxine reticulocyte ATPase sex 273: 489
Retinoic
acid alk phosphatase gene 274: 673
acid metab glucuronide blood tissue 277: 527
Retinoid
calcium ATPase calmodulin membrane 277: 603
Retrovirus
arylsulfatase A gene metachromatic leukodystrophy 280: 459
Review
actin myosin crossbridge muscle contraction 274: 1
adenylate cyclase inhibition calcium 278: 903
aspartate aminotransferase pyridoxal phosphate ionization 280: 832
ATP formation mitochondria heart 280: 561
caldesmon structure function 279: 1
complement C4bp protein S 277: 581
ESR NMR spectrometry membrane 274: 625
glycosylation protein transport cell 276: 1
hepatocyte vol fasting refeeding 276: 843
insulin regulation gene expression 278: 609
mRNA ribosome cytoskeleton interaction 277: 1
oncoprotein adenovirus human 275: 281
protein DNA interaction structure 278: 1
protein metab muscle heart 273: 21
protein p21ras biochemistry 279: 609
sialidase endosialidase nomenclature IUB 278: 311
surfactant assocd protein lung 273: 249
TCDD toxicity Ah receptor 276: 273
uroporphyrinogen III porphobilinogen decarboxylation specificity 278: 901
Xenopus transcription factor development regulation 278: 313
Rhesus
D human monoclonal antibody Escherichia 277: 561
Rhizobium
malonyl CoA synthetase 273: 511
Rho
GAP protein purifn sequence 276: 833
Rhodanese
rat cDNA sequence cloning 275: 227
Rhodobacter
dimethyl sulfoxide reductase 274: 305
Rhodospirillum light harvesting antenna carotenoid 274: 881
Rhodopsin
gene sequence Loligo 274: 35
Rhodospirillum
glutamate synthase 279: 151
light harvesting antenna carotenoid 274: 881
pyruvate oxidoreductase nitrogenase 279: 155
Rhythm
diurnal hydroxymethylglutaryl CoA synthase liver 280: 61
RIA
carbonic anhydrase isoenzyme IV 274: 313
Gi protein 277: 223
Gi protein alpha subunit 277: 223
Ribosome
Artemia reticulocyte gelonin 277: 281
mRNA cytoskeleton interaction review 277: 1
Ribosylation
ADP acetylation core histone 277: 607
ADP Gi protein detn 277: 223
Ricin
interaction liver endothelium 277: 855
Ricinoleate
triacylglycerol castor bean endosperm microsome 280: 507
RNA
fos protein kinase inhibitor H7 278: 305
messenger acid phosphatase subunit osteoclastoma 277: 631
polymerase binding kinetics constitutive promoter 277: 435
primer recognition virus DNA polymerase 280: 703
U1a U1b mouse gene expression 277: 719
U2 U4 gene activation Vmw65 275: 369
RNase
aryl hydrocarbon receptor quaternary

structure 279: 689
inhibitor protein truncated form 275: 541
Rodent
cell polyamine metab 280: 289
Rotenone
adenylate electron transport respiration plant 274: 249
Ruminant
hepatocyte fatty acid metab hormone 274: 21
Ryanodine
receptor calcium transport sarcoplasmic reticulum 273: 449
receptor liver endoplasmic reticulum 276: 41
S
100b protein cadmium brain 276: 13
Saccharomyces
aspartate aminotransferase sequence 277: 335
chromosome III purifn mapping 273: 695
expression tobacco nitrate reductase 278: 393
isolated mitochondrial gene expression proteolysis 274: 199
membrane ferrireductase cAMP 280: 545
porphyrinogen metab 273: 246
pyruvate carboxylase essential lysine localization 276: 759
ubiquitin hydrolase 273: 615
SAENTA
FITC adduct prepn 273: 667
Salicylate
hydroxylation liver hydroxyl radical 276: 753
Saliva
mucin phosphoprotein 280: 341
Salivary
gland EGF mRNA swine 279: 315
gland secretion carbonic anhydrase isoenzyme 274: 313
Sambucus
fruit agglutinin SNA III 278: 667
Sarcoplasmic
reticulum alc 274: 565
reticulum ATPase calcium transport 274: 427
reticulum ATPase surface epitope 279: 203
reticulum ATPase thyroid hormone 275: 35
reticulum calcium efflux protein phosphorylation 276: 97
reticulum calcium transport ryanodine receptor 273: 449
reticulum junctional HCP protein muscle 277: 825
reticulum protein phosphorylation calcium 276: 89
Scatter
factor fibroblast 278: 35
Schiff
base dodecylamine pyridoxal phosphate deoxypyridoxal 279: 759
Schistosomin
sequence Lymnaea 279: 837
Schwann
cell nucleotidase 278: 199
SDS
PAGE mol wt protein 280: 553
Sea
star oocyte acetylCoA carboxylase kinase 274: 759
Seasonal
adaptation lobster hemocyanin subunit compn 277: 419
Sebaceous
gland expression lactalbumin transgene 275: 459
Secondary
conformation glucanase plant yeast 274: 41
conformation hyaluronan 274: 699
conformation protein G prime 274: 503
Secretion
apolipoprotein liver butyrate 278: 557
carbonic anhydrase isoenzyme salivary gland 274: 313
carboxypeptidase E cell 280: 695
collagenase procollagenase testis 279: 75
ganglioside metab 274: 581
granule protein GP2 pancreas 277: 879
lipoprotein lipase brown adipocyte 277: 801
mucin oligomer stomach 279: 251
parietal small GTP binding protein 279: 43
phospholipid lung SP D 279: 115
tyrosine sulfate protein kidney 279: 289
Secretory
granule insulin protein formation 274: 73
pathway prothrombin processing endoproteinase 277: 59
vesicle calcium inositol tetrakisphosphate adrenal 278: 381
Selenium
contg glutathione peroxidase Chlamydomonas 275: 623
deficiency liver iodothyronine deiodinase 274: 297
liver lipoprotein 279: 741
Senescence
band 3 protein erythrocyte 275: 47
collagen metab organ 276: 307
Senile
amyloidosis apolipoprotein polymorphism sequence 279: 427
Sepsis
leucine catabolism glutamine formation 276: 405
Sequence
acetohydroxy acid reductoisomerase cDNA spinach 277: 469
Arthrobacter xylose isomerase gene 277: 263
aspartate aminotransferase Saccharomyces 277: 335
benzyl alc benzaldehyde dehydrogenase bacteria 273: 99
beta lactamase Citrobacter 275: 629
beta lactamase Class A numbering 276: 269
beta2 glycoprotein I liver 277: 387
bowfin insulin 276: 261
cattle collagen X gene 273: 141
cellodextrinase C gene Pseudomonas 279: 793
chondroitin dermatan sulfate proteoglycan aorta 274: 415
chymase I heart mast cell 276: 567
cloning cystatin S cDNA human 278: 627
cloning flavodoxin gene Arabaena 280: 187
cloning human cannabinoid receptor cDNA 279: 129
cloning Mycobacterium citrate synthase gene 278: 225
complement C1q gene human 274: 481
contrapsin mouse liver acute inflammation 276: 337
cytochrome c rattlesnake evolution 274: 825
dehydroquinase active site Escherichia Neurospora 275: 1
estradiol receptor purifn uterus 276: 709
expression mouse androgen receptor gene 278: 269
ferredoxin cytochrome c Euglena 276: 47
fibronectin domain fibrin heparin plasma 274: 731
gene ENO3 enolase human muscle 275: 427
gene PBP5 protein Enterococcus 280: 463
gene PMCA1 protein 277: 345
glutathione transferase gene human 274: 587
GSH transferase subunit 10 274: 619
GTP binding protein photoreceptor squid 279: 323
GTP binding protein subunit squid 273: 225
heme oxygenase cDNA chicken expression 273: 659
heparan sulfate proteoglycan oligosaccharide 277: 297
homol prolyl oligopeptidase related peptidase 279: 907
homol protein Willebrand factor A 279: 908
human collagen X gene COL10A1 280: 617
human liver UDP glucuronosyltransferase cDNA 278: 465
inositol triphosphate kinase cDNA cloning 278: 883
interleukin 6 receptor cloning 277: 659
laminin A chain expression 276: 369
Loligo rhodopsin gene 274: 35
microsome dipeptidase kidney 280: 71
motif shikimate pathway enzyme evolution 276: 841
NADH ubiquinone oxidoreductase subunit mitochondria 278: 821
neutrophil chemoattractant cytokine inflammation 278: 493
nitrate reductase cDNA Chlorella 278: 203
penicillin binding protein peptidase Streptomyces 279: 223
phosphophoryn tooth dentin 276: 699
protein detn phosphoserine barium 280: 261
protein DnaB RTP Bacillus similarity 275: 823
protein FABP cDNA human 276: 203
rat rhodanese cDNA 275: 227
rho GAP protein 276: 833
schistosomin Lymnaea 279: 837
serum amyloid A protein mouse 280: 45
ubiquinone oxidoreductase subunit heart mitochondria 277: 11
valyl tRNA synthetase gene human 278: 809
Sequestration
calcium adrenal medulla inositol tetrakisphosphate 278: 381
Serine
beta lactamase active site 274: 855
beta lactamase Streptomyces 277: 647
glycogen hepatocyte fetus insulin 276: 577
hydroxymethyltransferase tryptophan synthase stereochem kinetics 274: 807
penicillin acylase Kluyvera 280: 659
phosphorylation insulin receptor tyrosine 274: 173
proteinase activity lipoprotein a plasma 274: 491
proteinase inhibitor articular cartilage 274: 269
type peptidase family 279: 907
vitronectin phosphorylation vitronectin kinase A 274: 387

Serpin
multiple form plasma 274: 465
Serum
albumin dicarboxylate site 276: 569
amyloid A protein isoform inflamma⊃ tion 273: 245
amyloid A protein sequence mouse 280: 45
calcium transient fibroblast 278: 849
sialyltransferase release jejunum 280: 687
transferrin aluminum binding 280: 527
vessel gene Id protein 277: 285
Sex
androgen receptor kidney monooxyge⊃ nase 278: 499
thyroxine retinoate reticulocyte AT⊃ Pase 273: 489
Shape
cell regulation matrix protein p52 273: 651
Sheep
alpha1 proteinase inhibitor blood plasma 273: 685
cartilage collagen formation 277: 513
hepatocyte fatty acid metab hormone 274: 21
uterus oxytocin magnesium 277: 97
Shikimate
pathway enzyme sequence motif evolution 276: 841
Short
chain alc dehydrogenase conformation NAD 276: 433
Shrimp
embryo cell free protein formation 276: 809
Sialidase
nomenclature IUB review 278: 311
Sialoprotein
bone formation fetus mineralization 274: 513
Sialylation
glycoprotein liver development 280: 179
Sialyltransferase
liver development 280: 179
prepn colominic acid 280: 575
release jejunum serum 280: 687
Signal
recognition particle GTP insulin 275: 23
transduction EGF receptor fatty acid 278: 679
transduction neutrophil receptor calcium 277: 705
Simulation
substrate induced enzyme inactivation kinetics 279: 87
Single
channel recording fluorescence com⊃ plement pore 276: 395
Skeletal
muscle mitochondria ethanol 274: 565
Skin
fibroblast glucuronate sulfatase 279: 399
fibroblast heparan sulfate structure 273: 553
fibroblast proline uptake interleukin 1 276: 57
lysyl oxidase 275: 657
Slime
mold inositol pentakisphosphate 275: 485
Small
GTP binding protein parietal se⊃ cretion 279: 43
intestine apolipoprotein B48 oligosac⊃ charide 274: 159
intestine epithelium isolation crypt villus 280: 331
nuclear RNA activation herpes pro⊃ tein 275: 369
Smooth
muscle blood vessel thrombin 274: 799
muscle calmodulin protein kinase C 277: 445
muscle cell cycle Id gene 277: 285
muscle cell division myosin 277: 145
Snail
schistosomin sequence 279: 837
Sodium
dependent uridine transport differen⊃ tiation 274: 85
dependent uridine transport pertussis toxin 280: 515
nucleoside resorption multiple carrier 274: 27
nucleoside transporter intestine oo⊃ cyte 278: 605
phosphate cotransporter reconstitu⊃ tion 278: 543
proton cell exchanger clonidine cime⊃ tidine 280: 317
pump beta subunit 279: 329
reticulocyte iron transport 275: 635
Sol
metalloendopeptidase endooligopepti⊃ dase A brain polemic 277: 294
Solubilization
blood platelet activating factor recep⊃ tor 278: 405
cation electroporation L1210 cell 277: 883
differential protein membrane 280: 745
Soluble
metalloendopeptidase brain 276: 583
metalloendopeptidase polemic 277: 295
Somatostatin
G protein subunit membrane 280: 303
Somatotropin
acetyl CoA carboxylase adipose lacta⊃ tion 274: 543
adrenergic receptor adipose 273: 39
gluconeogenesis liver fatty acid rumi⊃ nant 274: 21
insulinlike growth factor binding protein 275: 441
Sp
dichlororibofuranosylbenzimidazole monophosphorothioate activation protein kinase 279: 521
Spanning
tree math metab regulation 275: 253
Spectrin
neurofilament light chain domain brain 275: 521
Spectrometry
ESR NMR membrane review 274: 625
Sperm
acrosome protein enzyme 275: 759
acrosome reaction capacitation sper⊃ mine 278: 25
protamine precursor processing 277: 39
Spermidine
deriv spermine synthase cell growth 274: 167
Spermine
sperm acrosome reaction capacitation 278: 25
synthase spermidine deriv cell growth 274: 167
toxicity BHK cell 280: 193
Spinach
chloroplast acetohydroxy acid reduc⊃ toisomerase 277: 469
oxalate inhibition hydroxypyruvate reductase 276: 125
Spiroepoxypenicillin
deriv lactamase inhibitor 276: 801
Spleen
cholesterol transport liver erythrocyte lipoprotein 279: 503
glutamine metab diabetes mellitus 274: 49
SPPI
phosphoprotein bone transforming factor 273: 523
Sputum
cathepsin B modulation neutrophil elastase 276: 325
mucin cystic fibrosis 276: 667
mucin glycopeptide heterogeneity cystic fibrosis 276: 677
Squid
GTP binding protein sequence photo⊃ receptor 279: 323
GTP binding protein subunit se⊃ quence 273: 225
Staphylococcus
inhibitory Enterococcus protein PBP5 sequence 280: 463
Starch
hydrolase domain organization 280: 51
Starvation
brain phosphofructokinase fructose diphosphatase 276: 455
glucokinase GLUT2 protein pancreat⊃ ic islet 279: 899
lactate transport hepatocyte 273: 195
pyruvate dehydrogenase liver heart 277: 547
refeeding glucose utilization brown adipose 273: 233
refeeding liver acetylCoA carboxylase 280: 733
refeeding muscle glucose 277: 429
Staurosporine
platelet protein kinase 275: 301
Steady
state transition metab 276: 231
Stereochem
kinetics serine hydroxymethyltransf⊃ erase tryptophan synthase 274: 807
Stereoselective
binding tyrosine horseradish peroxi⊃ dase lactoperoxidase 279: 245
Steroid
bile acid hydroxylase isoenzyme spe⊃ cificity 275: 105
glycogen phosphorylase hepatocyte 276: 209
hydroxylase liver kidney mitochondria 276: 427
Sterol
structure obtusifoliol demethylase specificity corn 277: 483
Stilbenedisulfonate
deriv lactate transport erythrocyte 275: 307
Stomach
ATPase inhibitory antibody epitope location 280: 243
mucin structure compn 277: 423
secretion mucin oligomer 279: 251
tubulovesicle GTP binding protein 279: 43
Streptavidin
biotin binding site 278: 573
Streptococcus
group B complement C5a 273: 635
Streptomyces
beta lactamase acyl transfer mecha⊃ nism 279: 213
beta lactamase serine 277: 647
cephalosporin 7alpha hydroxylase 280: 471
lactamase lysine mutation kinetics pH 278: 673
penicillin binding protein peptidase sequence 279: 223
tyrosinase histidine arginine function 274: 707

Stress
phenylalanine ammonia lyase bean 279: 231
Synechococcus adenylylated nucleotide 276: 487
Stromelysin
cleavage cartilage proteoglycan 279: 733
uterus estradiol progesterone 275: 645
Structure
anthracycline DNA ligase inhibition 279: 141
calcitonin gene related peptide fragment 280: 147
cephamycin beta lactamase Bacillus interaction 279: 111
EGF receptor function 275: 563
fibrinogen plasminogen activation 276: 655
function microglobulin beta2 277: 359
ligand binding VIP receptor 278: 527
oligosaccharide blood group substance 279: 95
ursodeoxycholate analog LDL hepatocyte binding 280: 589
Struthio
eye crystallin argininosuccinate lyase 273: 295
Sublingual
submandibular saliva purifn characterization 280: 341
Submandibular
platelet activating factor acetylcholine 276: 175
sublingual saliva purifn characterization 280: 341
T kininogenase antigen gamma 280: 19
Submaxillary
mucin neutral oligosaccharide blood group 279: 95
Submucosal
gland mucin cholinergic system 275: 663
Subsarcolemma
myosin mRNA 279: 309
Substance
P calcium inositol trisphosphate 273: 541
Substrate
branched enzyme pathway inactivation kinetics 279: 87
conformation glucocerebrosidase 274: 557
lactamase beta lactam antibiotic structure 279: 111
specificity cathepsin B pH 275: 751
Subunit
aspartylglucosaminidase leukocyte 276: 251
beta integrin disulfide 274: 63
GTP binding protein sequence squid 273: 225
methanol dehydrogenase lysine interaction protein 280: 139
multiple glycosylation ATPase muscle 278: 375
NADH ubiquinone oxidoreductase sequence mitochondria 278: 821
protein X pyruvate dehydrogenase complex 278: 423
structure acid phosphatase isoenzyme prostate 277: 759
ubiquinone oxidoreductase sequence heart mitochondria 277: 11
Succinate
dehydrogenase topog mitochondria inner membrane 273: 719
Sucrase
isomaltase growth factor intestine enterocyte 280: 599
isomaltase ileum jejunum bypass 276: 563
Sugar
uptake macrophage dexamethasone 278: 129
Sulfatase
acetylgalactosamine liver human 279: 515
aluminofluoride beryllofluoride hydrogen sulfate analog 279: 361
glucuronate skin fibroblast 279: 399
Sulfate
hydrogen analog aluminofluoride beryllofluoride sulfatase 279: 361
keratan isosteric chondroitin sulfate 275: 267
tyrosine protein secretion kidney 279: 289
Sulfated
oligosaccharide mucin respiratory cystic fibrosis 275: 199
Sulfation
chondroitin sulfate proteoglycan antibody binding 273: 237
heparin formation model 275: 151
Sulfobenzoate
dioxygenase component Comamonas 274: 833
Sulfoglycoprotein
polarized secretion epithelium 279: 289
Sulfotransferase
adenosine phosphosulfate Euglena 274: 355
heparin formation 275: 151
Sulfur
homolog tyrosine transport melanoma antitumor 280: 721
iron center aldehyde oxidoreductase Desulfovibrio 280: 817
Superoxide
deoxyglucose macrophage phorbol ester 278: 119
dismutase copper erythropoiesis 274: 153
dismutase glycation heparin affinity 279: 263
release fibroblast NADPH oxidase 275: 241
Surfactant
assocd protein lung review 273: 249
protein A phospholipid vesicle aggregation 275: 273
protein D A lung 279: 115
protein lung lamellar body 274: 115
pulmonary protein C precursor processing 277: 493
Suspension
culture plant xyloglucan endotransglycosylation extracellular 279: 529
Swelling
hepatocyte enzyme 278: 887
Swine
EGF mRNA kidney 279: 315
Synapsin
1 domain interaction calmodulin nerve 275: 93
1 tubulin interaction site 276: 793
Synaptic
vesicle neurotransmitter transport anion 276: 363
Synaptosome
G protein brain hypothyroidism 275: 183
Synechococcus
heat metal stress adenylylated nucleotide 276: 487
Synovial
fluid NMR hyaluronate arthritis exercise 273: 459
Synthase
acetylglutamate liver polemic 275: 822
aminoacetone essential histidine liver 275: 575
aminolevulinate mRNA degrdn hepatocyte protein 274: 619
ATP mitochondria heart review 280: 561
ATP mitochondria magnesium 276: 149
ATP subunit lysosome Batten disease 275: 269
chitin Entamoeba encystation 280: 641
citrate conversion citryl CoA lyase 280: 521
citrate gene Mycobacterium cloning sequence 278: 225
dehydroquinate dehydroquinase shikimate kinase sequence 276: 841
farnesyl diphosphate recombinant form 275: 61
fatty acid ethyl ester organ 275: 507
glutamate Rhodospirillum 279: 151
glycogen hepatocyte swelling 278: 887
hydroxymethylbilane mechanism arginine Escherichia 275: 447
hydroxymethylglutaryl CoA liver diurnal rhythm 280: 61
indolylacetylglucose purifn antibody corn 279: 509
nitric oxide Kupffer cell chemiluminescence 279: 311
phosphatidylinositol erythrocyte membrane turkey 275: 187
spermine spermidine deriv cell growth 274: 167
tryptophan serine hydroxymethyltransferase stereochem kinetics 274: 807
tryptophan yeast mechanism hydrogen exchange 273: 605
Synthetase
acetylglutamate liver polemic 275: 821
adenosylmethionine ATP site essential cysteine 274: 225
arachidonoyl palmitoyl CoA identity platelet 274: 145
malonyl CoA Rhizobium 273: 511
palmitoyl cerotoyl CoA peroxisome 276: 53
valyl tRNA gene sequence human 278: 809
Synthetic
gene fatty acid binding protein 278: 365
System
N amino acid transport liver 274: 97
S100
protein calcium caldesmon 277: 819
T
kininogenase antigen gamma submandibular 280: 19
lymphocyte calcium ATPase inhibitor 277: 553
lymphocyte proliferation glutamine nucleoside receptor 278: 471
TAATGARAT
binding transcription factor Oct1 Oct2 277: 541
Targeting
membrane protein SPC precursor lung 277: 493
Tartrate
resistant acid phosphatase structure mRNA 277: 631
Tau
factor A68 protein brain Alzheimer 279: 831
factor neurofibrillary tangle brain Alzheimer 273: 127
protein brain Alzheimer Down phosphorylation 275: 99
Taurine
transport JAR cell culture 277: 53
Taurocholate
activated lipase acyl chain specificity 279: 297

Taurolithocholate
uptake platelet nerve 273: 153
Tautomerase
dopachrome melanoma specificity carboxylated indole 277: 393
TCDD
Ah receptor DNA binding 274: 401
cytochrome P 450 liver acinus 277: 577
toxicity Ah receptor review 276: 273
TCR
inositol phospholipid lymphocyte G protein 275: 689
Temp
integrin GPIIb GPIIIa calcium 276: 35
Tendon
proteoglycan 274: 219
Tertbutylnitrophenylnitrone
adduct bile halothane anesthesia 277: 795
Tertiary
conformation hyaluronan 274: 699
Testis
brain cannabinoid receptor transcription mammal 279: 129
collagenase procollagenase secretion 279: 75
isoenzyme recombinant lactate dehydrogenase human 273: 587
Testosterone
reticulocyte ATPase retinoate thyroxine 273: 489
Tetanus
toxin proteolysis B lymphoblast 277: 47
Tethys
prostaglandin lactone metab 273: 593
Tetradecylglucopyranosyl
glycerol substrate glucocerebrosidase 274: 557
Tetrahydrobiopterin
fibroblast tumor necrosis factor interferon 280: 709
Tetrahymena
glycosyl phosphatidylinositol 279: 605
Tetrakisphosphate
inositol calcium transport nerve 276: 163
Thapsigargin
calcium ATPase inhibitor hepatocyte lymphocyte 277: 553
Thaumatococcus
cysteine proteinase thaumatopain 274: 231
Thaumatopain
cysteine proteinase Thaumatococcus 274: 231
Thermoanaerobacter
glucose isomerase 273: 565
Thermophilic
bacteria PS3 inorg phosphatase histidine 278: 595
eubacteria cellobiohydrolase 277: 887
Thermostability
xylanase Thermotoga 277: 413
Thermotoga
thermostable cellobiohydrolase 277: 887
xylanase thermostability 277: 413
Thiamin
diphosphate magnesium pyruvate decarboxylase reactivation 276: 439
Thimet
oligopeptidase polemic 277: 295
peptidase fluorescent peptide substrate prepn 274: 45
Thin
filament caldesmon S100 protein 277: 819
Thiocarbamate
compd aldehyde dehydrogenase 278: 189
Thioester
substrate peptidase lactamase acyl enzyme 280: 499
Thioesterase
mammal gene cloning Escherichia 273: 787
Thiol
alkylation bromoacetylphosphonate chloroacetylphosphonate dehydrogenase 275: 767
DNA apurinic apyrimidinic elimination product 273: 777
oxidn vimentin cytoskeleton 275: 789
Thiolglycollate
apurinic apurinic apyrimidinic detn 273: 777
Thiomethylandrostenedione
inhibition aromatase 273: 533
Thioredoxin
fructose bisphosphatase redn activation 278: 787
protein disulfide isomerase activity comparison 275: 349
Thiosphaera
nitric nitrous oxide reductase 273: 423
Threonine
phosphorylation insulin receptor tyrosine 274: 173
Thrombin
blood vessel smooth muscle 274: 799
diacylglycerol formation platelet 275: 355
hirudin complex formation ionic interaction 275: 801
platelet ganodermate S 277: 189
platelet Gi protein 279: 643
processing proteinase secretory pathway 277: 59
purifn human blood plasma 280: 805
receptor platelet neomycin 273: 241
vessel thrombomodulin tissue factor 273: 679
Thrombomodulin
blood vessel endothelium 273: 679
vascular endothelium histamine receptor 276: 739
Thrombospondin
blood platelet soln property 275: 263
related anonymous protein Willebrand factor 279: 908
Thromboxane
platelet aggregation diet fat 278: 399
Thymic
humoral factor gamma2 neutral endopeptidase 278: 891
Thymidine
sodium transporter intestine oocyte 278: 605
Thymocyte
lysis ATP cation transport 274: 139
Thymus
lck protein tyrosine kinase 279: 567
Thyroid
catecholamine insulin glucose muscle 278: 587
dependent gene peroxisome proliferator 274: 745
hormone ATPase sarcoplasmic reticulum 275: 35
hormone tissue adrenergic receptor mRNA 277: 625
Thyromimetic
peroxisome proliferator liver 274: 745
Thyroxine
retinoate reticulocyte ATPase sex 273: 489
TIMP
2 complex progelatinase fibroblast 278: 179
Tissue
calcium pump cyclic nucleotide 277: 345
dipeptidyl peptidase IV development 277: 331
distribution acid alpha glucosidase isoform 279: 719
factor blood vessel endothelium 273: 679
factor exon factor VII 278: 729
retinoic acid metab glucuronide 277: 527
Titrn
curve polybasic acid multiply sigmoid 278: 279
Tobacco
nitrate reductase expression Saccharomyces 278: 393
Tonin
T kininogenase submandibular 280: 19
Tooth
dentin phosphophoryn compn sequence 276: 699
Topoisomerase
DNA ovary granulosa FSH 277: 557
Topol
glucose phosphatase endoplasmic reticulum membrane 275: 133
Torpedo
nicotinic receptor neurotoxin binding 274: 849
nucleotidase HNK 1 epitope 278: 199
Toxin
cholera adenylate cyclase opioid receptor 275: 175
pertussis insensitive G protein phospholipase 280: 753
pertussis sodium dependent uridine transport 280: 515
tetanus proteolysis B lymphoblast 277: 47
Trachea
inositol phospholipid metab carbachol 275: 373
mucin cholinergic system 275: 663
mucin macromol property polymeric structure 276: 525
prostaglandin platelet activating factor 276: 593
Transamination
glutamine metab carcinoma hepatoma 273: 271
Transcarbamoylase
ornithine precursor transport mitochondria polyamine 279: 815
Transcobalamin
formation secretion HT 29 280: 427
Transcription
brain testis cannabinoid receptor mammal 279: 129
factor Oct1 Oct2 binding TAATGARAT 277: 541
factor Xenopus development regulation review 278: 313
regulation chicken metallothionein gene 273: 185
Transduction
human mucopolysaccharidosis fibroblast arylsulfatase gene 276: 499
Transferase
glutathion isoenzyme lung liver 278: 793
glutathione activity carboxyl terminal region 275: 171
glutathione adrenal pituitary hormone 280: 399
glutathione anion inhibition insect mammal 278: 193
glutathione expression aflatoxin B1 279: 385
glutathione gene sequence recombination human 274: 587
glutathione inhibition GSH deriv

prepn 278: 63
glutathione isoenzyme conserved arginine 274: 549
glutathione isoenzyme heterodimer muscle human 273: 323
glutathione isoenzyme inactivation quinone 276: 661
glutathione isoenzyme mitochondria matrix liver 278: 137
glutathione isoenzyme pancreas organ 275: 507
glutathione isoenzyme 6 brain 274: 405
glutathione mu psi human cloning 276: 519
glutathione S cysteine 278: 293
glutathione substrate quinone reductase induction 273: 711
glutathione subunit liver chemoprotector 276: 461
glutathione subunit purifn BHA induction 277: 501
glutathione theta isoenzyme mammal 274: 409
glutathione YfYf allosteric site ethacrynate 275: 703
GSH subunit 10 sequence 274: 619
Transformation
kidney revertant plasminogen activator inhibitor 279: 883
oncogene phosphatidylethanolamine hydrolysis PMA bryostatin 276: 505
ras fibroblast shape p52 protein 273: 651
Transformed
androgen receptor radiation inactivation size 275: 41
Transforming
growth factor activation collagen promoter 280: 157
growth factor glutaredoxin similarity 280: 833
growth factor hydrolysis peptidase 280: 57
growth factor Ito cell 278: 43
growth factor osteopontin bone 273: 523
growth factor platelet glioblastoma 277: 165
protein adeno virus review 275: 281
Transgenic
mouse human ornithine decarboxylase gene 278: 895
Transglutaminase
beta crystallin oxygen radical 274: 869
phosphoglycerate kinase mutant modification 273: 73
Transition
state purine nucleoside phosphorylase pH 278: 487
steady state metab 276: 231
Translation
blocker aminolevulinate synthase induction liver 274: 619
mRNA structure ornithine decarboxylase polyamine 274: 521
Translocation
calcium platelet agonist 280: 783
glucose transporter adipocyte insulin 275: 597
lipocortin membrane 275: 219
protein kinase pituitary neurosecretion 273: 493
Transmembrane
polypeptide protein 280: 745
signaling EGF receptor 277: 305
signalling granulocyte tumor necrosis factor 279: 455
Transplantation
liver model dipeptidyl peptidase IV 273: 497
Transport
amino acid system N liver 274: 97
anion hepatocyte protein kinase 278: 637
anion system liver 274: 281
ascorbate dehydroascorbate pancreas development 274: 739
atrial natriuretic peptide receptor 276: 493
biotin intestine enterocyte 279: 671
calcium ATPase sarcoplasmic reticulum 274: 427
calcium fibroblast lipoprotein 279: 29
calcium nerve inositol trisphosphate 276: 163
calcium regulation phosphoprotein membrane platelet 273: 429
calcium sarcoplasmic reticulum ryanodine receptor 273: 449
calcium Trypanosoma membrane ATPase calmodulin 280: 715
cathepsin C membrane lysosome 275: 797
cation thymocyte lysis ATP 274: 139
cholesterol spleen liver erythrocyte lipoprotein 279: 503
choline erythrocyte Plasmodium infection 273: 701
glucose adipocyte noradrenaline 277: 119
glucose adipose insulin 278: 235
glucose adipose tissue protein kinase 275: 597
glucose phosphate parotid gland 279: 843
glutamine basolateral membrane intestine 277: 687
glutamine specificity membrane liver muscle 278: 105
hexose adipocyte insulin PMA 275: 145
inositol phosphooligosaccharide hepatocyte 274: 369
interferon gamma receptor monocyte 274: 775
iron reticulocyte sodium 275: 635
lactate erythrocyte stilbenedisulfonate deriv 275: 307
lactate hepatocyte starvation 273: 195
lactate placenta pregnancy 278: 535
lipoprotein liver Kupffer cell 276: 135
neurotransmitter synaptic vesicle anion 276: 363
nucleoside nerve protein kinase 279: 651
nucleoside protein fluorescence probe 273: 667
ornithine Ehrlich cell diamine 280: 825
ornithine transcarbamoylase precursor mitochondria polyamine 279: 815
protein cell glycosylation review 276: 1
protein glucose phosphatase liver microsome 275: 363
proton mitochondria mammal reptile 275: 81
sodium nucleoside brush border kidney 274: 27
taurine JAR cell culture 277: 53
uridine sodium dependent pertussis toxin 280: 515
Transporter
amino acid erythrocyte 277: 565
anion microsome dipeptidase kidney 280: 71
beta alanine proximal tubule 277: 891
glucose translocation adipocyte insulin 275: 597
nucleoside equilibrative inhibitor sensitive 273: 667
sodium nucleoside intestine oocyte 278: 605
TRAP
sequence homol Willebrand factor A 279: 908
Triacylglycerol
castor bean endosperm microsome 280: 507
lipase detn fluorometry 276: 129
metab fatty liver hepatectomy lipoprotein 277: 723
metab platelet activating factor 280: 541
secretion liver insulin oleate 280: 99
Trichoderma
endoxylanase 278: 329
Trichomonas
methionine gamma lyase 279: 675
Triflavin
Trimeresurus venom platelet aggregation 277: 351
Triiodothyronine
malic enzyme mRNA liver 279: 407
Trimethoprim
resistance Haemophilus dihydrofolate reductase 274: 657
Triolein
lipase lipid metab tissue obesity 274: 651
Triphosphate
nucleotide Ah receptor DNA binding 274: 401
Trisphosphate
inositol calcium transport nerve 276: 163
inositol receptor calcium release cerebellum 277: 125
Triterpene
elastase inhibition leukocyte 277: 521
Tritiated
water gluconeogenesis glycogenolysis detn 279: 911
Triton
X 100 diradylglycerol cell polemic 280: 829
X 114 phase sepn 280: 745
Trophoblast
apical membrane vitronectin receptor 280: 9
Tropoelastin
gene cattle cloning Escherichia 273: 517
Tropomyosin
troponin interaction actomyosin isomerization 279: 711
Troponin
C binding phosphofructokinase calmodulin 274: 445
tropomyosin interaction actomyosin isomerization 279: 711
Trout
liver carcinoma histone nonhistone protein 280: 491
Trp
operator mutant conformation 273: 383
Trypanosoma
adenosylmethionine polyamine biosynthesis inhibitor 274: 527
calcium transport membrane ATPase calmodulin 280: 715
development protein phosphorylation 275: 7
inositol phosphate diacylglycerol phosphatidylinositol 275: 407
Trypsin
activation insulin receptor kinase structure 276: 27
inhibitor inter homol Willebrand factor 279: 908
Tryptophan
carotenoprotein crustacyanin astaxanthin lobster carapace 274: 79
octanoate diazepam site albumin 273: 641

synthase serine hydroxymethyltransferase stereochem kinetics 274: 807
synthase yeast mechanism hydrogen exchange 273: 605
Tubulin
helix MAP1B protein 274: 621
MAP2 microtubule assembly 277: 231
MAP2 microtubule assembly GTP hydrolysis 277: 239
polymn soln condition 277: 839
subunit microtubule assembly MAP2 277: 245
synapsin 1 interaction site 276: 793
Tubulovesicle
stomach GTP binding protein 279: 43
Tumor
necrosis factor glucose Kupffer cell 278: 515
necrosis factor granulocyte transmembrane signalling 279: 455
necrosis factor hsp27 phosphorylation 277: 635
necrosis factor interferon tetrahydrobiopterin fibroblast 280: 709
necrosis factor interleukin heme oxygenase 279: 891
necrosis factor parathormone osteoblast 280: 451
necrosis factor thrombomodulin tissue factor 273: 679
Turkey
erythrocyte membrane phosphatidylinositol synthase 275: 187
Type
X collagen cartilage extn characterization 273: 333
X collagen chondrocyte differentiation 276: 183
Tyrosinase
histidine arginine function Streptomyces 274: 707
mechanism dihydroxyphenyllactate oxidative decarboxylation 277: 849
Tyrosine
horseradish peroxidase lactoperoxidase stereoselective binding 279: 245
kinase insulin receptor adipocyte glucose 274: 787
kinase insulin receptor inhibitor fetuin 274: 899
kinase insulin receptor monomer 273: 49
kinase insulin receptor phosphatidylinositol kinase 280: 769
modification notexin Notechis venom property 280: 739
phosphorylation calpactin platelet growth factor 278: 447
phosphorylation insulin receptor 274: 173
phosphorylation vanadate respiratory burst promyelocyte 276: 611
protein lck kinase thymus 279: 567
protein phosphatase multiple form liver 274: 361
protein phosphatase placenta receptor 278: 69
sulfate binding protein liver 275: 259
sulfate protein secretion kidney 279: 289
transport melanoma antitumor sulfur homolog 280: 721
Ubiquinol
oxidase size Escherichia 276: 555
Ubiquinone
NADH oxidoreductase subunit sequence mitochondria 278: 821
oxidoreductase subunit sequence heart mitochondria 277: 11
Ubiquitin
hydrolase Saccharomyces 273: 615
UDP
glucuronosyltransferase cDNA human liver sequence 278: 465
glucuronyltransferase fetus liver mercury 278: 99
Uptake
lactate liver substrate availability 273: 195
low density lipoprotein liver parenchyma 276: 135
taurolithocholate platelet nerve 273: 153
Uridine
transport sodium dependent differentiation 274: 85
transport sodium dependent pertussis toxin 280: 515
Urine
carboxymethylthioimidazolylpropanoate 275: 617
Urokinase
activation plasminogen glycosaminoglycan lipoprotein 276: 785
Uroporphyrinogen
decarboxylase uroporphyrinogen III polemic 278: 903
III porphobilinogen decarboxylation specificity review 278: 901
Ursodeoxycholate
LDL binding uptake degrdn hepatocyte 280: 589
Ursolate
elastase inhibition leukocyte 277: 521
Uterus
collagen degrdn estradiol progesterone 275: 645
estradiol receptor purifn sequence 276: 709
oxytocin sheep magnesium 277: 97
pregnancy puerperium calpain 276: 293
U2
U4 RNA gene activation Vmw65 275: 369
U4
U2 RNA gene activation Vmw65 275: 369
Valyl
tRNA synthetase gene sequence human 278: 809
Vanadate
tyrosine phosphorylation respiratory burst promyelocyte 276: 611
Vanadium
nitrogenase Azotobacter hydrazine formation 277: 465
Vascular
endothelium calcium arachidonate bradykinin 280: 281
endothelium thrombomodulin histamine receptor 276: 739
smooth muscle phosphatidylcholine hydrolysis angiotensin 276: 19
Vasopressin
phosphoinositide hydrolysis reformation 279: 337
secretion protein kinase translocation 273: 493
V1a receptor liver species 276: 189
Vein
portal adrenaline glycogenolysis liver 275: 609
Venom
Notechis notexin tyrosine modification property 280: 739
pancreas phospholipase A2 comparison 278: 843
Verapamil
daunomycin phase transition lipid bilayer 279: 413
Very
low density lipoprotein remnant receptor 279: 863
Vespa
mastoparan B structure biol activity 274: 453
Vessel
cell division myosin isoform 277: 145
gene Id protein serum 277: 285
Vibrio
DNA gyrase 280: 797
Vimentin
thiol oxidn cytoskeleton 275: 789
VIP
receptor structure ligand binding 278: 527
Virus
acetylesterase specificity acetyl contg compd 273: 435
adeno transforming protein review 275: 281
Epstein Barr replication DNA polymerase 280: 703
herpes simplex protein Vmw65 275: 369
Vitamin
D protein plasma liver actin 274: 237
Vitronectin
phosphorylation specificity protein kinase A 274: 387
receptor brush border placenta 280: 9
VLDL
formation liver fatty acid 275: 87
liver selenium 279: 741
Von
Willebrand factor A protein homol 279: 908
Willebrand Willebrand factor VIII binding 274: 257
V1a
receptor liver species 276: 189
Water
heparin polypeptide interaction IR spectroscopy 277: 569
tritiated gluconeogenesis glycogenolysis detn 279: 911
Wheat
germ agglutinin plasma membrane 273: 173
Willebrand
factor A protein sequence homol 279: 908
factor VIII von Willebrand 274: 257
Wounding
phenylalanine ammonia lyase bean 279: 231
Xenopus
development gene regulation transactivator review 278: 313
oocyte insulin receptor 273: 673
Xylanase
cellulose binding domain fusion endoglucanase 279: 787
thermostability Thermotoga 277: 413
Xyloglucan
endotransglycosylation extracellular plant suspension culture 279: 529
Xylose
isomerase Arthrobacter 277: 255
isomerase gene Arthrobacter cloning sequence 277: 263
isomerase kinetics cation 278: 285
Xylosidase
aryl Caldocellum 273: 645
Xyloside
fibroblast dermatan sulfate proteoglycan 276: 533
Yeast
cloning rat kallikrein cDNA 276: 63
glucanase secondary conformation 274: 41
heme formation pathway 273: 246
Z
conformation DNA interaction recA protein 275: 711

Zinc
deficiency myoblast differentiation
276: 109
phorbol ester binding enzyme
280: 233
Zymomonas
pyruvate decarboxylase apoenzyme
reactivation cofactor 276: 439

Printed in Great Britain by the University Press, Cambridge